

---

# CONFERENCE TABLE BASES

|                        |     |
|------------------------|-----|
| Product Specifications | 126 |
| Options                | 127 |
| Wood/Laminate Bases    | 128 |
| Metal Bases            | 137 |

# CONFERENCE TABLE BASES

---

## SQUARE BASES

- Veneer is slipmatched maple for all finishes except Almond, Canyon, Driftwood, Monterey, Portobello, Sable and Tuscan (straightgrain)
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- All joints are securely fastened by screws, dowels and fasteners to ensure maximum strength
- Wire access door features removable panel

## CYLINDER BASES

- Veneer is slipmatched maple for all finishes except Almond, Canyon, Driftwood, Monterey, Portobello, Sable and Tuscan (straightgrain)
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- Wire access door is hinged with touch latch

## PANEL BASE KITS AND THICK PANELS

- Veneer is slipmatched maple for all finishes except Almond, Canyon, Driftwood, Monterey, Portobello, Sable and Tuscan (straightgrain)
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- All joints are securely fastened by screws, dowels and fasteners to ensure maximum strength
- Wire access door features removable panel
- Panel base kit features 2 support rails that run from base to base

## METAL BASES

- Bases are formed metal with a powder coat finish
- Both mobile and fixed height bases are available
- Mobile bases have locking casters
- Glides are standard on fixed height bases
- Oval wire management cutout optional on some bases for an additional upcharge

**TABLE BASE GUIDE CAN BE FOUND ON PAGES 26-45**

| DIMENSION KEY |                         |
|---------------|-------------------------|
| D             | Depth                   |
| W             | Width                   |
| H             | Height                  |
| A             | Overhang: Approach Side |
| KW            | Kneespace Width         |
| DI            | Diameter                |

**WOOD FINISHES**

- AD Almond
- MC Amber
- AC Autumn
- IM Brighton
- CO Canyon
- CL Caramel
- CC Cordoba
- CW Cordovan
- DF Driftwood
- HN Honey
- TM Huntington
- DW Judicial
- MW Midtown
- MH Mocha
- YO Monterey
- NM Natural
- PB Portobello
- 792 Sable
- SC Sedona
- TW Tribeca
- TF Truffle
- NW Tuscan
- UW Urban

**LAMINATE COLORS**

**WOODGRAIN LAMINATE**

- |               |               |
|---------------|---------------|
| 793 Acorn     | MW Midtown    |
| AD Almond     | MH Mocha      |
| MC Amber      | YO Monterey   |
| AC2 Autumn 2  | NM Natural    |
| BZ Brazilwood | PC Porcini    |
| IM Brighton   | PT Portico    |
| CO Canyon     | PB Portobello |
| CL Caramel    | 792 Sable     |
| CI Chai       | SC Sedona     |
| CC Cordoba    | SK Skyline    |
| CW Cordovan   | TW Tribeca    |
| DF Driftwood  | TF Truffle    |
| HN2 Honey 2   | NW Tuscan     |
| TM Huntington | UW Urban      |
| DW Judicial   | WL Willow     |
| KN Kona       |               |


**SOLID LAMINATE**

- 462 Cinder
- 492 Cinder Linear
- 440 Cloud
- 457 Dapple
- 405 Designer White
- 491 Designer White Linear
- 450 Fog
- 488 Frosty White
- 461 Graphite
- 478 Platinum Grey
- 425 Shadow
- 460 Storm
- 419 Wallaby


**GALLERY LAMINATE**

- Grade 1 – 5% upcharge
- G1001 Citadel
- G1011 Pepperdust
- Grade 2 – 6% upcharge
- G1002 Planked Raw Oak
- G1003 Evening Notte
- G1004 Kirsche
- G1005 Midnight Run
- G1006 Sepia Walnut
- G1007 Serotina
- G1008 Timeless
- G1009 White Nebbia
- G1012 Phantom Ecru

**BASE DETAIL OPTIONS**



Basic (P1)



Barrington (P2)  
(wood only)




Escalade (P3)  
(wood only)

**TAPERED BASE PAINT COLORS**

- 462 Cinder
- 423 Concrete
- 405 Designer White
- 463 Iron
- 501 Platinum Metallic
- 503 Satin Nickel Metallic

**EPIC BASE DETAIL**



**FOOT COLORS (EPIC ONLY)**

- FR462 Cinder
- FR501 Platinum Metallic
- FR503 Satin Nickel Metallic

**METAL BASE COLUMN PAINT COLORS**


- 462 Cinder
- 423 Concrete
- 405 Designer White
- 463 Iron
- 501 Platinum Metallic
- 503 Satin Nickel Metallic

**METAL BASE FOOT PAINT COLORS**

- 462 Cinder
- 423 Concrete
- 405 Designer White
- 463 Iron
- 501 Platinum Metallic
- 265 Polished
- 503 Satin Nickel Metallic

**METAL BASE COLUMN WIRE MANAGEMENT**

- Ellipse shaped wire management cutout optional
- CUL Cutouts, Upper & Lower
- CU Cutout, Upper
- X No Cutout
- \$41 list upcharge for cutout



CONFERENCE TABLE BASES



**QUICK DELIVERY MODELS**

Models starting with a "Q" will have the following options in stock:  
Finish/Laminate: Must specify Honey (HN/HN2), Amber (MC) or Cordovan (CW)

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at [www.kimballinternational.com](http://www.kimballinternational.com)  
• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at [www.kimballinternational.com](http://www.kimballinternational.com)

# CONFERENCE TABLE BASES



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

### TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Finish (wood only)
4. Laminate (laminated only)

### SAMPLE MODEL NUMBER:

BW-16 CW

- See page 127 for all options available in Conference Table Bases

| MODEL NO./DESCRIPTION                 | LIST PRICE   | DIMENSIONS  |    |           |     |          | CARTONED WEIGHT | CUBIC FEET |     |
|---------------------------------------|--------------|-------------|----|-----------|-----|----------|-----------------|------------|-----|
|                                       |              | D           | W  | H         | A   | KW       |                 |            |     |
| <b>CYLINDER BASE (NO WIRE ACCESS)</b> |              | <b>WOOD</b> |    | <b>DI</b> |     | <b>H</b> |                 |            |     |
| BW-16                                 | 16" Diameter | \$ 1722     | 16 | —         | 27¾ | —        | —               | 145 lbs.   | 5.3 |
| QBW-18                                | 18" Diameter | 1921        | 18 | —         | 27¾ | —        | —               | 160 lbs.   | 5.3 |
| BW-18                                 | 18" Diameter | 1921        | 18 | —         | 27¾ | —        | —               | 160 lbs.   | 5.3 |
| BW-24                                 | 24" Diameter | 1987        | 24 | —         | 27¾ | —        | —               | 180 lbs.   | 7.2 |
| <b>LAMINATE</b>                       |              |             |    |           |     |          |                 |            |     |
| BP-16                                 | 16" Diameter | \$ 1026     | 16 | —         | 27¾ | —        | —               | 145 lbs.   | 5.3 |
| QBP-18                                | 18" Diameter | 1276        | 18 | —         | 27¾ | —        | —               | 160 lbs.   | 5.3 |
| BP-18                                 | 18" Diameter | 1276        | 18 | —         | 27¾ | —        | —               | 160 lbs.   | 5.3 |
| BP-24                                 | 24" Diameter | 1474        | 24 | —         | 27¾ | —        | —               | 180 lbs.   | 7.2 |



- Do not specify base detail
- Bases are weighted for stabilization
- Reference pages 26-45 for table base guide
- Adjustable glides standard

### CYLINDER BASE WITH WIRE ACCESS



Basic (P1)

| MODEL NO./DESCRIPTION | LIST PRICE   | DIMENSIONS |    |   |     |    | CARTONED WEIGHT | CUBIC FEET |     |
|-----------------------|--------------|------------|----|---|-----|----|-----------------|------------|-----|
|                       |              | D          | W  | H | A   | KW |                 |            |     |
| <b>WOOD</b>           |              |            |    |   |     |    |                 |            |     |
| 10N1628CYBW           | 16" Diameter | \$ 2834    | 16 | — | 27¾ | —  | —               | 145 lbs.   | 6.3 |
| 10N1828CYBW           | 18" Diameter | 3068       | 18 | — | 27¾ | —  | —               | 150 lbs.   | 5.3 |
| 10N2428CYBW           | 24" Diameter | 3306       | 24 | — | 27¾ | —  | —               | 180 lbs.   | 7.2 |
| <b>LAMINATE</b>       |              |            |    |   |     |    |                 |            |     |
| 10N1628CYBL           | 16" Diameter | \$ 1987    | 16 | — | 27¾ | —  | —               | 145 lbs.   | 6.3 |
| 10N1828CYBL           | 18" Diameter | 2221       | 18 | — | 27¾ | —  | —               | 150 lbs.   | 5.3 |
| 10N2428CYBL           | 24" Diameter | 2928       | 24 | — | 27¾ | —  | —               | 180 lbs.   | 7.2 |

- Only the Basic (P1) option is available
- Bases are weighted for stabilization
- Reference pages 26-45 for table base guide
- Base has wire access with access to floor mounted electrical
- Adjustable glides standard
- 6" diameter opening

CONFERENCE TABLE BASES

WOOD/LAMINATE

# CONFERENCE TABLE BASES




## TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Finish (wood only)
4. Laminate (laminated only)

## SAMPLE MODEL NUMBER:

10N6027TPBW AD  
 10N6027TPBP 423  
 BW-1616 DW

• See page 127 for all options available in Conference Table Bases

|  | MODEL NO./DESCRIPTION   | LIST PRICE | DIMENSIONS        |                  |                  |   | CARTONED CUBIC |              |      |
|--|---|------------|-------------------|------------------|------------------|---|----------------|--------------|------|
|  |   |            | D                 | W                | H                | A | KW             | WEIGHT       | FEET |
| <b>TAPERED BASES WITH WIRE ACCESS</b><br>   | 10N6027TPBW Wood  | \$ 7164    | 60                | 27 $\frac{3}{4}$ | –                | – | lbs.           |              |      |
|  | 10N6027TPBP Painted   | 4903       | 60                | 27 $\frac{3}{4}$ | –                | – | lbs.           |              |      |
|  | <ul style="list-style-type: none"> <li>• To support a 96" round top</li> <li>• Features a 12" taper</li> <li>• 2 pc. base (assembly required)</li> <li>• Can be used with a G10 or G15 grommet</li> </ul> |            |                   |                  |                  |   |                |              |      |
|  | 10N3627TPBW Wood  | \$ 6892    | 36 $\frac{1}{16}$ | 27 $\frac{3}{4}$ | –                | – | lbs.           |              |      |
|  | 10N3627TPBP Painted   | 4633       | 36 $\frac{1}{16}$ | 27 $\frac{3}{4}$ | –                | – | lbs.           |              |      |
|  | <ul style="list-style-type: none"> <li>• To support a 72" or 60" round top</li> <li>• Features a 10" taper</li> <li>• Can be used with a G10 or G15 grommet</li> </ul>                                    |            |                   |                  |                  |   |                |              |      |
| <b>TAPERED BASES NO WIRE ACCESS</b><br>   | 10N2427TPBW Wood  | \$ 6758    | 24 $\frac{1}{2}$  | 27 $\frac{3}{4}$ | –                | – | lbs.           |              |      |
|  | 10N2427TPBP Painted   | 4496       | 24 $\frac{1}{2}$  | 27 $\frac{3}{4}$ | –                | – | lbs.           |              |      |
|  | <ul style="list-style-type: none"> <li>• To support a 54", 48", or 42" round or square top</li> <li>• Features a 9" taper</li> <li>• Can be used with a G10 or G15 grommet</li> </ul>                     |            |                   |                  |                  |   |                |              |      |
|  | 10N1827TPBW Wood  | \$ 6623    | 18 $\frac{1}{2}$  | 27 $\frac{3}{4}$ | –                | – | lbs.           |              |      |
|  | 10N1827TPBP Painted   | 4362       | 18 $\frac{1}{2}$  | 27 $\frac{3}{4}$ | –                | – | lbs.           |              |      |
|  | <ul style="list-style-type: none"> <li>• To support a 36" round or square top</li> <li>• Does NOT have a wire access door</li> <li>• Features an 8" taper</li> </ul>                                      |            |                   |                  |                  |   |                |              |      |
| <b>SOFTENED SQUARE BASE (NO WIRE ACCESS)</b><br>  | BW-1616 Wood  | \$ 1565    | 16                | 16               | 27 $\frac{1}{2}$ | – | –              | 140 lbs. 5.3 |      |
| <ul style="list-style-type: none"> <li>• Do not specify base detail</li> <li>• Base is weighted for stabilization</li> <li>• Reference pages 26-45 for table base guide</li> <li>• Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan not available</li> </ul> |   |            |                   |                  |                  |   |                |              |      |

CONFERENCE TABLE BASES

WOOD/LAMINATE

# CONFERENCE TABLE BASES

## TO ORDER, SPECIFY:


1. Model Number
2. Base Detail
3. Foot Color (Epic only)
4. Finish (wood only)
5. Laminate (laminated only)

## SAMPLE MODEL NUMBER:

25N1628SQBXW FR462 MH

- See page 127 for all options available in Conference Table Bases


### EPIC SQUARE BASE (NO WIRE ACCESS)



| MODEL NO./DESCRIPTION   | LIST PRICE | DIMENSIONS |    |    |   |    | CARTONED CUBIC |      |
|-------------------------|------------|------------|----|----|---|----|----------------|------|
|                         |            | D          | W  | H  | A | KW | WEIGHT         | FEET |
| <b>WOOD</b>             |            |            |    |    |   |    |                |      |
| 25N1628SQBXW 16" Square | \$ 2078    | 16         | 16 | 28 | — | —  | 145 lbs.       | 5.3  |
| 25N1828SQBXW 18" Square | 2105       | 18         | 18 | 28 | — | —  | 150 lbs.       | 6.3  |
| 25N2428SQBXW 24" Square | 2201       | 24         | 24 | 28 | — | —  | 180 lbs.       | 7.2  |
| <b>LAMINATE</b>         |            |            |    |    |   |    |                |      |
| 25N1628SQBXL 16" Square | \$ 1185    | 16         | 16 | 28 | — | —  | 145 lbs.       | 5.3  |
| 25N1828SQBXL 18" Square | 1427       | 18         | 18 | 28 | — | —  | 150 lbs.       | 6.3  |
| 25N2428SQBXL 24" Square | 1651       | 24         | 24 | 28 | — | —  | 180 lbs.       | 7.2  |

- 16" and 18" bases are weighted for stabilization
- Reference pages 26-45 for table base guide
- Adjustable glides standard


### SQUARE BASE (NO WIRE ACCESS)



Basic (P1)



Barrington (P2)  
(wood only)




Escalade (P3)  
(wood only)

| MODEL NO./DESCRIPTION   | LIST PRICE | DIMENSIONS |    |    |   |    | CARTONED CUBIC |      |
|-------------------------|------------|------------|----|----|---|----|----------------|------|
|                         |            | D          | W  | H  | A | KW | WEIGHT         | FEET |
| <b>WOOD</b>             |            |            |    |    |   |    |                |      |
| 10N1628SQBXW 16" Square | \$ 1874    | 16         | 16 | 28 | — | —  | 145 lbs.       | 5.3  |
| 10N1828SQBXW 18" Square | 1894       | 18         | 18 | 28 | — | —  | 150 lbs.       | 6.3  |
| 10N2428SQBXW 24" Square | 1987       | 24         | 24 | 28 | — | —  | 180 lbs.       | 7.2  |
| <b>LAMINATE</b>         |            |            |    |    |   |    |                |      |
| 10N1628SQBXL 16" Square | \$ 1058    | 16         | 16 | 28 | — | —  | 145 lbs.       | 5.3  |
| 10N1828SQBXL 18" Square | 1276       | 18         | 18 | 28 | — | —  | 150 lbs.       | 6.3  |
| 10N2428SQBXL 24" Square | 1474       | 24         | 24 | 28 | — | —  | 180 lbs.       | 7.2  |

- 16" and 18" bases are weighted for stabilization
- Reference pages 26-45 for table base guide
- Adjustable glides standard

### EPIC SQUARE BASE WITH WIRE ACCESS



| MODEL NO./DESCRIPTION  | LIST PRICE | DIMENSIONS |    |    |   |    | CARTONED CUBIC |      |
|------------------------|------------|------------|----|----|---|----|----------------|------|
|                        |            | D          | W  | H  | A | KW | WEIGHT         | FEET |
| <b>WOOD</b>            |            |            |    |    |   |    |                |      |
| 25N1628SQBW 16" Square | \$ 2412    | 16         | 16 | 28 | — | —  | 145 lbs.       | 5.3  |
| 25N1828SQBW 18" Square | 2672       | 18         | 18 | 28 | — | —  | 150 lbs.       | 6.3  |
| 25N2428SQBW 24" Square | 2934       | 24         | 24 | 28 | — | —  | 180 lbs.       | 7.2  |
| <b>LAMINATE</b>        |            |            |    |    |   |    |                |      |
| 25N1628SQBL 16" Square | \$ 1695    | 16         | 16 | 28 | — | —  | 145 lbs.       | 5.3  |
| 25N1828SQBL 18" Square | 2063       | 18         | 18 | 28 | — | —  | 150 lbs.       | 6.3  |
| 25N2428SQBL 24" Square | 2538       | 24         | 24 | 28 | — | —  | 180 lbs.       | 7.2  |

- 16" and 18" bases are weighted for stabilization
- Reference pages 26-45 for table base guide
- Base has wire access with access to floor mounted electrical
- Adjustable glides standard
- 6" diameter opening



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.







**TO ORDER, SPECIFY:**

1. Model Number
2. Base Detail
3. Finish (wood only)
4. Laminate (laminated only)

**SAMPLE MODEL NUMBER:**

BW-2427S CW

• See page 127 for all options available in Conference Table Bases

|   | MODEL NO./DESCRIPTION   | LIST PRICE | DIMENSIONS |    |     |     |    | CARTONED WEIGHT | CUBIC FEET |      |
|---|---|------------|------------|----|-----|-----|----|-----------------|------------|------|
|   |   |            | D          | W  | H   | A   | KW |                 |            |      |
| <b>SQUARE BASE WITH WIRE ACCESS</b>   |   |            |            |    |     |     |    |                 |            |      |
| <b>WOOD</b>   |   |            |            |    |     |     |    |                 |            |      |
| <br>Basic (P1)   | 10N1628SQBW   | 16" Square | \$ 2172    | 16 | 16  | 28  | —  | —               | 145 lbs.   | 5.3  |
|   | 10N1828SQBW   | 18" Square | 2406       | 18 | 18  | 28  | —  | —               | 150 lbs.   | 6.3  |
|   | 10N2428SQBW   | 24" Square | 2645       | 24 | 24  | 28  | —  | —               | 180 lbs.   | 7.2  |
| <br>Barrington (P2)<br>(wood only)   | <b>LAMINATE</b>   |            |            |    |     |     |    |                 |            |      |
|   | 10N1628SQBL   | 16" Square | \$ 1511    | 16 | 16  | 28  | —  | —               | 145 lbs.   | 5.3  |
|   | 10N1828SQBL   | 18" Square | 1840       | 18 | 18  | 28  | —  | —               | 150 lbs.   | 6.3  |
| <br>Escalade (P3)<br>(wood only)   | 10N2428SQBL   | 24" Square | 2267       | 24 | 24  | 28  | —  | —               | 180 lbs.   | 7.2  |
|   | <ul style="list-style-type: none"> <li>• 16" and 18" bases are weighted for stabilization</li> <li>• Reference pages 26-45 for table base guide</li> <li>• Base has wire access with access to floor mounted electrical</li> <li>• Adjustable glides standard</li> <li>• 6" diameter opening</li> </ul>   |            |            |    |     |     |    |                 |            |      |
|   | <b>WOOD QUEEN ANNE BASE</b>   |            |            |    |     |     |    |                 |            |      |
|   | TBW-4   | Wood       | \$ 2102    | —  | 38  | 27¾ | —  | —               | 35 lbs.    | 25.0 |
|   | <ul style="list-style-type: none"> <li>• Available in Cordovan, Judicial, Midtown, Mocha, Tribeca, Truffle, Urban</li> <li>• Do not specify base detail</li> <li>• Reference pages 26-45 for table base guide</li> <li>• Cannot be used with grommet or cutout options on conference tops</li> <li>• Not to be used with 48" square tops</li> </ul> |            |            |    |     |     |    |                 |            |      |
| <b>THIN PANEL BASE</b>  |   |            |            |    |     |     |    |                 |            |      |
|    | QBW-2427S   | Wood       | \$ 858     | 2  | 24  | 27½ | —  | —               | 37 lbs.    | 1.7  |
|   | BW-2427S  | Wood       | 858        | 2  | 24  | 27½ | —  | —               | 37 lbs.    | 1.7  |
|   | QBP-2427S   | Laminate   | 352        | 1½ | 24  | 27½ | —  | —               | 37 lbs.    | 1.7  |
|   | BP-2427S  | Laminate   | 352        | 1½ | 24  | 27½ | —  | —               | 37 lbs.    | 1.7  |
| <ul style="list-style-type: none"> <li>• Do not specify base detail</li> <li>• Reference pages 26-45 for table base guide</li> <li>• Not to be used with a 48" x 240", 216", 144", or 120" top that has a grommet cutout</li> <li>• Laminate base comes with additional angle bracket for installation</li> </ul> |   |            |            |    |     |     |    |                 |            |      |
| <b>CURVED PANEL BASE</b>  |   |            |            |    |     |     |    |                 |            |      |
|    | BP-2427C  | Laminate   | \$ 587     | 2  | 22¾ | 27½ | —  | —               | 39 lbs.    | 2.9  |
|   | <ul style="list-style-type: none"> <li>• Do not specify base detail</li> <li>• Reference pages 26-45 for table base guide</li> </ul>  |            |            |    |     |     |    |                 |            |      |

# CONFERENCE TABLE BASES

### TO ORDER, SPECIFY:


1. Model Number
2. Base Detail
3. Foot Color (Epic only)
4. Finish (wood only)
5. Laminate (laminate only)

### SAMPLE MODEL NUMBERS:

10N1828PNW P3 DW  
10N1828PNL P1 MC

• See page 127 for all options available in Conference Table Bases


#### EPIC THICK PANEL BASE WITH WIRE ACCESS




| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS |    |     |   |    | CARTONED CUBIC |      |
|-----------------------|------------|------------|----|-----|---|----|----------------|------|
|                       |            | D          | W  | H   | A | KW | WEIGHT         | FEET |
| <b>WOOD</b>           |            |            |    |     |   |    |                |      |
| 25N1828PNW 18"        | \$ 2412    | 8          | 18 | 27¾ | — | —  | 73 lbs.        | 5.3  |
| 25N2428PNW 24"        | 2723       | 8          | 24 | 27¾ | — | —  | 95 lbs.        | 7.0  |
| <b>LAMINATE</b>       |            |            |    |     |   |    |                |      |
| 25N1828PNL 18"        | \$ 1643    | 8          | 18 | 27¾ | — | —  | 73 lbs.        | 5.3  |
| 25N2428PNL 24"        | 1900       | 8          | 24 | 27¾ | — | —  | 95 lbs.        | 7.0  |

• Reference pages 26-45 for table base guide


#### THICK PANEL BASE WITH WIRE ACCESS



Basic (P1)



Barrington (P2)  
(wood only)



Escalade (P3)  
(wood only)

| MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS |    |     |   |    | CARTONED CUBIC |      |
|-----------------------|------------|------------|----|-----|---|----|----------------|------|
|                       |            | D          | W  | H   | A | KW | WEIGHT         | FEET |
| <b>WOOD</b>           |            |            |    |     |   |    |                |      |
| 10N1828PNW 18"        | \$ 2172    | 8          | 18 | 27¾ | — | —  | 73 lbs.        | 5.3  |
| 10N2428PNW 24"        | 2458       | 8          | 24 | 27¾ | — | —  | 95 lbs.        | 7.0  |
| <b>LAMINATE</b>       |            |            |    |     |   |    |                |      |
| 10N1828PNL 18"        | \$ 1463    | 8          | 18 | 27¾ | — | —  | 73 lbs.        | 5.3  |
| 10N2428PNL 24"        | 1701       | 8          | 24 | 27¾ | — | —  | 95 lbs.        | 7.0  |

• Reference pages 26-45 for table base guide

CONFERENCE TABLE BASES

WOOD/LAMINATE



# CONFERENCE TABLE BASES

## TO ORDER, SPECIFY:


1. Model Number
2. Foot Color (Epic only)
3. Modified Width
4. Finish (wood only)
5. Laminate (laminated only)

## SAMPLE MODEL NUMBER:

25N72PNKW FR462 AC

- See page 127 for all options available in Conference Table Bases

### EPIC THICK PANEL BASE KIT (FOR USE WITH 36", 42" AND 48" DEEP TOPS)



| MODEL NO./DESCRIPTION   | LIST PRICE | DIMENSIONS |                   |                  |   | KW                | CARTONED WEIGHT | CUBIC FEET |
|-------------------------|------------|------------|-------------------|------------------|---|-------------------|-----------------|------------|
|                         |            | D          | W                 | H                | A |                   |                 |            |
| <b>WOOD</b>             |            |            |                   |                  |   |                   |                 |            |
| 25N72PNKW For 72" Top   | \$ 5175    | 18         | 47                | 27 $\frac{3}{4}$ | — | 33                | 145 lbs.        | 5.3        |
| 25N84PNKW For 84" Top   | 5281       | 18         | 53                | 27 $\frac{3}{4}$ | — | 39                | 150 lbs.        | 5.3        |
| 25N96PNKW For 96" Top   | 5385       | 18         | 59                | 27 $\frac{3}{4}$ | — | 45                | 150 lbs.        | 5.3        |
| 25N120PNKW For 120" Top | 7649       | 18         | 91                | 27 $\frac{3}{4}$ | — | 69 $\frac{3}{4}$  | 170 lbs.        | 6.2        |
| 25N144PNKW For 144" Top | 7857       | 18         | 107               | 27 $\frac{3}{4}$ | — | 85 $\frac{3}{4}$  | 175 lbs.        | 6.2        |
| 25N168PNKW For 168" Top | 10058      | 18         | 136 $\frac{3}{4}$ | 27 $\frac{3}{4}$ | — | 108 $\frac{1}{2}$ | 195 lbs.        | 7.9        |
| 25N192PNKW For 192" Top | 10269      | 18         | 154 $\frac{3}{4}$ | 27 $\frac{3}{4}$ | — | 126 $\frac{1}{2}$ | 200 lbs.        | 7.9        |
| 25N216PNKW For 216" Top | 10475      | 18         | 172 $\frac{3}{4}$ | 27 $\frac{3}{4}$ | — | 144 $\frac{1}{2}$ | 210 lbs.        | 8.2        |
| 25N240PNKW For 240" Top | 10687      | 18         | 190 $\frac{3}{4}$ | 27 $\frac{3}{4}$ | — | 162 $\frac{1}{2}$ | 210 lbs.        | 8.2        |
| <b>LAMINATE</b>         |            |            |                   |                  |   |                   |                 |            |
| 25N72PNKL For 72" Top   | \$ 4020    | 18         | 47                | 27 $\frac{3}{4}$ | — | 33                | 145 lbs.        | 5.3        |
| 25N84PNKL For 84" Top   | 4123       | 18         | 53                | 27 $\frac{3}{4}$ | — | 39                | 150 lbs.        | 5.3        |
| 25N96PNKL For 96" Top   | 4232       | 18         | 59                | 27 $\frac{3}{4}$ | — | 45                | 150 lbs.        | 5.3        |
| 25N120PNKL For 120" Top | 5499       | 18         | 91                | 27 $\frac{3}{4}$ | — | 69 $\frac{3}{4}$  | 170 lbs.        | 6.2        |
| 25N144PNKL For 144" Top | 5712       | 18         | 107               | 27 $\frac{3}{4}$ | — | 85 $\frac{3}{4}$  | 175 lbs.        | 6.2        |
| 25N168PNKL For 168" Top | 7194       | 18         | 136 $\frac{3}{4}$ | 27 $\frac{3}{4}$ | — | 108 $\frac{1}{2}$ | 195 lbs.        | 7.9        |
| 25N192PNKL For 192" Top | 7409       | 18         | 154 $\frac{3}{4}$ | 27 $\frac{3}{4}$ | — | 126 $\frac{1}{2}$ | 200 lbs.        | 7.9        |
| 25N216PNKL For 216" Top | 7615       | 18         | 172 $\frac{3}{4}$ | 27 $\frac{3}{4}$ | — | 144 $\frac{1}{2}$ | 210 lbs.        | 8.2        |
| 25N240PNKL For 240" Top | 7828       | 18         | 190 $\frac{3}{4}$ | 27 $\frac{3}{4}$ | — | 162 $\frac{1}{2}$ | 210 lbs.        | 8.2        |

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 72", 84" and 96" base kits will have 2 panel bases
- 120" and 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 26-45 for table base guide
- Modified width is available; refer to the chart on page 9 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES

WOOD/LAMINATE

# CONFERENCE TABLE BASES




## TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Modified Width
4. Finish (wood only)
5. Laminate (laminated only)

## SAMPLE MODEL NUMBER:

10N72PNKL P1 AC

- See page 127 for all options available in Conference Table Bases

|   | MODEL NO./DESCRIPTION  | LIST PRICE   | DIMENSIONS |    |      |     |    | CARTONED CUBIC |          |     |
|---|--|--|------------|----|------|-----|----|----------------|----------|-----|
|   |  |  | D          | W  | H    | A   | KW | WEIGHT         | FEET     |     |
| <b>THICK PANEL BASE KIT (FOR USE WITH 36", 42" AND 48" DEEP TOPS)</b>   |  |  |            |    |      |     |    |                |          |     |
| <b>WOOD</b>   |  |  |            |    |      |     |    |                |          |     |
|  <p>Basic (P1)</p>                      | 10N72PNKW  | For 72" Top  | \$ 4668    | 18 | 47   | 27¾ | —  | 33             | 145 lbs. | 5.3 |
|   | 10N84PNKW  | For 84" Top  | 4761       | 18 | 53   | 27¾ | —  | 39             | 150 lbs. | 5.3 |
|   | 10N96PNKW  | For 96" Top  | 4855       | 18 | 59   | 27¾ | —  | 45             | 150 lbs. | 5.3 |
|   | 10N120PNKW   | For 120" Top   | 6893       | 18 | 91   | 27¾ | —  | 69¾            | 170 lbs. | 6.2 |
|   | 10N144PNKW   | For 144" Top   | 7085       | 18 | 107  | 27¾ | —  | 85¾            | 175 lbs. | 6.2 |
|   | 10N168PNKW   | For 168" Top   | 9071       | 18 | 136¾ | 27¾ | —  | 108½           | 195 lbs. | 7.9 |
|   | 10N192PNKW   | For 192" Top   | 9257       | 18 | 154¾ | 27¾ | —  | 126½           | 200 lbs. | 7.9 |
|   | 10N216PNKW   | For 216" Top   | 9447       | 18 | 172¾ | 27¾ | —  | 144½           | 210 lbs. | 8.2 |
|   | 10N240PNKW   | For 240" Top   | 9635       | 18 | 190¾ | 27¾ | —  | 162½           | 210 lbs. | 8.2 |
|   | <b>LAMINATE</b>  |  |            |    |      |     |    |                |          |     |
|  <p>Barrington (P2)<br/>(wood only)</p> | 10N72PNKL  | For 72" Top  | \$ 3590    | 18 | 47   | 27¾ | —  | 33             | 145 lbs. | 5.3 |
|   | 10N84PNKL  | For 84" Top  | 3687       | 18 | 53   | 27¾ | —  | 39             | 150 lbs. | 5.3 |
|   | 10N96PNKL  | For 96" Top  | 3776       | 18 | 59   | 27¾ | —  | 45             | 150 lbs. | 5.3 |
|   | 10N120PNKL   | For 120" Top   | 4911       | 18 | 91   | 27¾ | —  | 69¾            | 170 lbs. | 6.2 |
|   | 10N144PNKL   | For 144" Top   | 5101       | 18 | 107  | 27¾ | —  | 85¾            | 175 lbs. | 6.2 |
|   | 10N168PNKL   | For 168" Top   | 6423       | 18 | 136¾ | 27¾ | —  | 108½           | 195 lbs. | 7.9 |
|   | 10N192PNKL   | For 192" Top   | 6613       | 18 | 154¾ | 27¾ | —  | 126½           | 200 lbs. | 7.9 |
|   | 10N216PNKL   | For 216" Top   | 6802       | 18 | 172¾ | 27¾ | —  | 144½           | 210 lbs. | 8.2 |
|   | 10N240PNKL   | For 240" Top   | 6989       | 18 | 190¾ | 27¾ | —  | 162½           | 210 lbs. | 8.2 |
|   |  <p>Escalade (P3)<br/>(wood only)</p> | <ul style="list-style-type: none"> <li>• Base kit includes amount of bases required to support conference top and horizontal supports</li> <li>• Horizontal support rails will match finish/laminate of panel bases</li> <li>• 72", 84" and 96" base kits will have 2 panel bases</li> <li>• 120" and 144" base kits will have 3 panel bases</li> <li>• 168", 192", 216" and 240" base kits will have 4 panel bases</li> <li>• Some assembly required</li> <li>• Adjustable glides standard</li> <li>• Bases have wire access for access to floor mounted electrical</li> <li>• Reference pages 26-45 for table base guide</li> <li>• Modified width is available; refer to the chart on page 9 for conference top sizing</li> <li>• When using with a modified sized top, specify base kit with modified width to match modified top width</li> </ul> |            |    |      |     |    |                |          |     |

CONFERENCE TABLE BASES

WOOD/LAMINATE

# CONFERENCE TABLE BASES

**TO ORDER, SPECIFY:**


1. Model Number
2. Foot Color (Epic only)
3. Modified Width
4. Finish (wood only)
5. Laminate (laminated only)

**SAMPLE MODEL NUMBER:**

25N60144PNKW FR462 AC

• See page 127 for all options available in Conference Table Bases

**EPIC  
THICK PANEL BASE KIT  
(FOR USE WITH 60" DEEP TOPS)**



| MODEL NO./DESCRIPTION     | LIST PRICE | DIMENSIONS |      |     |   |      | CARTONED WEIGHT | CUBIC FEET |
|---------------------------|------------|------------|------|-----|---|------|-----------------|------------|
|                           |            | D          | W    | H   | A | KW   |                 |            |
| <b>WOOD</b>               |            |            |      |     |   |      |                 |            |
| 25N60144PNKW For 144" Top | \$ 10213   | 24         | 107  | 27¾ | — | 85¾  | 181 lbs.        | 6.5        |
| 25N60168PNKW For 168" Top | 13075      | 24         | 136¾ | 27¾ | — | 108½ | 198 lbs.        | 6.5        |
| 25N60192PNKW For 192" Top | 13347      | 24         | 154¾ | 27¾ | — | 126½ | 218 lbs.        | 7.9        |
| 25N60216PNKW For 216" Top | 13620      | 24         | 172¾ | 27¾ | — | 144½ | 223 lbs.        | 7.9        |
| 25N60240PNKW For 240" Top | 13894      | 24         | 190¾ | 27¾ | — | 162½ | 243 lbs.        | 8.3        |
| <b>LAMINATE</b>           |            |            |      |     |   |      |                 |            |
| 25N60144PNKL For 144" Top | \$ 7427    | 24         | 107  | 27¾ | — | 85¾  | 181 lbs.        | 6.5        |
| 25N60168PNKL For 168" Top | 9353       | 24         | 136¾ | 27¾ | — | 108½ | 198 lbs.        | 6.5        |
| 25N60192PNKL For 192" Top | 9631       | 24         | 154¾ | 27¾ | — | 126½ | 218 lbs.        | 7.9        |
| 25N60216PNKL For 216" Top | 9900       | 24         | 172¾ | 27¾ | — | 144½ | 223 lbs.        | 7.9        |
| 25N60240PNKL For 240" Top | 10176      | 24         | 190¾ | 27¾ | — | 162½ | 243 lbs.        | 8.3        |

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 26-45 for table base guide
- Modified width is available; refer to the chart on page 9 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES

WOOD/LAMINATE

# CONFERENCE TABLE BASES

**TO ORDER, SPECIFY:**


1. Model Number
2. Base Detail
3. Modified Width
4. Finish (wood only)
5. Laminate (laminated only)

**SAMPLE MODEL NUMBER:**


10N60144PNKL P1 AC

• See page 127 for all options available in Conference Table Bases


**THICK PANEL BASE KIT  
(FOR USE WITH 60" DEEP TOPS)**



Basic (P1)



Barrington (P2)  
(wood only)



Escalade (P3)  
(wood only)

**MODEL NO./DESCRIPTION**

**WOOD**

| MODEL NO.    | DESCRIPTION  | LIST PRICE |
|--------------|--------------|------------|
| 10N60144PNKW | For 144" Top | \$ 9208    |
| 10N60168PNKW | For 168" Top | 11791      |
| 10N60192PNKW | For 192" Top | 12036      |
| 10N60216PNKW | For 216" Top | 12279      |
| 10N60240PNKW | For 240" Top | 12526      |

**LAMINATE**

| MODEL NO.    | DESCRIPTION  | LIST PRICE |
|--------------|--------------|------------|
| 10N60144PNKL | For 144" Top | \$ 6631    |
| 10N60168PNKL | For 168" Top | 8351       |
| 10N60192PNKL | For 192" Top | 8595       |
| 10N60216PNKL | For 216" Top | 8842       |
| 10N60240PNKL | For 240" Top | 9086       |

**LIST PRICE**

**DIMENSIONS**

**D W H A KW**

**CARTONED CUBIC WEIGHT FEET**

| MODEL NO.    | DESCRIPTION  | LIST PRICE | D  | W    | H   | A | KW   | CARTONED CUBIC WEIGHT | FEET |
|--------------|--------------|------------|----|------|-----|---|------|-----------------------|------|
| 10N60144PNKW | For 144" Top | \$ 9208    | 24 | 107  | 27¾ | — | 85¾  | 181 lbs.              | 6.5  |
| 10N60168PNKW | For 168" Top | 11791      | 24 | 136¾ | 27¾ | — | 108½ | 198 lbs.              | 6.5  |
| 10N60192PNKW | For 192" Top | 12036      | 24 | 154¾ | 27¾ | — | 126½ | 218 lbs.              | 7.9  |
| 10N60216PNKW | For 216" Top | 12279      | 24 | 172¾ | 27¾ | — | 144½ | 223 lbs.              | 7.9  |
| 10N60240PNKW | For 240" Top | 12526      | 24 | 190¾ | 27¾ | — | 162½ | 243 lbs.              | 8.3  |
| 10N60144PNKL | For 144" Top | \$ 6631    | 24 | 107  | 27¾ | — | 85¾  | 181 lbs.              | 6.5  |
| 10N60168PNKL | For 168" Top | 8351       | 24 | 136¾ | 27¾ | — | 108½ | 198 lbs.              | 6.5  |
| 10N60192PNKL | For 192" Top | 8595       | 24 | 154¾ | 27¾ | — | 126½ | 218 lbs.              | 7.9  |
| 10N60216PNKL | For 216" Top | 8842       | 24 | 172¾ | 27¾ | — | 144½ | 223 lbs.              | 7.9  |
| 10N60240PNKL | For 240" Top | 9086       | 24 | 190¾ | 27¾ | — | 162½ | 243 lbs.              | 8.3  |

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 26-45 for table base guide
- Modified width is available; refer to the chart on page 9 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES

WOOD/LAMINATE

# CONFERENCE TABLE BASES







## TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color

## SAMPLE MODEL NUMBER:

CBV2828P4BP CUL 265 462

- See page 127 for all options available in Conference Table Bases

|   | MODEL NO./DESCRIPTION  | LIST PRICE | DIMENSIONS |                   |                  |   |    | CARTONED WEIGHT | CUBIC FEET |
|---|--|------------|------------|-------------------|------------------|---|----|-----------------|------------|
|   |  |            | D          | W                 | H                | A | KW |                 |            |
| <b>2-PRONG BASE</b><br>                | CBV2928P2BP  | \$ 397     | —          | 29                | 28               | — | —  | 22 lbs.         | 1.5        |
|   | <ul style="list-style-type: none"> <li>• Reference pages 26-45 for table base guide</li> <li>• Some assembly required</li> <li>• Optional upper and lower (CUL) base column wire management</li> <li>• Specify base column and base foot paint colors</li> <li>• Not available in 265 Polished paint</li> </ul>  |            |            |                   |                  |   |    |                 |            |
| <b>COLUMN LEG STATIC</b><br>           | CBV0228COBP  | \$ 157     | 2          | —                 | 27 $\frac{3}{4}$ | — | —  | 6 lbs.          | 0.6        |
|   | <ul style="list-style-type: none"> <li>• Adjustable glide standard</li> <li>• Reference pages 26-45 for table base guide</li> <li>• Optional upper and lower (CUL) base column wire management</li> </ul>  |            |            |                   |                  |   |    |                 |            |
| <b>COLUMN LEG MOBILE</b><br>          | CBV0228COBMP   | \$ 188     | 2          | —                 | 27 $\frac{3}{4}$ | — | —  | 6 lbs.          | 0.6        |
|   | <ul style="list-style-type: none"> <li>• Dual wheel locking caster</li> <li>• Some assembly required</li> <li>• Reference pages 26-45 for table base guide</li> <li>• Optional upper and lower (CUL) base column wire management</li> </ul>  |            |            |                   |                  |   |    |                 |            |
| <b>4-PRONG BASE</b><br>              | CBV2828P4BP  | \$ 510     | —          | 28                | 28               | — | —  | 32 lbs.         | 1.4        |
|   | CBV3428P4BP  | 664        | —          | 34                | 28               | — | —  | 32 lbs.         | 2.5        |
|   | <ul style="list-style-type: none"> <li>• Reference pages 26-45 for table base guide</li> <li>• Some assembly required</li> <li>• Optional upper and lower (CUL) base column wire management</li> <li>• Specify base column and base foot paint colors</li> <li>• Not available in 265 Polished paint</li> <li>• Not recommended to be placed directly over a grommet cutout</li> </ul> |            |            |                   |                  |   |    |                 |            |
| <b>WOOD CAPPED BASE</b><br>          | BW-4   | \$ 674     | —          | 32 $\frac{1}{2}$  | 27 $\frac{1}{2}$ | — | —  | 21 lbs.         | 3.0        |
|   | <ul style="list-style-type: none"> <li>• Specify wood finish after model number</li> <li>• Reference pages 26-45 for table base guide</li> <li>• Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan not available</li> <li>• Not recommended to be placed directly over a grommet cutout</li> </ul>  |            |            |                   |                  |   |    |                 |            |
| <b>X BASE WORKSURFACE HEIGHT</b><br> | CBV4028XBP   | \$ 1092    | —          | 38 $\frac{1}{16}$ | 27 $\frac{3}{4}$ | — | —  | 36 lbs.         | 12.0       |
|   | CBV3228XBP   | 817        | —          | 31 $\frac{1}{16}$ | 27 $\frac{3}{4}$ | — | —  | 33 lbs.         | 12.0       |
|   | CBV2728XBP   | 693        | —          | 27 $\frac{7}{16}$ | 27 $\frac{3}{4}$ | — | —  | 33 lbs.         | 12.0       |
|   | <ul style="list-style-type: none"> <li>• Adjustable glides standard</li> <li>• Some assembly required</li> <li>• Reference pages 26-45 for table base guide</li> <li>• Optional upper (CU) base column wire management</li> <li>• Specify base column and base foot paint colors</li> <li>• Not recommended to be placed directly over a grommet cutout</li> </ul>                     |            |            |                   |                  |   |    |                 |            |

CONFERENCE TABLE BASES

METAL

# CONFERENCE TABLE BASES

## TO ORDER, SPECIFY:


1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color

## SAMPLE MODEL NUMBERS:

CBV4028XBMP CU 265 462  
 CBV3241XBP X 462 462

• See page 127 for all options available in Conference Table Bases

|  | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS |                                 |                                |   | CARTONED CUBIC |         |      |
|--|-----------------------|------------|------------|---------------------------------|--------------------------------|---|----------------|---------|------|
|  |                       |            | D          | W                               | H                              | A | KW             | WEIGHT  | FEET |
| <b>X BASE WORKSURFACE HEIGHT, MOBILE</b> | CBV4028XBMP           | \$ 1138    | —          | 38 <sup>1</sup> / <sub>16</sub> | 27 <sup>3</sup> / <sub>4</sub> | — | —              | 36 lbs. | 12.0 |
|  | CBV3228XBMP           | 876        | —          | 31 <sup>1</sup> / <sub>16</sub> | 27 <sup>3</sup> / <sub>4</sub> | — | —              | 33 lbs. | 12.0 |
|  | CBV2728XBMP           | 747        | —          | 27 <sup>3</sup> / <sub>16</sub> | 27 <sup>3</sup> / <sub>4</sub> | — | —              | 33 lbs. | 12.0 |




- Dual wheel locking casters
- Some assembly required
- Reference pages 26-45 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors
- Not recommended to be placed directly over a grommet cutout

|   | MODEL NO./DESCRIPTION           | LIST PRICE | DIMENSIONS |    |                                |   | CARTONED CUBIC |         |      |
|---|---------------------------------|------------|------------|----|--------------------------------|---|----------------|---------|------|
|   |                                 |            | D          | W  | H                              | A | KW             | WEIGHT  | FEET |
| <b>X BASE WORKSURFACE HEIGHT, WIRE MANAGEMENT</b> | CBV4728XB Cinder                | \$ 1257    | 4          | 47 | 27 <sup>3</sup> / <sub>4</sub> | — | —              | 55 lbs. | 15.0 |
|   | CBV4728XS Platinum Metallic     | 1257       | 4          | 47 | 27 <sup>3</sup> / <sub>4</sub> | — | —              | 55 lbs. | 15.0 |
|   | CBV4728XN Satin Nickel Metallic | 1257       | 4          | 47 | 27 <sup>3</sup> / <sub>4</sub> | — | —              | 55 lbs. | 15.0 |




- Base can be used with 54" and 60" round or square conference tops
- Adjustable glides are standard
- Some assembly required
- 4" column has hole through center to allow wire access and can be used with the G10 and NACG10EL Conference Grommet

|                              | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS                    |                                 |                                 |   | CARTONED CUBIC |         |      |
|------------------------------|-----------------------|------------|-------------------------------|---------------------------------|---------------------------------|---|----------------|---------|------|
|                              |                       |            | D                             | W                               | H                               | A | KW             | WEIGHT  | FEET |
| <b>X BASE COUNTER HEIGHT</b> | CBV3235XBP            | \$ 1137    | 2 <sup>1</sup> / <sub>2</sub> | 32                              | 33 <sup>1</sup> / <sub>16</sub> | — | —              | 32 lbs. | 12.0 |
|                              | CBV2735XBP            | 969        | 2 <sup>1</sup> / <sub>2</sub> | 27 <sup>3</sup> / <sub>16</sub> | 33 <sup>1</sup> / <sub>16</sub> | — | —              | 32 lbs. | 12.0 |




- Adjustable glides standard
- Some assembly required
- Reference pages 26-45 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors
- Not recommended to be placed directly over a grommet cutout

|                          | MODEL NO./DESCRIPTION | LIST PRICE | DIMENSIONS                    |                                 |                                 |   | CARTONED CUBIC |         |      |
|--------------------------|-----------------------|------------|-------------------------------|---------------------------------|---------------------------------|---|----------------|---------|------|
|                          |                       |            | D                             | W                               | H                               | A | KW             | WEIGHT  | FEET |
| <b>X BASE BAR HEIGHT</b> | CBV3241XBP            | \$ 1250    | 2 <sup>1</sup> / <sub>2</sub> | 32                              | 40 <sup>1</sup> / <sub>16</sub> | — | —              | 33 lbs. | 14.0 |
|                          | CBV2741XBP            | 1063       | 2 <sup>1</sup> / <sub>2</sub> | 27 <sup>3</sup> / <sub>16</sub> | 40 <sup>1</sup> / <sub>16</sub> | — | —              | 33 lbs. | 14.0 |



- Adjustable glides standard
- Some assembly required
- Reference pages 26-45 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors
- Not recommended to be placed directly over a grommet cutout

|                                      | MODEL NO./DESCRIPTION             | LIST PRICE | DIMENSIONS                    |    |                                    |   | CARTONED CUBIC |         |      |
|--------------------------------------|-----------------------------------|------------|-------------------------------|----|------------------------------------|---|----------------|---------|------|
|                                      |                                   |            | D                             | W  | H                                  | A | KW             | WEIGHT  | FEET |
| <b>ADJUSTABLE HEIGHT BASE MOBILE</b> | CBV3226XBAB Cinder                | \$ 2834    | 2 <sup>1</sup> / <sub>2</sub> | 32 | 26-40 <sup>1</sup> / <sub>16</sub> | — | —              | 33 lbs. | 12.0 |
|                                      | CBV3226XBAS Platinum Metallic     | 2834       | 2 <sup>1</sup> / <sub>2</sub> | 32 | 26-40 <sup>1</sup> / <sub>16</sub> | — | —              | 33 lbs. | 12.0 |
|                                      | CBV3226XBAN Satin Nickel Metallic | 2834       | 2 <sup>1</sup> / <sub>2</sub> | 32 | 26-40 <sup>1</sup> / <sub>16</sub> | — | —              | 33 lbs. | 12.0 |



- Some assembly required
- Paddle arm release allows pneumatic adjustment
- Locking casters only
- Reference pages 26-45 for table base guide
- Not recommended to be placed directly over a grommet cutout

CONFERENCE TABLE BASES

METAL



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.





**TO ORDER, SPECIFY:**

1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

**SAMPLE MODEL NUMBER:**

CBV2715DRNBP 265 462

• See page 127 for all options available in Conference Table Bases

|   | MODEL NO./DESCRIPTION   | LIST PRICE | DIMENSIONS |                                 |                                 |   |    | CARTONED CUBIC |      |
|---|---|------------|------------|---------------------------------|---------------------------------|---|----|----------------|------|
|   |   |            | D          | W                               | H                               | A | KW | WEIGHT         | FEET |
| <b>DISC BASE<br/>OCCASIONAL TABLE HEIGHT</b>  | CBV2715DRNBP  | \$ 1077    | 3          | 27 <sup>3</sup> / <sub>16</sub> | 16                              | — | —  | 60 lbs.        | 1.9  |
|   | CBV2215DRNBP  | 814        | 3          | 22                              | 16                              | — | —  | 43 lbs.        | 1.9  |
|    | <ul style="list-style-type: none"> <li>• 3" column base</li> <li>• Some assembly required</li> <li>• Reference Base Requirements Chart in the Casegoods Book 2 Price List</li> <li>• Glide adjustment of +/- 1/8"</li> <li>• Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)</li> <li>• Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)</li> <li>• Not recommended to be placed directly over a grommet cutout</li> </ul> |            |            |                                 |                                 |   |    |                |      |
| <b>SOFT SQUARE BASE<br/>OCCASIONAL TABLE HEIGHT</b>                                 | CBV2715DSQBP  | \$ 1254    | 3          | 27 <sup>3</sup> / <sub>16</sub> | 16                              | — | —  | 60 lbs.        | 1.9  |
|   | CBV2215DSQBP  | 988        | 3          | 22                              | 16                              | — | —  | 50 lbs.        | 1.9  |
|    | <ul style="list-style-type: none"> <li>• 3" column base</li> <li>• Some assembly required</li> <li>• Reference Base Requirements Chart in the Casegoods Book 2 Price List</li> <li>• Glide adjustment of +/- 1/8"</li> <li>• Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)</li> <li>• Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)</li> <li>• Not recommended to be placed directly over a grommet cutout</li> </ul> |            |            |                                 |                                 |   |    |                |      |
| <b>DISC BASE<br/>WORKSURFACE HEIGHT</b>   | CBV2728DRNBP  | \$ 1146    | 3          | 27 <sup>3</sup> / <sub>16</sub> | 27 <sup>3</sup> / <sub>16</sub> | — | —  | 73 lbs.        | 2.8  |
|   | CBV2228DRNBP  | 858        | 3          | 22                              | 27 <sup>3</sup> / <sub>16</sub> | — | —  | 56 lbs.        | 2.8  |
|  | <ul style="list-style-type: none"> <li>• 3" column base</li> <li>• Some assembly required</li> <li>• Reference Base Requirements Chart in the Casegoods Book 2 Price List</li> <li>• Glide adjustment of +/- 1/8"</li> <li>• Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)</li> <li>• Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)</li> <li>• Not recommended to be placed directly over a grommet cutout</li> </ul> |            |            |                                 |                                 |   |    |                |      |
| <b>SOFT SQUARE BASE<br/>WORKSURFACE HEIGHT</b>                                      | CBV2728DSQBP  | \$ 1326    | 3          | 27 <sup>3</sup> / <sub>16</sub> | 27 <sup>3</sup> / <sub>16</sub> | — | —  | 84 lbs.        | 2.8  |
|   | QCBV2228DSQBP   | 1034       | 3          | 22                              | 27 <sup>3</sup> / <sub>16</sub> | — | —  | 63 lbs.        | 2.8  |
|   | CBV2228DSQBP  | 1034       | 3          | 22                              | 27 <sup>3</sup> / <sub>16</sub> | — | —  | 63 lbs.        | 2.8  |
|  | <ul style="list-style-type: none"> <li>• 3" column base</li> <li>• Some assembly required</li> <li>• Reference Base Requirements Chart in the Casegoods Book 2 Price List</li> <li>• Glide adjustment of +/- 1/8"</li> <li>• Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)</li> <li>• Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)</li> <li>• Not recommended to be placed directly over a grommet cutout</li> </ul> |            |            |                                 |                                 |   |    |                |      |

# CONFERENCE TABLE BASES





**TO ORDER, SPECIFY:**

1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

**SAMPLE MODEL NUMBER:**

CBV2735DRNBP 265 462

• See page 127 for all options available in Conference Table Bases

|  | MODEL NO./DESCRIPTION   | LIST PRICE | DIMENSIONS |                                 |                                |   |    | CARTONED CUBIC |      |
|--|---|------------|------------|---------------------------------|--------------------------------|---|----|----------------|------|
|  |   |            | D          | W                               | H                              | A | KW | WEIGHT         | FEET |
| <b>DISC BASE COUNTER HEIGHT</b>  | CBV2735DRNBP  | \$ 1238    | 3          | 27 <sup>3</sup> / <sub>16</sub> | 35                             | — | —  | 75 lbs.        | 3.4  |
|  | CBV2235DRNBP  | 1194       | 3          | 22                              | 35                             | — | —  | 58 lbs.        | 3.4  |
|    | <ul style="list-style-type: none"> <li>• 3" column base</li> <li>• Some assembly required</li> <li>• Reference Base Requirements Chart in the Casegoods Book 2 Price List</li> <li>• Glide adjustment of +/- 1/8"</li> <li>• Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)</li> <li>• Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)</li> <li>• Not recommended to be placed directly over a grommet cutout</li> </ul> |            |            |                                 |                                |   |    |                |      |
| <b>SOFT SQUARE BASE COUNTER HEIGHT</b>   | CBV2735DSQBP  | \$ 1415    | 3          | 27 <sup>3</sup> / <sub>16</sub> | 35                             | — | —  | 86 lbs.        | 3.4  |
|  | CBV2235DSQBP  | 1369       | 3          | 22                              | 35                             | — | —  | 65 lbs.        | 3.4  |
|    | <ul style="list-style-type: none"> <li>• 3" column base</li> <li>• Some assembly required</li> <li>• Reference Base Requirements Chart in the Casegoods Book 2 Price List</li> <li>• Glide adjustment of +/- 1/8"</li> <li>• Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)</li> <li>• Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)</li> <li>• Not recommended to be placed directly over a grommet cutout</li> </ul> |            |            |                                 |                                |   |    |                |      |
| <b>DISC BASE BAR HEIGHT</b>  | CBV2740DRNBP  | \$ 1326    | 3          | 27 <sup>3</sup> / <sub>16</sub> | 40 <sup>3</sup> / <sub>4</sub> | — | —  | 76 lbs.        | 3.8  |
|  | CBV2240DRNBP  | 1279       | 3          | 22                              | 40 <sup>3</sup> / <sub>4</sub> | — | —  | 59 lbs.        | 3.8  |
|  | <ul style="list-style-type: none"> <li>• 3" column base</li> <li>• Some assembly required</li> <li>• Reference Base Requirements Chart in the Casegoods Book 2 Price List</li> <li>• Glide adjustment of +/- 1/8"</li> <li>• Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)</li> <li>• Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)</li> <li>• Not recommended to be placed directly over a grommet cutout</li> </ul> |            |            |                                 |                                |   |    |                |      |
| <b>SOFT SQUARE BASE BAR HEIGHT</b>   | CBV2740DSQBP  | \$ 1500    | 3          | 27 <sup>3</sup> / <sub>16</sub> | 40 <sup>3</sup> / <sub>4</sub> | — | —  | 87 lbs.        | 3.8  |
|  | CBV2240DSQBP  | 1455       | 3          | 22                              | 40 <sup>3</sup> / <sub>4</sub> | — | —  | 66 lbs.        | 3.8  |
|  | <ul style="list-style-type: none"> <li>• 3" column base</li> <li>• Some assembly required</li> <li>• Reference Base Requirements Chart in the Casegoods Book 2 Price List</li> <li>• Glide adjustment of +/- 1/8"</li> <li>• Optional column paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)</li> <li>• Optional base paint color available in Cinder (462), Concrete (423), Designer White (405), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)</li> <li>• Not recommended to be placed directly over a grommet cutout</li> </ul> |            |            |                                 |                                |   |    |                |      |

CONFERENCE TABLE BASES

METAL