

# CONFERENCE TABLE TOPS

Arrowood™	50
Barrington®	56
Epic®	64
Escalade®	87
Universal	95
WaveWorks®	112

# ARROWOOD

## ARROWOOD CONFERENCE TOP SPECIFICATIONS

### TOPS

- Arrowood Veneer (31N) models feature 1 $\frac{3}{16}$ " or 1 $\frac{1}{8}$ " slipmatched cherry and maple, bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim profile
- Arrowood Laminate (21N) models feature 1 $\frac{3}{16}$ " TFL (thermally fused laminate) with mitered rim
- Size modifications available at no upcharge; many Arrowood conference tops can be cut down in 6" increments. See component section for specific models
- See page 9 for modified size options


### POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

### TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Modified Depth
4. Modified Width
5. Finish/Laminate

## ARROWOOD SHAPES AND SIZES



### SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



### RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

## 31N ARROWOOD VENEER TOP OPTIONS

### WOOD FINISHES

MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CW	Cordovan Walnut
HN	Honey Maple
DW	Judicial Walnut
MH	Mocha Cherry
NM	Natural Maple
TF	Truffle Cherry

### RIM PROFILE



## 21N ARROWOOD LAMINATE TOP OPTIONS

### LAMINATE COLORS

793	Acorn	DW	Judicial
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
IM	Brighton	PB	Portobello
CL	Caramel	792	Sable
CW	Cordovan	TF	Truffle
HN2	Honey 2		

### RIM PROFILE



## GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

### Round Grommet Option, Black

\$103 list for each grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 10-11 for grommet locations




**NACG10EL**  
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 562 for pricing and details


### Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 12-13 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,  
NACG15AELPGB, NACG15AELHCB,  
NACG15AELPGW, and NACG15AELHCW**  
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 566 for pricing and details


### Cutout Option for Power/Data Oasis

\$41 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 14-15 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,  
NACG162ELB, and NACG162ELHB**  
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 569 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

# ARROWOOD SQUARE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 51 for options and upcharge
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

## SAMPLE MODEL NUMBERS:

31NN3636SQW G10C NM  
31NN3636SQLW G10C MC

- See page 51 for all options available in Arrowood

ARROWOOD SQUARE TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC		
			D	W	H	A	KW	WEIGHT	FEET	
	<b>30" SQUARE</b>		<b>1 1/2" TOP THICKNESS</b>							
	31NN3030SQW	Wood	\$ 1460	30	30	1 1/2	—	—	33 lbs.	2.0
	31NN3030SQLW	Laminate/Wood	1460	30	30	1 1/2	—	—	33 lbs.	2.0
	<b>36" SQUARE</b>									
	31NN3636SQW	Wood	\$ 1719	36	36	1 1/2	—	—	45 lbs.	2.4
	31NN3636SQLW	Laminate/Wood	1719	36	36	1 1/2	—	—	45 lbs.	2.4
	<b>42" SQUARE</b>									
	31NN4242SQW	Wood	\$ 1926	42	42	1 1/2	—	—	61 lbs.	3.2
	31NN4242SQLW	Laminate/Wood	1926	42	42	1 1/2	—	—	61 lbs.	3.2
	<b>48" SQUARE</b>									
	31NN4848SQW	Wood	\$ 2143	48	48	1 1/2	—	—	79 lbs.	4.2
	31NN4848SQLW	Laminate/Wood	2143	48	48	1 1/2	—	—	79 lbs.	4.2
	<b>54" SQUARE</b>									
	31NN5454SQW	Wood	\$ 2518	54	54	1 1/2	—	—	121 lbs.	6.9
31NN5454SQLW	Laminate/Wood	2518	54	54	1 1/2	—	—	121 lbs.	6.9	
<b>60" SQUARE</b>										
31NN6060SQW	Wood	\$ 2892	58 1/2	58 1/2	1 1/2	—	—	150 lbs.	8.3	
31NN6060SQLW	Laminate/Wood	2892	58 1/2	58 1/2	1 1/2	—	—	150 lbs.	8.3	

# ARROWOOD SQUARE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 51 for options and upcharge
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

## SAMPLE MODEL NUMBERS:

31N3030SQW G10C NM  
31N3030SQLW G10C MC

- See page 51 for all options available in Arrowood

ARROWOOD SQUARE TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
				D	W	H	A	KW	WEIGHT	FEET
	<b>30" SQUARE</b> <b>1 3/8" TOP THICKNESS</b>									
	31N3030SQW	Wood	\$ 1301	30	30	1 3/8	–	–	33 lbs.	2.0
	31N3030SQLW	Laminate/Wood	1301	30	30	1 3/8	–	–	33 lbs.	2.0
	21N3030SQL	Laminate	674	30	30	1 3/8	–	–	33 lbs.	2.0
	<b>36" SQUARE</b>									
	31N3636SQW	Wood	\$ 1531	36	36	1 3/8	–	–	42 lbs.	2.4
	31N3636SQLW	Laminate/Wood	1531	36	36	1 3/8	–	–	42 lbs.	2.4
	21N3636SQL	Laminate	790	36	36	1 3/8	–	–	42 lbs.	2.4
	<b>42" SQUARE</b>									
31N4242SQW	Wood	\$ 1740	42	42	1 3/8	–	–	58 lbs.	3.2	
31N4242SQLW	Laminate/Wood	1740	42	42	1 3/8	–	–	58 lbs.	3.2	
21N4242SQL	Laminate	1133	42	42	1 3/8	–	–	58 lbs.	3.2	
<b>48" SQUARE</b>										
31N4848SQW	Wood	\$ 1957	48	48	1 3/8	–	–	76 lbs.	4.2	
31N4848SQLW	Laminate/Wood	1957	48	48	1 3/8	–	–	76 lbs.	4.2	
21N4848SQL	Laminate	1555	48	48	1 3/8	–	–	76 lbs.	4.2	

CONFERENCE TABLE TOPS

ARROWOOD

# ARROWOOD RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 51 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

## TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 9 for available sizes)
4. Modified Width (see page 9 for available sizes)
5. Finish

## SAMPLE MODEL NUMBERS:

31NN48216RTW CUT-G15LR X X MH  
 31NN48216RTLW X X X CW

- See page 51 for all options available in Arrowood

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>ARROWOOD RECTANGLE TOP</b>								
<b>36" x 72" 1 1/2" TOP THICKNESS</b>								
31NN3672RTW Wood	\$ 2724	36	72	1 1/2	—	—	136 lbs.	6.3
31NN3672RTLW Laminate/Wood	2724	36	72	1 1/2	—	—	136 lbs.	6.3
<b>42" x 84"</b>								
31NN4284RTW Wood	\$ 3219	42	84	1 1/2	—	—	180 lbs.	8.3
31NN4284RTLW Laminate/Wood	3219	42	84	1 1/2	—	—	180 lbs.	8.3
<b>48" x 96"</b>								
31NN4896RTW Wood	\$ 3707	48	96	1 1/2	—	—	233 lbs.	10.5
31NN4896RTLW Laminate/Wood	3707	48	96	1 1/2	—	—	233 lbs.	10.5
<b>48" x 120"</b>								
31NN48120RTW Wood	\$ 5059	48	120	1 1/2	—	—	279 lbs.	10.6
31NN48120RTLW Laminate/Wood	5059	48	120	1 1/2	—	—	279 lbs.	10.6
<b>48" x 144"</b>								
31NN48144RTW Wood	\$ 6270	48	144	1 1/2	—	—	332 lbs.	12.5
31NN48144RTLW Laminate/Wood	6270	48	144	1 1/2	—	—	332 lbs.	12.5
<b>48" x 168"</b>								
31NN48168RTW Wood	\$ 7216	48	168	1 1/2	—	—	385 lbs.	14.3
31NN48168RTLW Laminate/Wood	7216	48	168	1 1/2	—	—	385 lbs.	14.3
<b>48" x 192"</b>								
31NN48192RTW Wood	\$ 8160	48	192	1 1/2	—	—	438 lbs.	16.2
31NN48192RTLW Laminate/Wood	8160	48	192	1 1/2	—	—	438 lbs.	16.2
<b>48" x 216"</b>								
31NN48216RTW Wood	\$ 9104	48	216	1 1/2	—	—	524 lbs.	20.0
31NN48216RTLW Laminate/Wood	9104	48	216	1 1/2	—	—	524 lbs.	20.0
<b>48" x 240"</b>								
31NN48240RTW Wood	\$ 10053	48	240	1 1/2	—	—	571 lbs.	22.0
31NN48240RTLW Laminate/Wood	10053	48	240	1 1/2	—	—	571 lbs.	22.0

• Modified depth and width are available; refer to the chart on page 9 for conference top sizing

# ARROWOOD RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 51 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

## TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 9 for available sizes)
4. Modified Width (see page 9 for available sizes)
5. Finish


## SAMPLE MODEL NUMBERS:

31NN60144RTW CUT-G15LR X X MH  
 31NN60144RTLW X X X CW

- See page 51 for all options available in Arrowood

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>ARROWOOD RECTANGLE TOP (CONTINUED)</b>								
<b>60" x 144" 1 1/8" TOP THICKNESS</b>								
31NN60144RTW Wood	\$ 8146	58 3/8"	144"	1 1/8"	—	—	412 lbs.	18.0
31NN60144RTLW Laminate/Wood	8146	58 3/8"	144"	1 1/8"	—	—	412 lbs.	18.0
<b>60" x 168"</b>								
31NN60168RTW Wood	\$ 9380	58 3/8"	168"	1 1/8"	—	—	480 lbs.	22.5
31NN60168RTLW Laminate/Wood	9380	58 3/8"	168"	1 1/8"	—	—	480 lbs.	22.5
<b>60" x 192"</b>								
31NN60192RTW Wood	\$ 10611	58 3/8"	192"	1 1/8"	—	—	539 lbs.	29.0
31NN60192RTLW Laminate/Wood	10611	58 3/8"	192"	1 1/8"	—	—	539 lbs.	29.0
<b>60" x 216"</b>								
31NN60216RTW Wood	\$ 11835	58 3/8"	216"	1 1/8"	—	—	647 lbs.	31.0
31NN60216RTLW Laminate/Wood	11835	58 3/8"	216"	1 1/8"	—	—	647 lbs.	31.0
<b>60" x 240"</b>								
31NN60240RTW Wood	\$ 13062	58 3/8"	240"	1 1/8"	—	—	706 lbs.	34.0
31NN60240RTLW Laminate/Wood	13062	58 3/8"	240"	1 1/8"	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing



# BARRINGTON

## BARRINGTON CONFERENCE TOP SPECIFICATIONS

### TOPS

- 1 $\frac{1}{8}$ " bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim
- Size modifications available at no upcharge; many Barrington conference tops can be cut down in 6" increments. See component section for specific models
- See page 9 for modified size options


### POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

### TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Modified Depth
4. Modified Width
5. Finish/Laminate

## BARRINGTON SHAPES AND SIZES




### ROUND

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter
- 54" Diameter
- 60" Diameter




### SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



### RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



### BOAT


- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



## WOOD FINISHES

- CW Cordovan Walnut
- DW Judicial Walnut
- MW Midtown Walnut
- MH Mocha Walnut
- TW Tribeca Walnut
- TF Truffle Walnut
- UW Urban Walnut

## RIM PROFILE



## GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

### Round Grommet Option, Black

\$103 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 10-11 for grommet locations




**NACG10EL**  
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 562 for pricing and details


### Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End



- Reference pages 12-13 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,  
NACG15AELPGB, NACG15AELHCB,  
NACG15AELPGW, and NACG15AELHCW**  
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 566 for pricing and details


### Cutout Option for Power/Data Oasis

\$41 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,  
NACG162ELB, and NACG162ELHB**  
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 569 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

# BARRINGTON ROUND TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases or Queen Anne bases
- Grommet options available on round and square tops are G10C and CUT-G15C, reference page 57 for options and upcharge
- Reference pages 26-45 for table base guide

## TO ORDER, SPECIFY:


1. Model Number
2. Grommet/Cutout Option
3. Finish

## SAMPLE MODEL NUMBER:

50NN36RDW X DW

- See page 57 for all options available in Barrington

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>BARRINGTON ROUND TOP</b>								
<b>30" ROUND</b>								
<b>36" ROUND</b>								
<b>42" ROUND</b>								
<b>48" ROUND</b>								
<b>54" ROUND</b>								
<b>60" ROUND</b>								



CONFERENCE TABLE TOPS

BARRINGTON

# BARRINGTON SQUARE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases or Queen Anne bases
- Grommet options available on round and square tops are G10C and CUT-G15C, reference page 57 for options and upcharge
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

## SAMPLE MODEL NUMBER:

50NN3636SQW X MH

- See page 57 for all options available in Barrington

BARRINGTON SQUARE TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	<b>30" SQUARE</b>									
	<b>1 1/8" TOP THICKNESS</b>									
	50NN3030SQW	Wood	\$ 1924	30	30	1 1/8	—	—	33 lbs.	2.0
	50NN3030SQLW	Laminate/Wood	1924	30	30	1 1/8	—	—	33 lbs.	2.0
	<b>36" SQUARE</b>									
	50NN3636SQW	Wood	\$ 2266	36	36	1 1/8	—	—	45 lbs.	2.4
	50NN3636SQLW	Laminate/Wood	2266	36	36	1 1/8	—	—	45 lbs.	2.4
	<b>42" SQUARE</b>									
	50NN4242SQW	Wood	\$ 2476	42	42	1 1/8	—	—	61 lbs.	3.2
	50NN4242SQLW	Laminate/Wood	2476	42	42	1 1/8	—	—	61 lbs.	3.2
	<b>48" SQUARE</b>									
	50NN4848SQW	Wood	\$ 3061	48	48	1 1/8	—	—	79 lbs.	4.2
	50NN4848SQLW	Laminate/Wood	3061	48	48	1 1/8	—	—	79 lbs.	4.2
	<b>54" SQUARE</b>									
	50NN5454SQW	Wood	\$ 3732	54	54	1 1/8	—	—	121 lbs.	6.9
	50NN5454SQLW	Laminate/Wood	3732	54	54	1 1/8	—	—	121 lbs.	6.9
	<b>60" SQUARE</b>									
	50NN6060SQW	Wood	\$ 4114	58 1/2	58 1/2	1 1/8	—	—	150 lbs.	8.3
	50NN6060SQLW	Laminate/Wood	4114	58 1/2	58 1/2	1 1/8	—	—	150 lbs.	8.3

CONFERENCE TABLE TOPS

BARRINGTON

# BARRINGTON RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 57 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 9 for available sizes)
4. Modified Width (see page 9 for available sizes)
5. Finish

## SAMPLE MODEL NUMBERS:

50NN48216RTW CUT-G15A X X DW  
50NN48216RTLW CUT-G15A X X DW

- See page 57 for all options available in Barrington

BARRINGTON RECTANGLE TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	36" x 72"	1 1/2" TOP THICKNESS		D	W	H	A	KW		
	50NN3672RTW	Wood	\$ 3538	36	72	1 1/2	—	—	136 lbs.	6.3
	50NN3672RTLW	Laminate/Wood	3538	36	72	1 1/2	—	—	136 lbs.	6.3
	<b>42" x 84"</b>									
	50NN4284RTW	Wood	\$ 4174	42	84	1 1/2	—	—	180 lbs.	8.3
	50NN4284RTLW	Laminate/Wood	4174	42	84	1 1/2	—	—	180 lbs.	8.3
	<b>48" x 96"</b>									
	50NN4896RTW	Wood	\$ 4806	47 1/2	96	1 1/2	—	—	233 lbs.	10.5
	50NN4896RTLW	Laminate/Wood	4806	47 1/2	96	1 1/2	—	—	233 lbs.	10.5
	<b>48" x 120"</b>									
	50NN48120RTW	Wood	\$ 6563	47 1/2	120	1 1/2	—	—	279 lbs.	10.6
	50NN48120RTLW	Laminate/Wood	6563	47 1/2	120	1 1/2	—	—	279 lbs.	10.6
	<b>48" x 144"</b>									
	50NN48144RTW	Wood	\$ 8133	47 1/2	144	1 1/2	—	—	332 lbs.	12.5
	50NN48144RTLW	Laminate/Wood	8133	47 1/2	144	1 1/2	—	—	332 lbs.	12.5
	<b>48" x 168"</b>									
	50NN48168RTW	Wood	\$ 9361	47 1/2	168	1 1/2	—	—	385 lbs.	14.3
	50NN48168RTLW	Laminate/Wood	9361	47 1/2	168	1 1/2	—	—	385 lbs.	14.3
	<b>48" x 192"</b>									
	50NN48192RTW	Wood	\$ 10583	47 1/2	192	1 1/2	—	—	438 lbs.	16.2
	50NN48192RTLW	Laminate/Wood	10583	47 1/2	192	1 1/2	—	—	438 lbs.	16.2
	<b>48" x 216"</b>									
	50NN48216RTW	Wood	\$ 11805	47 1/2	216	1 1/2	—	—	524 lbs.	20.0
	50NN48216RTLW	Laminate/Wood	11805	47 1/2	216	1 1/2	—	—	524 lbs.	20.0
	<b>48" x 240"</b>									
	50NN48240RTW	Wood	\$ 13034	47 1/2	240	1 1/2	—	—	571 lbs.	22.0
	50NN48240RTLW	Laminate/Wood	13034	47 1/2	240	1 1/2	—	—	571 lbs.	22.0

• Modified depth and width are available; refer to the chart on page 9 for conference top sizing

# BARRINGTON RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 57 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 9 for available sizes)
4. Modified Width (see page 9 for available sizes)
5. Finish

## SAMPLE MODEL NUMBERS:

50NN60144RTW CUT-G15A X X DW  
 50NN60144RTLW CUT-G15A X X DW

- See page 57 for all options available in Barrington

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
<b>BARRINGTON RECTANGLE TOP (CONTINUED)</b> 	<b>60" x 144"</b>	<b>1 1/8" TOP THICKNESS</b>								
	50NN60144RTW	Wood	\$ 10568	58%	143 1/2	1 1/8	—	—	412 lbs.	18.0
	50NN60144RTLW	Laminate/Wood	10568	58%	143 1/2	1 1/8	—	—	412 lbs.	18.0
	<b>60" x 168"</b>									
	50NN60168RTW	Wood	\$ 12167	58%	168	1 1/8	—	—	480 lbs.	22.5
	50NN60168RTLW	Laminate/Wood	12167	58%	168	1 1/8	—	—	480 lbs.	22.5
	<b>60" x 192"</b>									
	50NN60192RTW	Wood	\$ 13756	58%	192	1 1/8	—	—	539 lbs.	29.0
	50NN60192RTLW	Laminate/Wood	13756	58%	192	1 1/8	—	—	539 lbs.	29.0
	<b>60" x 216"</b>									
	50NN60216RTW	Wood	\$ 15352	58%	216	1 1/8	—	—	647 lbs.	31.0
	50NN60216RTLW	Laminate/Wood	15352	58%	216	1 1/8	—	—	647 lbs.	31.0
	<b>60" x 240"</b>									
	50NN60240RTW	Wood	\$ 16945	58%	240	1 1/8	—	—	706 lbs.	34.0
	50NN60240RTLW	Laminate/Wood	16945	58%	240	1 1/8	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing

# BARRINGTON BOAT TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 57 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 9 for available sizes)
4. Modified Width (see page 9 for available sizes)
5. Finish

## SAMPLE MODEL NUMBERS:

50NN48216BTW G10A X X CW  
50NN48216BTLW G10A X X CW

- See page 57 for all options available in Barrington

BARRINGTON BOAT TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	<b>36" x 72"</b>									
	<b>1 1/2" TOP THICKNESS</b>									
	50NN3672BTW	Wood	\$ 3817	36	72	1 1/2	—	—	136 lbs.	6.3
	50NN3672BTLW	Laminate/Wood	3817	36	72	1 1/2	—	—	136 lbs.	6.3
	<b>42" x 84"</b>									
	50NN4284BTW	Wood	\$ 4449	42	84	1 1/2	—	—	180 lbs.	8.3
	50NN4284BTLW	Laminate/Wood	4449	42	84	1 1/2	—	—	180 lbs.	8.3
	<b>48" x 96"</b>									
	50NN4896BTW	Wood	\$ 5077	47 1/2	96	1 1/2	—	—	233 lbs.	10.5
	50NN4896BTLW	Laminate/Wood	5077	47 1/2	96	1 1/2	—	—	233 lbs.	10.5
	<b>48" x 120"</b>									
	50NN48120BTW	Wood	\$ 7131	47 1/2	120	1 1/2	—	—	279 lbs.	10.6
	50NN48120BTLW	Laminate/Wood	7131	47 1/2	120	1 1/2	—	—	279 lbs.	10.6
	<b>48" x 144"</b>									
	50NN48144BTW	Wood	\$ 8682	47 1/2	144	1 1/2	—	—	332 lbs.	12.5
	50NN48144BTLW	Laminate/Wood	8682	47 1/2	144	1 1/2	—	—	332 lbs.	12.5
	<b>48" x 168"</b>									
	50NN48168BTW	Wood	\$ 9898	47 1/2	168	1 1/2	—	—	385 lbs.	14.3
	50NN48168BTLW	Laminate/Wood	9898	47 1/2	168	1 1/2	—	—	385 lbs.	14.3
	<b>48" x 192"</b>									
	50NN48192BTW	Wood	\$ 11114	47 1/2	192	1 1/2	—	—	438 lbs.	16.2
	50NN48192BTLW	Laminate/Wood	11114	47 1/2	192	1 1/2	—	—	438 lbs.	16.2
	<b>48" x 216"</b>									
	50NN48216BTW	Wood	\$ 12323	47 1/2	216	1 1/2	—	—	524 lbs.	20.0
	50NN48216BTLW	Laminate/Wood	12323	47 1/2	216	1 1/2	—	—	524 lbs.	20.0
	<b>48" x 240"</b>									
	50NN48240BTW	Wood	\$ 13535	47 1/2	240	1 1/2	—	—	571 lbs.	22.0
	50NN48240BTLW	Laminate/Wood	13535	47 1/2	240	1 1/2	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing

**PRODUCT SPECIFICATIONS**

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 57 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


**TO ORDER, SPECIFY:**

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 9 for available sizes)
4. Modified Width (see page 9 for available sizes)
5. Finish

**SAMPLE MODEL NUMBERS:**

50NN60144BTW G10A X X CW  
 50NN60144BTLW G10A X X CW

- See page 57 for all options available in Barrington

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
<b>BARRINGTON BOAT TOP (CONTINUED)</b>	<b>60" x 144"</b>	<b>1 1/16" TOP THICKNESS</b>								
	50NN60144BTW Wood	\$ 11285	58 3/8	143 3/8	1 1/16	—	—	412 lbs.	18.0	
	50NN60144BTLW Laminate/Wood	11285	58 3/8	143 3/8	1 1/16	—	—	412 lbs.	18.0	
	<b>60" x 168"</b>									
	50NN60168BTW Wood	\$ 12870	58 3/8	168	1 1/16	—	—	480 lbs.	22.5	
	50NN60168BTLW Laminate/Wood	12870	58 3/8	168	1 1/16	—	—	480 lbs.	22.5	
	<b>60" x 192"</b>									
	50NN60192BTW Wood	\$ 14449	58 3/8	192	1 1/16	—	—	539 lbs.	29.0	
	50NN60192BTLW Laminate/Wood	14449	58 3/8	192	1 1/16	—	—	539 lbs.	29.0	
	<b>60" x 216"</b>									
	50NN60216BTW Wood	\$ 16020	58 3/8	216	1 1/16	—	—	647 lbs.	31.0	
	50NN60216BTLW Laminate/Wood	16020	58 3/8	216	1 1/16	—	—	647 lbs.	31.0	
	<b>60" x 240"</b>									
	50NN60240BTW Wood	\$ 17594	58 3/8	240	1 1/16	—	—	706 lbs.	34.0	
	50NN60240BTLW Laminate/Wood	17594	58 3/8	240	1 1/16	—	—	706 lbs.	34.0	

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing

**EPIC CONFERENCE TOP SPECIFICATIONS**

**TOPS**

- Laminate surfaces are 1 $\frac{3}{16}$ " or 1 $\frac{1}{8}$ " HPL (high pressure laminate), and feature a 3mm vinyl or wood rim, or a knife rim profile with a 3mm vinyl or wood rim on the vertical edge
- Veneer surfaces are 1 $\frac{3}{16}$ " and feature a 3mm wood rim or knife rim profile with a wood rim on the vertical edge
- Knife rim surfaces available on all sides
- Refer to page 65 for rim profiles and colors
- Size modifications available at no upcharge; many Epic conference tops can be cut down in 6" increments. See component section for specific models
- See page 9 for modified size options


**POWER DATA**

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

**TO ORDER, SPECIFY:**

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

**EPIC SHAPES AND SIZES**




- ROUND**
- 30" Diameter
  - 36" Diameter
  - 42" Diameter
  - 48" Diameter
  - 54" Diameter
  - 60" Diameter




- SQUARE**
- 30" x 30"
  - 36" x 36"
  - 42" x 42"
  - 48" x 48"
  - 54" x 54"
  - 60" x 60"



- RECTANGLE**
- 36" x 72", 42" x 84"
  - 48" x 96", 120", 144", 168", 192", 216" and 240"
  - 60" x 144", 168", 192", 216" and 240"



- BOAT**
- 36" x 72", 42" x 84"
  - 48" x 96", 120", 144", 168", 192", 216" and 240"
  - 60" x 144", 168", 192", 216" and 240"



- RACETRACK**
- 36" x 72", 42" x 84"
  - 48" x 96", 120", 144", 168", 192", 216" and 240"
  - 60" x 144", 168", 192", 216" and 240"



**WOOD FINISHES**

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CW	Cordovan Walnut
HN	Honey Maple
DW	Judicial Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
TF	Truffle Cherry

**LAMINATE COLORS**

**WOODGRAIN LAMINATE**

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

• CSL available on worksurfaces

**SOLID LAMINATE**

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

**PATTERN LAMINATE\***

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

\*Not available on occasional tables

**GALLERY LAMINATE**

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

**RIM PROFILES**

**VINYL RIM**


793	Acorn	405	Designer White	PC	Porcini
AD	Almond	491	Designer White Linear	PT	Portico
MC	Amber	DF	Driftwood	PB	Portobello
AC2	Autumn 2	450	Fog	792	Sable
BZ	Brazilwood	488	Frosty White	SC	Sedona
IM	Brighton	461	Graphite	425	Shadow
CO	Canyon	HN2	Honey 2	SK	Skyline
CL	Caramel	TM	Huntington	460	Storm
CI	Chai	DW	Judicial	TW	Tribeca
462	Cinder	KN	Kona	TF	Truffle
492	Cinder Linear	MW	Midtown	NW	Tuscan
440	Cloud	MH	Mocha	UW	Urban
CC	Cordoba	YO	Monterey	419	Wallaby
CW	Cordovan	NM	Natural	WL	Willow
457	Dapple	478	Platinum Grey		

**WOOD RIM**


AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CL	Caramel
CW	Cordovan
HN	Honey
DW	Judicial
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
TF	Truffle

**GALLERY VINYL RIM**


Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru



**Softened Vinyl (V)**



**Knife (K)**



**Softened Wood (F)**

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at [www.kimballinternational.com](http://www.kimballinternational.com)  
 • For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at [www.kimballinternational.com](http://www.kimballinternational.com)

## GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

### Round Grommet Option, Black

\$103 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 10-11 for grommet locations




**NACG10EL**  
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 562 for pricing and details


### Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End



- Reference pages 12-13 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,  
NACG15AELPGB, NACG15AELHCB,  
NACG15AELPGW, and NACG15AELHCW**  
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 566 for pricing and details


### Cutout Option for Power/Data Oasis

\$41 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,  
NACG162ELB, and NACG162ELHB**  
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 569 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

**PRODUCT SPECIFICATIONS**

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


**TO ORDER, SPECIFY:**

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

**SAMPLE MODEL NUMBERS:**

25NN36RDW F X MC  
25NN36RDL V461 X 461

- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>EPIC ROUND TOP SOFTENED RIM</b> 	<b>30" ROUND</b>	<b>1 1/8" TOP THICKNESS</b>	<b>DI</b>	<b>H</b>					
	25NN30RDW	Wood	\$ 1910	30 1/16	—	1 1/8	—	—	33 lbs. 2.0
	25NN30RDL	Laminate	1123	30 1/16	—	1 1/8	—	—	33 lbs. 2.0
	<b>36" ROUND</b>								
	25NN36RDW	Wood	\$ 2245	36 1/16	—	1 1/8	—	—	40 lbs. 2.4
	25NN36RDL	Laminate	1319	36 1/16	—	1 1/8	—	—	40 lbs. 2.4
	<b>42" ROUND</b>								
	25NN42RDW	Wood	\$ 2723	42 1/16	—	1 1/8	—	—	61 lbs. 3.2
	25NN42RDL	Laminate	1808	42 1/16	—	1 1/8	—	—	61 lbs. 3.2
	<b>48" ROUND</b>								
	25NN48RDW	Wood	\$ 3323	48 1/16	—	1 1/8	—	—	79 lbs. 4.2
	25NN48RDL	Laminate	2413	48 1/16	—	1 1/8	—	—	79 lbs. 4.2
	<b>54" ROUND</b>								
	25NN54RDW	Wood	\$ 3698	54 1/16	—	1 1/8	—	—	121 lbs. 6.9
	25NN54RDL	Laminate	2787	54 1/16	—	1 1/8	—	—	121 lbs. 6.9
	<b>60" ROUND</b>								
	25NN60RDW	Wood	\$ 4070	60 1/16	—	1 1/8	—	—	150 lbs. 8.3
	25NN60RDL	Laminate	3165	60 1/16	—	1 1/8	—	—	150 lbs. 8.3

# EPIC ROUND TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

## TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

## SAMPLE MODEL NUMBERS:

25N30RDW F X MC  
25N30RDL V461 X 461

- See page 65 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>EPIC ROUND TOP SOFTENED RIM</b>		<b>30" ROUND</b>		<b>1 3/8" TOP THICKNESS</b>		<b>DI</b>	<b>H</b>	
25N30RDW	Wood	\$ 1748	30 1/2	—	1 3/8	—	—	33 lbs. 2.0
25N30RDL	Laminate	963	30 1/2	—	1 3/8	—	—	33 lbs. 2.0
<b>36" ROUND</b>								
25N36RDW	Wood	\$ 2055	36 1/2	—	1 3/8	—	—	40 lbs. 2.4
25N36RDL	Laminate	1132	36 1/2	—	1 3/8	—	—	40 lbs. 2.4
<b>42" ROUND</b>								
25N42RDW	Wood	\$ 2537	42 1/2	—	1 3/8	—	—	61 lbs. 3.2
25N42RDL	Laminate	1617	42 1/2	—	1 3/8	—	—	61 lbs. 3.2
<b>48" ROUND</b>								
25N48RDW	Wood	\$ 3134	48 1/2	—	1 3/8	—	—	79 lbs. 4.2
25N48RDL	Laminate	2222	48 1/2	—	1 3/8	—	—	79 lbs. 4.2



CONFERENCE TABLE TOPS

EPIC

**PRODUCT SPECIFICATIONS**

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

**TO ORDER, SPECIFY:**

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

**SAMPLE MODEL NUMBERS:**

25NN36RDWK F X MC  
25NN36RDLK V461 X 461

- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
				D	W	H	A	KW	WEIGHT	FEET
<b>EPIC ROUND TOP KNIFE RIM</b>	<b>30" ROUND</b>			<b>DI</b>		<b>H</b>				
	<b>1 1/8" TOP THICKNESS</b>									
	25NN30RDWK	Wood	\$ 2478	30 1/16	—	1 1/8	—	—	33 lbs.	2.0
	25NN30RDLK	Laminate	1458	30 1/16	—	1 1/8	—	—	33 lbs.	2.0
	<b>36" ROUND</b>									
	25NN36RDWK	Wood	\$ 2915	36 1/16	—	1 1/8	—	—	40 lbs.	2.4
	25NN36RDLK	Laminate	1717	36 1/16	—	1 1/8	—	—	40 lbs.	2.4
	<b>42" ROUND</b>									
	25NN42RDWK	Wood	\$ 3540	42 1/16	—	1 1/8	—	—	61 lbs.	3.2
	25NN42RDLK	Laminate	2346	42 1/16	—	1 1/8	—	—	61 lbs.	3.2
	<b>48" ROUND</b>									
	25NN48RDWK	Wood	\$ 4317	48 1/16	—	1 1/8	—	—	79 lbs.	4.2
	25NN48RDLK	Laminate	3134	48 1/16	—	1 1/8	—	—	79 lbs.	4.2
	<b>54" ROUND</b>									
	25NN54RDWK	Wood	\$ 4808	54 1/16	—	1 1/8	—	—	121 lbs.	6.9
	25NN54RDLK	Laminate	3626	54 1/16	—	1 1/8	—	—	121 lbs.	6.9
	<b>60" ROUND</b>									
	25NN60RDWK	Wood	\$ 5290	60 1/16	—	1 1/8	—	—	150 lbs.	8.3
	25NN60RDLK	Laminate	4116	60 1/16	—	1 1/8	—	—	150 lbs.	8.3



# EPIC ROUND TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

## SAMPLE MODEL NUMBERS:

25N36RDWK F X MC  
25N36RDLK V461 X 461

- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
<b>EPIC ROUND TOP KNIFE RIM</b> 	<b>30" ROUND</b>	<b>1 3/8" TOP THICKNESS</b>	<b>DI</b>	<b>H</b>						
	25N30RDWK	Wood	\$ 2272	30 1/2	—	1 3/8	—	—	33 lbs.	2.0
	25N30RDLK	Laminate	1250	30 1/2	—	1 3/8	—	—	33 lbs.	2.0
	<b>36" ROUND</b>									
	25N36RDWK	Wood	\$ 2673	36 1/2	—	1 3/8	—	—	40 lbs.	2.4
	25N36RDLK	Laminate	1473	36 1/2	—	1 3/8	—	—	40 lbs.	2.4
	<b>42" ROUND</b>									
	25N42RDWK	Wood	\$ 3297	42 1/2	—	1 3/8	—	—	61 lbs.	3.2
	25N42RDLK	Laminate	2104	42 1/2	—	1 3/8	—	—	61 lbs.	3.2
	<b>48" ROUND</b>									
25N48RDWK	Wood	\$ 4077	48 1/2	—	1 3/8	—	—	79 lbs.	4.2	
25N48RDLK	Laminate	2891	48 1/2	—	1 3/8	—	—	79 lbs.	4.2	

**PRODUCT SPECIFICATIONS**

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

**TO ORDER, SPECIFY:**

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color


**SAMPLE MODEL NUMBERS:**

25NN3636SQW F G10C TF  
 25NN3636SQL V405 G10C 405

- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>EPIC SQUARE TOP SOFTENED RIM</b>	<b>30" SQUARE</b> <b>1 1/8" TOP THICKNESS</b>								
	25NN3030SQW      Wood	\$ 1910	30 1/16	30 1/16	1 1/8	—	—	33 lbs.	2.0
	25NN3030SQL      Laminate	1123	30 1/16	30 1/16	1 1/8	—	—	33 lbs.	2.0
	<b>36" SQUARE</b>								
	25NN3636SQW      Wood	\$ 2245	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
	25NN3636SQL      Laminate	1319	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
	<b>42" SQUARE</b>								
	25NN4242SQW      Wood	\$ 2723	42 1/16	42 1/16	1 1/8	—	—	59 lbs.	3.8
	25NN4242SQL      Laminate	1808	42 1/16	42 1/16	1 1/8	—	—	59 lbs.	3.8
	<b>48" SQUARE</b>								
	25NN4848SQW      Wood	\$ 3323	48 1/16	48 1/16	1 1/8	—	—	76 lbs.	4.5
	25NN4848SQL      Laminate	2413	48 1/16	48 1/16	1 1/8	—	—	76 lbs.	4.5
	<b>54" SQUARE</b>								
	25NN5454SQW      Wood	\$ 3698	54 1/16	54 1/16	1 1/8	—	—	121 lbs.	6.9
	25NN5454SQL      Laminate	2787	54 1/16	54 1/16	1 1/8	—	—	121 lbs.	6.9
	<b>60" SQUARE</b>								
	25NN6060SQW      Wood	\$ 4070	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3
	25NN6060SQL      Laminate	3165	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3

EPIC SQUARE TOP SOFTENED RIM



# EPIC SQUARE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

## TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color


## SAMPLE MODEL NUMBERS:

25N3030SQW F G10C TF  
25N3030SQL V405 G10C 405

- See page 65 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>30" SQUARE</b>		<b>1 3/8" TOP THICKNESS</b>						
25N3030SQW	Wood \$ 1748	30 1/16	30 1/16	1 3/8	—	—	33 lbs.	2.0
25N3030SQL	Laminate 963	30 1/16	30 1/16	1 3/8	—	—	33 lbs.	2.0
<b>36" SQUARE</b>								
25N3636SQW	Wood \$ 2055	36 1/16	36 1/16	1 3/8	—	—	45 lbs.	3.0
25N3636SQL	Laminate 1132	36 1/16	36 1/16	1 3/8	—	—	45 lbs.	3.0
<b>42" SQUARE</b>								
25N4242SQW	Wood \$ 2537	42 1/16	42 1/16	1 3/8	—	—	59 lbs.	3.8
25N4242SQL	Laminate 1617	42 1/16	42 1/16	1 3/8	—	—	59 lbs.	3.8
<b>48" SQUARE</b>								
25N4848SQW	Wood \$ 3134	48 1/16	48 1/16	1 3/8	—	—	76 lbs.	4.5
25N4848SQL	Laminate 2222	48 1/16	48 1/16	1 3/8	—	—	76 lbs.	4.5

### EPIC SQUARE TOP SOFTENED RIM





**PRODUCT SPECIFICATIONS**

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

**TO ORDER, SPECIFY:**


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

**SAMPLE MODEL NUMBERS:**

25NN3636SQWK F G10C TF  
 25NN3636SQLK V405 G10C 405

- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC		
			D	W	H	A	KW	WEIGHT	FEET	
<b>EPIC SQUARE TOP KNIFE RIM</b>	<b>30" SQUARE</b>	<b>1 1/8" TOP THICKNESS</b>								
	25NN3030SQWK	Wood	\$ 2478	30 1/16	30 1/16	1 1/8	—	—	33 lbs.	2.0
	25NN3030SQLK	Laminate	1458	30 1/16	30 1/16	1 1/8	—	—	33 lbs.	2.0
	<b>36" SQUARE</b>									
	25NN3636SQWK	Wood	\$ 2915	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
	25NN3636SQLK	Laminate	1717	36 1/16	36 1/16	1 1/8	—	—	45 lbs.	3.0
	<b>42" SQUARE</b>									
	25NN4242SQWK	Wood	\$ 3540	42 1/16	42 1/16	1 1/8	—	—	59 lbs.	3.8
	25NN4242SQLK	Laminate	2346	42 1/16	42 1/16	1 1/8	—	—	59 lbs.	3.8
	<b>48" SQUARE</b>									
	25NN4848SQWK	Wood	\$ 4317	48 1/16	48 1/16	1 1/8	—	—	76 lbs.	4.5
	25NN4848SQLK	Laminate	3134	48 1/16	48 1/16	1 1/8	—	—	76 lbs.	4.5
	<b>54" SQUARE</b>									
	25NN5454SQWK	Wood	\$ 4808	54 1/16	54 1/16	1 1/8	—	—	121 lbs.	6.9
	25NN5454SQLK	Laminate	3626	54 1/16	54 1/16	1 1/8	—	—	121 lbs.	6.9
	<b>60" SQUARE</b>									
	25NN6060SQWK	Wood	\$ 5290	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3
	25NN6060SQLK	Laminate	4116	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3



CONFERENCE TABLE TOPS

EPIC

# EPIC SQUARE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 66 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

## TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

## SAMPLE MODEL NUMBERS:

25N3030SQWK F G10C TF  
25N3030SQLK V405 G10C 405

- See page 65 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
		D	W	H	A	KW			
<b>EPIC SQUARE TOP KNIFE RIM</b>									
<b>30" SQUARE</b>		<b>1 3/8" TOP THICKNESS</b>							
25N3030SQWK	Wood	\$ 2272	30 1/16	30 1/16	1 3/16	—	—	33 lbs.	2.0
25N3030SQLK	Laminate	1250	30 1/16	30 1/16	1 3/16	—	—	33 lbs.	2.0
<b>36" SQUARE</b>									
25N3636SQWK	Wood	\$ 2673	36 1/16	36 1/16	1 3/16	—	—	45 lbs.	3.0
25N3636SQLK	Laminate	1473	36 1/16	36 1/16	1 3/16	—	—	45 lbs.	3.0
<b>42" SQUARE</b>									
25N4242SQWK	Wood	\$ 3297	42 1/16	42 1/16	1 3/16	—	—	59 lbs.	3.8
25N4242SQLK	Laminate	2104	42 1/16	42 1/16	1 3/16	—	—	59 lbs.	3.8
<b>48" SQUARE</b>									
25N4848SQWK	Wood	\$ 4077	48 1/16	48 1/16	1 3/16	—	—	76 lbs.	4.5
25N4848SQLK	Laminate	2891	48 1/16	48 1/16	1 3/16	—	—	76 lbs.	4.5



**PRODUCT SPECIFICATIONS**


- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240", tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

**TO ORDER, SPECIFY:**

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

**SAMPLE MODEL NUMBERS:**

- 25NN3672RTW F G10LR X X CW  
 25NN3672RTL V480 G10LR 480
- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
<b>EPIC RECTANGLE TOP SOFTENED RIM</b>	<b>36" x 72" 1 1/8" TOP THICKNESS</b>									
	25NN3672RTW	Wood	\$ 3501	36	72	1 1/8	—	—	136 lbs.	6.3
	25NN3672RTL	Laminate	2591	36	72	1 1/8	—	—	136 lbs.	6.3
	<b>42" x 84"</b>									
	25NN4284RTW	Wood	\$ 4128	42	84	1 1/8	—	—	180 lbs.	8.3
	25NN4284RTL	Laminate	3224	42	84	1 1/8	—	—	180 lbs.	8.3
	<b>48" x 96"</b>									
	25NN4896RTW	Wood	\$ 4757	48	96	1 1/8	—	—	233 lbs.	10.5
	25NN4896RTL	Laminate	3865	48	96	1 1/8	—	—	233 lbs.	10.5
	<b>48" x 120"</b>									
	25NN48120RTW	Wood	\$ 6498	48	120	1 1/8	—	—	279 lbs.	10.6
	25NN48120RTL	Laminate	5616	48	120	1 1/8	—	—	279 lbs.	10.6
	<b>48" x 144"</b>									
	25NN48144RTW	Wood	\$ 8047	48	144	1 1/8	—	—	332 lbs.	12.5
	25NN48144RTL	Laminate	7183	48	144	1 1/8	—	—	332 lbs.	12.5
	<b>48" x 168"</b>									
	25NN48168RTW	Wood	\$ 9268	48	168	1 1/8	—	—	385 lbs.	14.3
	25NN48168RTL	Laminate	8411	48	168	1 1/8	—	—	385 lbs.	14.3
	<b>48" x 192"</b>									
	25NN48192RTW	Wood	\$ 10477	48	192	1 1/8	—	—	438 lbs.	16.2
	25NN48192RTL	Laminate	9637	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

# EPIC RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240", tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

## TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color


## SAMPLE MODEL NUMBERS:

25NN48216RTW F G10LR X X CW  
 25NN48216RTL V480 G10LR 480

- See page 65 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>EPIC RECTANGLE TOP SOFTENED RIM (CONTINUED)</b>								
<b>48" x 216" 1 1/8" TOP THICKNESS</b>								
25NN48216RTW Wood	\$ 11691	48	216	1 1/8	—	—	524 lbs.	20.0
25NN48216RTL Laminate	10863	48	216	1 1/8	—	—	524 lbs.	20.0
<b>48" x 240"</b>								
25NN48240RTW Wood	\$ 12903	48	240	1 1/8	—	—	571 lbs.	22.0
25NN48240RTL Laminate	12096	48	240	1 1/8	—	—	571 lbs.	22.0
<b>60" x 144"</b>								
25NN60144RTW Wood	\$ 10466	58%	144	1 1/8	—	—	412 lbs.	18.0
25NN60144RTL Laminate	9340	58%	144	1 1/8	—	—	412 lbs.	18.0
<b>60" x 168"</b>								
25NN60168RTW Wood	\$ 12047	58%	168	1 1/8	—	—	480 lbs.	22.5
25NN60168RTL Laminate	10938	58%	168	1 1/8	—	—	480 lbs.	22.5
<b>60" x 192"</b>								
25NN60192RTW Wood	\$ 13621	58%	192	1 1/8	—	—	539 lbs.	29.0
25NN60192RTL Laminate	12527	58%	192	1 1/8	—	—	539 lbs.	29.0
<b>60" x 216"</b>								
25NN60216RTW Wood	\$ 15201	58%	216	1 1/8	—	—	647 lbs.	31.0
25NN60216RTL Laminate	14127	58%	216	1 1/8	—	—	647 lbs.	31.0
<b>60" x 240"</b>								
25NN60240RTW Wood	\$ 16775	58%	240	1 1/8	—	—	706 lbs.	34.0
25NN60240RTL Laminate	15727	58%	240	1 1/8	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops



**PRODUCT SPECIFICATIONS**


- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

**TO ORDER, SPECIFY:**

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

**SAMPLE MODEL NUMBERS:**

- 25NN3672RTWK K G10LR X CL  
 25NN3672RTLK K425 G10LR X 425
- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>EPIC RECTANGLE TOP KNIFE RIM</b>	<b>36" x 72"</b>	<b>1 1/8" TOP THICKNESS</b>							
	25NN3672RTWK Wood	\$ 4553	36	72	1 1/8	—	—	136 lbs.	6.3
	25NN3672RTLK Laminate	3368	36	72	1 1/8	—	—	136 lbs.	6.3
	<b>42" x 84"</b>								
	25NN4284RTWK Wood	\$ 5368	42	84	1 1/8	—	—	180 lbs.	8.3
	25NN4284RTLK Laminate	4191	42	84	1 1/8	—	—	180 lbs.	8.3
	<b>48" x 96"</b>								
	25NN4896RTWK Wood	\$ 6184	48	96	1 1/8	—	—	233 lbs.	10.5
	25NN4896RTLK Laminate	5018	48	96	1 1/8	—	—	233 lbs.	10.5
	<b>48" x 120"</b>								
	25NN48120RTWK Wood	\$ 8447	48	120	1 1/8	—	—	279 lbs.	10.6
	25NN48120RTLK Laminate	7304	48	120	1 1/8	—	—	279 lbs.	10.6
	<b>48" x 144"</b>								
	25NN48144RTWK Wood	\$ 10462	48	144	1 1/8	—	—	332 lbs.	12.5
	25NN48144RTLK Laminate	9338	48	144	1 1/8	—	—	332 lbs.	12.5
	<b>48" x 168"</b>								
	25NN48168RTWK Wood	\$ 12045	48	168	1 1/8	—	—	385 lbs.	14.3
	25NN48168RTLK Laminate	10934	48	168	1 1/8	—	—	385 lbs.	14.3
	<b>48" x 192"</b>								
	25NN48192RTWK Wood	\$ 13623	48	192	1 1/8	—	—	438 lbs.	16.2
	25NN48192RTLK Laminate	12530	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

# EPIC RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

## TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

## SAMPLE MODEL NUMBERS:

25NN48216RTWK K G10LR X CL  
 25NN48216RTLK K425 G10LR X 425

- See page 65 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>EPIC RECTANGLE TOP KNIFE RIM (CONTINUED)</b>								
<b>48" x 216" 1 1/8" TOP THICKNESS</b>								
25NN48216RTWK Wood	\$ 15201	48	216	1 1/8	—	—	524 lbs.	20.0
25NN48216RTLK Laminate	14127	48	216	1 1/8	—	—	524 lbs.	20.0
<b>48" x 240"</b>								
25NN48240RTWK Wood	\$ 16775	48	240	1 1/8	—	—	571 lbs.	22.0
25NN48240RTLK Laminate	15727	48	240	1 1/8	—	—	571 lbs.	22.0
<b>60" x 144"</b>								
25NN60144RTWK Wood	\$ 13603	58%	144	1 1/8	—	—	412 lbs.	18.0
25NN60144RTLK Laminate	12140	58%	144	1 1/8	—	—	412 lbs.	18.0
<b>60" x 168"</b>								
25NN60168RTWK Wood	\$ 15660	58%	168	1 1/8	—	—	480 lbs.	22.5
25NN60168RTLK Laminate	14218	58%	168	1 1/8	—	—	480 lbs.	22.5
<b>60" x 192"</b>								
25NN60192RTWK Wood	\$ 17707	58%	192	1 1/8	—	—	539 lbs.	29.0
25NN60192RTLK Laminate	16285	58%	192	1 1/8	—	—	539 lbs.	29.0
<b>60" x 216"</b>								
25NN60216RTWK Wood	\$ 19758	58%	216	1 1/8	—	—	647 lbs.	31.0
25NN60216RTLK Laminate	18363	58%	216	1 1/8	—	—	647 lbs.	31.0
<b>60" x 240"</b>								
25NN60240RTWK Wood	\$ 21809	58%	240	1 1/8	—	—	706 lbs.	34.0
25NN60240RTLK Laminate	20444	58%	240	1 1/8	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

**PRODUCT SPECIFICATIONS**

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

**TO ORDER, SPECIFY:**

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

**SAMPLE MODEL NUMBERS:**

- 25NN3672BTW F G10LR X CW  
 25NN3672BTL V480 G10LR 480
- See page 65 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>36" x 72" 1 1/8" TOP THICKNESS</b>								
25NN3672BTW Wood	\$ 3778	36	72	1 1/8	—	—	136 lbs. 6.3	
25NN3672BTL Laminate	2884	36	72	1 1/8	—	—	136 lbs. 6.3	
<b>42" x 84"</b>								
25NN4284BTW Wood	\$ 4402	42	84	1 1/8	—	—	180 lbs. 8.3	
25NN4284BTL Laminate	3510	42	84	1 1/8	—	—	180 lbs. 8.3	
<b>48" x 96"</b>								
25NN4896BTW Wood	\$ 5022	48	96	1 1/8	—	—	233 lbs. 10.5	
25NN4896BTL Laminate	4141	48	96	1 1/8	—	—	233 lbs. 10.5	
<b>48" x 120"</b>								
25NN48120BTW Wood	\$ 7059	48	120	1 1/8	—	—	279 lbs. 10.6	
25NN48120BTL Laminate	6192	48	120	1 1/8	—	—	279 lbs. 10.6	
<b>48" x 144"</b>								
25NN48144BTW Wood	\$ 8593	48	144	1 1/8	—	—	332 lbs. 12.5	
25NN48144BTL Laminate	7747	48	144	1 1/8	—	—	332 lbs. 12.5	
<b>48" x 168"</b>								
25NN48168BTW Wood	\$ 9799	48	168	1 1/8	—	—	385 lbs. 14.3	
25NN48168BTL Laminate	8962	48	168	1 1/8	—	—	385 lbs. 14.3	
<b>48" x 192"</b>								
25NN48192BTW Wood	\$ 11003	48	192	1 1/8	—	—	438 lbs. 16.2	
25NN48192BTL Laminate	10173	48	192	1 1/8	—	—	438 lbs. 16.2	

**EPIC BOAT TOP SOFTENED RIM**



- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

CONFERENCE TABLE TOPS

EPIC

# EPIC BOAT TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

## TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminated Top Color


## SAMPLE MODEL NUMBERS:

25NN48216BTW F G10LR X X CW  
 25NN48216BTL V480 G10LR 480

- See page 65 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>EPIC BOAT TOP SOFTENED RIM (CONTINUED)</b>								
<b>48" x 216" 1 1/8" TOP THICKNESS</b>								
25NN48216BTW Wood	\$ 12201	48	216	1 1/8	-	-	524 lbs.	20.0
25NN48216BTL Laminate	11370	48	216	1 1/8	-	-	524 lbs.	20.0
<b>48" x 240"</b>								
25NN48240BTW Wood	\$ 13402	48	240	1 1/8	-	-	571 lbs.	22.0
25NN48240BTL Laminate	12597	48	240	1 1/8	-	-	571 lbs.	22.0
<b>60" x 144"</b>								
25NN60144BTW Wood	\$ 11173	58%	144	1 1/8	-	-	412 lbs.	18.0
25NN60144BTL Laminate	10064	58%	144	1 1/8	-	-	412 lbs.	18.0
<b>60" x 168"</b>								
25NN60168BTW Wood	\$ 12739	58%	168	1 1/8	-	-	480 lbs.	22.5
25NN60168BTL Laminate	11649	58%	168	1 1/8	-	-	480 lbs.	22.5
<b>60" x 192"</b>								
25NN60192BTW Wood	\$ 14304	58%	192	1 1/8	-	-	539 lbs.	29.0
25NN60192BTL Laminate	13227	58%	192	1 1/8	-	-	539 lbs.	29.0
<b>60" x 216"</b>								
25NN60216BTW Wood	\$ 15863	58%	216	1 1/8	-	-	647 lbs.	31.0
25NN60216BTL Laminate	14782	58%	216	1 1/8	-	-	647 lbs.	31.0
<b>60" x 240"</b>								
25NN60240BTW Wood	\$ 17423	58%	240	1 1/8	-	-	706 lbs.	34.0
25NN60240BTL Laminate	16378	58%	240	1 1/8	-	-	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops





**PRODUCT SPECIFICATIONS**

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

**TO ORDER, SPECIFY:**

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

**SAMPLE MODEL NUMBERS:**

- 25NN3672BTWK K G10LA X X AC  
 25NN3672BTLK K461 G10LA X X 461
- See page 65 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>36" x 72" 1 1/8" TOP THICKNESS</b>								
25NN3672BTWK Wood	\$ 4911	36	72	1 1/8	—	—	136 lbs. 6.3	
25NN3672BTLK Laminate	3750	36	72	1 1/8	—	—	136 lbs. 6.3	
<b>42" x 84"</b>								
25NN4284BTWK Wood	\$ 5721	42	84	1 1/8	—	—	180 lbs. 8.3	
25NN4284BTLK Laminate	4563	42	84	1 1/8	—	—	180 lbs. 8.3	
<b>48" x 96"</b>								
25NN4896BTWK Wood	\$ 6529	48	96	1 1/8	—	—	233 lbs. 10.5	
25NN4896BTLK Laminate	5383	48	96	1 1/8	—	—	233 lbs. 10.5	
<b>48" x 120"</b>								
25NN48120BTWK Wood	\$ 9180	48	120	1 1/8	—	—	279 lbs. 10.6	
25NN48120BTLK Laminate	8054	48	120	1 1/8	—	—	279 lbs. 10.6	
<b>48" x 144"</b>								
25NN48144BTWK Wood	\$ 11173	48	144	1 1/8	—	—	332 lbs. 12.5	
25NN48144BTLK Laminate	10065	48	144	1 1/8	—	—	332 lbs. 12.5	
<b>48" x 168"</b>								
25NN48168BTWK Wood	\$ 12743	48	168	1 1/8	—	—	385 lbs. 14.3	
25NN48168BTLK Laminate	11649	48	168	1 1/8	—	—	385 lbs. 14.3	
<b>48" x 192"</b>								
25NN48192BTWK Wood	\$ 14304	48	192	1 1/8	—	—	438 lbs. 16.2	
25NN48192BTLK Laminate	13227	48	192	1 1/8	—	—	438 lbs. 16.2	

**EPIC BOAT TOP KNIFE RIM**



- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

CONFERENCE TABLE TOPS

EPIC

# EPIC BOAT TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

## TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color


## SAMPLE MODEL NUMBERS:

25NN48216BTWK K G10LA X X AC  
 25NN48216BTLK K461 G10LA X X 461

- See page 65 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>EPIC BOAT TOP KNIFE RIM (CONTINUED)</b>								
<b>48" x 216" 1 1/8" TOP THICKNESS</b>								
25NN48216BTWK Wood	\$ 15863	48	216	1 1/8	—	—	524 lbs.	20.0
25NN48216BTLK Laminate	14782	48	216	1 1/8	—	—	524 lbs.	20.0
<b>48" x 240"</b>								
25NN48240BTWK Wood	\$ 17423	48	240	1 1/8	—	—	571 lbs.	22.0
25NN48240BTLK Laminate	16381	48	240	1 1/8	—	—	571 lbs.	22.0
<b>60" x 144"</b>								
25NN60144BTWK Wood	\$ 14523	58%	144	1 1/8	—	—	412 lbs.	18.0
25NN60144BTLK Laminate	13083	58%	144	1 1/8	—	—	412 lbs.	18.0
<b>60" x 168"</b>								
25NN60168BTWK Wood	\$ 16564	58%	168	1 1/8	—	—	480 lbs.	22.5
25NN60168BTLK Laminate	15147	58%	168	1 1/8	—	—	480 lbs.	22.5
<b>60" x 192"</b>								
25NN60192BTWK Wood	\$ 18593	58%	192	1 1/8	—	—	539 lbs.	29.0
25NN60192BTLK Laminate	17192	58%	192	1 1/8	—	—	539 lbs.	29.0
<b>60" x 216"</b>								
25NN60216BTWK Wood	\$ 20619	58%	216	1 1/8	—	—	647 lbs.	31.0
25NN60216BTLK Laminate	19218	58%	216	1 1/8	—	—	647 lbs.	31.0
<b>60" x 240"</b>								
25NN60240BTWK Wood	\$ 22650	58%	240	1 1/8	—	—	706 lbs.	34.0
25NN60240BTLK Laminate	21291	58%	240	1 1/8	—	—	706 lbs.	34.0

EPIC BOAT TOP  
 KNIFE RIM  
 (CONTINUED)



- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

**PRODUCT SPECIFICATIONS**


- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

**TO ORDER, SPECIFY:**

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

**SAMPLE MODEL NUMBERS:**

- 25NN3672RCW F G10LR X X DW  
 25NN3672RCL V405 G10LR X X 405
- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
<b>EPIC RACETRACK TOP SOFTENED RIM</b>	<b>36" x 72" 1 1/8" TOP THICKNESS</b>									
	25NN3672RCW	Wood	\$ 3817	36	72	1 1/8	—	—	136 lbs.	6.3
	25NN3672RCL	Laminate	2910	36	72	1 1/8	—	—	136 lbs.	6.3
	<b>42" x 84"</b>									
	25NN4284RCW	Wood	\$ 4449	42	84	1 1/8	—	—	180 lbs.	8.3
	25NN4284RCL	Laminate	3546	42	84	1 1/8	—	—	180 lbs.	8.3
	<b>48" x 96"</b>									
	25NN4896RCW	Wood	\$ 5077	48	96	1 1/8	—	—	233 lbs.	10.5
	25NN4896RCL	Laminate	4181	48	96	1 1/8	—	—	233 lbs.	10.5
	<b>48" x 120"</b>									
	25NN48120RCW	Wood	\$ 7131	48	120	1 1/8	—	—	279 lbs.	10.6
	25NN48120RCL	Laminate	6256	48	120	1 1/8	—	—	279 lbs.	10.6
	<b>48" x 144"</b>									
	25NN48144RCW	Wood	\$ 8682	48	144	1 1/8	—	—	332 lbs.	12.5
	25NN48144RCL	Laminate	7822	48	144	1 1/8	—	—	332 lbs.	12.5
	<b>48" x 168"</b>									
	25NN48168RCW	Wood	\$ 9899	48	168	1 1/8	—	—	385 lbs.	14.3
	25NN48168RCL	Laminate	9054	48	168	1 1/8	—	—	385 lbs.	14.3
	<b>48" x 192"</b>									
	25NN48192RCW	Wood	\$ 11115	48	192	1 1/8	—	—	438 lbs.	16.2
	25NN48192RCL	Laminate	10277	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

# EPIC RACETRACK TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

## TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

## SAMPLE MODEL NUMBERS:

25NN48216RCW F G10LR X X DW  
 25NN48216RCL V405 G10LR X X 405

- See page 65 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>EPIC RACETRACK TOP SOFTENED RIM (CONTINUED)</b>								
<b>48" x 216" 1 1/8" TOP THICKNESS</b>								
25NN48216RCW Wood	\$ 12326	48	216	1 1/8	—	—	524 lbs.	20.0
25NN48216RCL Laminate	11482	48	216	1 1/8	—	—	524 lbs.	20.0
<b>48" x 240"</b>								
25NN48240RCW Wood	\$ 13538	48	240	1 1/8	—	—	571 lbs.	22.0
25NN48240RCL Laminate	12726	48	240	1 1/8	—	—	571 lbs.	22.0
<b>60" x 144"</b>								
25NN60144RCW Wood	\$ 11286	58%	144	1 1/8	—	—	412 lbs.	18.0
25NN60144RCL Laminate	10168	58%	144	1 1/8	—	—	412 lbs.	18.0
<b>60" x 168"</b>								
25NN60168RCW Wood	\$ 12871	58%	168	1 1/8	—	—	480 lbs.	22.5
25NN60168RCL Laminate	11766	58%	168	1 1/8	—	—	480 lbs.	22.5
<b>60" x 192"</b>								
25NN60192RCW Wood	\$ 14450	58%	192	1 1/8	—	—	539 lbs.	29.0
25NN60192RCL Laminate	13361	58%	192	1 1/8	—	—	539 lbs.	29.0
<b>60" x 216"</b>								
25NN60216RCW Wood	\$ 16020	58%	216	1 1/8	—	—	647 lbs.	31.0
25NN60216RCL Laminate	14931	58%	216	1 1/8	—	—	647 lbs.	31.0
<b>60" x 240"</b>								
25NN60240RCW Wood	\$ 17597	58%	240	1 1/8	—	—	706 lbs.	34.0
25NN60240RCL Laminate	16544	58%	240	1 1/8	—	—	706 lbs.	34.0



- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

**PRODUCT SPECIFICATIONS**


- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

**TO ORDER, SPECIFY:**

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

**SAMPLE MODEL NUMBERS:**

- 25NN3672RCWK K G10A X CW  
 25NN3672RCLK K425 G10A X CW
- See page 65 for all options available in Epic

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>EPIC RACETRACK TOP KNIFE RIM</b>	<b>36" x 72"</b>	<b>1 1/8" TOP THICKNESS</b>							
	25NN3672RCWK Wood	\$ 4963	36	72	1 1/8	—	—	136 lbs.	6.3
	25NN3672RCLK Laminate	3781	36	72	1 1/8	—	—	136 lbs.	6.3
	<b>42" x 84"</b>								
	25NN4284RCWK Wood	\$ 5778	42	84	1 1/8	—	—	180 lbs.	8.3
	25NN4284RCLK Laminate	4608	42	84	1 1/8	—	—	180 lbs.	8.3
	<b>48" x 96"</b>								
	25NN4896RCWK Wood	\$ 6598	48	96	1 1/8	—	—	233 lbs.	10.5
	25NN4896RCLK Laminate	5435	48	96	1 1/8	—	—	233 lbs.	10.5
	<b>48" x 120"</b>								
	25NN48120RCWK Wood	\$ 9270	48	120	1 1/8	—	—	279 lbs.	10.6
	25NN48120RCLK Laminate	8133	48	120	1 1/8	—	—	279 lbs.	10.6
	<b>48" x 144"</b>								
	25NN48144RCWK Wood	\$ 11287	48	144	1 1/8	—	—	332 lbs.	12.5
	25NN48144RCLK Laminate	10170	48	144	1 1/8	—	—	332 lbs.	12.5
	<b>48" x 168"</b>								
	25NN48168RCWK Wood	\$ 12871	48	168	1 1/8	—	—	385 lbs.	14.3
	25NN48168RCLK Laminate	11766	48	168	1 1/8	—	—	385 lbs.	14.3
	<b>48" x 192"</b>								
	25NN48192RCWK Wood	\$ 14450	48	192	1 1/8	—	—	438 lbs.	16.2
	25NN48192RCLK Laminate	13361	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

# EPIC RACETRACK TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 66 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

## TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

## SAMPLE MODEL NUMBERS:

25NN48216RCWK K G10A X X CW  
 25NN48216RCLK K425 G10A X X CW

- See page 65 for all options available in Epic

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>EPIC RACETRACK TOP KNIFE RIM (CONTINUED)</b>								
<b>48" x 216" 1 1/8" TOP THICKNESS</b>								
25NN48216RCWK Wood	\$ 16024	48	216	1 1/8	—	—	524 lbs.	20.0
25NN48216RCLK Laminate	14931	48	216	1 1/8	—	—	524 lbs.	20.0
<b>48" x 240"</b>								
25NN48240RCWK Wood	\$ 17597	48	240	1 1/8	—	—	571 lbs.	22.0
25NN48240RCLK Laminate	16544	48	240	1 1/8	—	—	571 lbs.	22.0
<b>60" x 144"</b>								
25NN60144RCWK Wood	\$ 14672	58%	144	1 1/8	—	—	412 lbs.	18.0
25NN60144RCLK Laminate	13217	58%	144	1 1/8	—	—	412 lbs.	18.0
<b>60" x 168"</b>								
25NN60168RCWK Wood	\$ 16731	58%	168	1 1/8	—	—	480 lbs.	22.5
25NN60168RCLK Laminate	15299	58%	168	1 1/8	—	—	480 lbs.	22.5
<b>60" x 192"</b>								
25NN60192RCWK Wood	\$ 18779	58%	192	1 1/8	—	—	539 lbs.	29.0
25NN60192RCLK Laminate	17368	58%	192	1 1/8	—	—	539 lbs.	29.0
<b>60" x 216"</b>								
25NN60216RCWK Wood	\$ 20830	58%	216	1 1/8	—	—	647 lbs.	31.0
25NN60216RCLK Laminate	19411	58%	216	1 1/8	—	—	647 lbs.	31.0
<b>60" x 240"</b>								
25NN60240RCWK Wood	\$ 22878	58%	240	1 1/8	—	—	706 lbs.	34.0
25NN60240RCLK Laminate	21506	58%	240	1 1/8	—	—	706 lbs.	34.0



- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

## ESCALADE CONFERENCE TOP SPECIFICATIONS

### TOPS

- 1 $\frac{1}{8}$ " slipmatched cherry or maple and bookmatched walnut veneer
- Mitered wood rim
- Size modifications available at no upcharge; many Escalade conference tops can be cut down in 6" increments. See component section for specific models
- See page 9 for modified size options


### POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

### TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Modified Depth
4. Modified Width
5. Finish

## ESCALADE SHAPES AND SIZES




### ROUND

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter




### SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



### RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



### BOAT

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

**WOOD FINISHES**

- MC Amber Cherry
- AC Autumn Cherry
- IM Brighton Maple
- CL Caramel Maple
- CC Cordoba Cherry
- CW Cordovan Walnut
- HN Honey Maple
- TM Huntington Maple
- DW Judicial Walnut
- MW Midtown Walnut
- MH Mocha Cherry
- NM Natural Maple
- SC Sedona Cherry
- TW Tribeca Walnut
- TF Truffle Cherry
- UW Urban Walnut

**RIM PROFILE**



CONFERENCE TABLE TOPS

ESCALADE

**GROMMET AND CUTOUT OPTIONS**

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

**Round Grommet Option, Black**

\$103 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



• Reference pages 10-11 for grommet locations




**NACG10EL  
(Sold Separately)**

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 562 for pricing and details


**Cutout Option for 1 Touch Double Pivoting Power Grommet**

\$41 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End



• Reference pages 12-13 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,  
NACG15AELPGB, NACG15AELHCB,  
NACG15AELPGW, and NACG15AELHCW  
(Sold Separately)**

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 566 for pricing and details


**Cutout Option for Power/Data Oasis**

\$41 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,  
NACG162ELB, and NACG162ELHB  
(Sold Separately)**

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 569 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at [www.kimballinternational.com](http://www.kimballinternational.com)  
 • For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at [www.kimballinternational.com](http://www.kimballinternational.com)



# ESCALADE ROUND TOPS

**PRODUCT SPECIFICATIONS**

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 88 for options and upcharge
- Reference pages 26-45 for table base guide


**TO ORDER, SPECIFY:**

1. Model Number
2. Grommet/Cutout Option
3. Finish

**SAMPLE MODEL NUMBER:**

ECN42RDW G10C DW  
 • See page 88 for all options available in Escalade

**ESCALADE ROUND TOP**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>30" ROUND</b> 1 <sup>1</sup> / <sub>6</sub> " TOP THICKNESS		<b>DI</b>		<b>H</b>				
ECN30RDW Wood	\$ 2165	30 <sup>7</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>6</sub>	—	—	33 lbs.	2.0
<b>36" ROUND</b>								
ECN36RDW Wood	\$ 2550	36 <sup>7</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>6</sub>	—	—	45 lbs.	2.4
<b>42" ROUND</b>								
ECN42RDW Wood	\$ 2873	42 <sup>7</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>6</sub>	—	—	74 lbs.	4.0
<b>48" ROUND</b>								
ECN48RDW Wood	\$ 3529	48 <sup>7</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>6</sub>	—	—	94 lbs.	5.1

CONFERENCE TABLE TOPS

ESCALADE

# ESCALADE SQUARE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 88 for options and upcharge
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

## SAMPLE MODEL NUMBER:

ECN3636SQW X MH

- See page 88 for all options available in Escalade

ESCALADE SQUARE TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	<b>30" SQUARE</b> ECN3030SQW	1 1/2" TOP THICKNESS Wood \$ 2165	30 1/16	30 1/16	1 1/16	—	—	33 lbs.	2.0
	<b>36" SQUARE</b> ECN3636SQW	Wood \$ 2550	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	2.4
	<b>42" SQUARE</b> ECN4242SQW	Wood \$ 2873	42 1/16	42 1/16	1 1/16	—	—	61 lbs.	3.2
	<b>48" SQUARE</b> ECN4848SQW	Wood \$ 3529	48 1/16	48 1/16	1 1/16	—	—	79 lbs.	4.2
	<b>54" SQUARE</b> ECN5454SQW	Wood \$ 3903	54 1/16	54 1/16	1 1/16	—	—	121 lbs.	6.9
	<b>60" SQUARE</b> ECN6060SQW	Wood \$ 4272	60 1/16	60 1/16	1 1/16	—	—	150 lbs.	8.3

# ESCALADE RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-15 and CUT-G16, reference page 88 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth  
(see page 9 for available sizes)
4. Modified Width  
(see page 9 for available sizes)
5. Finish

## SAMPLE MODEL NUMBER:

ECN3672RTW X X MH

- See page 88 for all options available in Escalade

ESCALADE RECTANGLE TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	<b>36" x 72"</b>	<b>1 1/16" TOP THICKNESS</b>								
	ECN3672RTW	Wood	\$ 4366	35 1/4	71 1/16	1 1/16	—	—	136 lbs.	6.3
	<b>42" x 84"</b>									
	ECN4284RTW	Wood	\$ 4894	42 1/16	84 3/16	1 1/16	—	—	180 lbs.	8.3
	<b>48" x 96"</b>									
	ECN4896RTW	Wood	\$ 5420	47 1/4	95 1/8	1 1/16	—	—	233 lbs.	10.5
	<b>48" x 120"</b>									
	ECN48120RTW	Wood	\$ 7438	47 1/4	119 1/4	1 1/16	—	—	279 lbs.	10.6
	<b>48" x 144"</b>									
ECN48144RTW	Wood	\$ 9236	47 1/4	143 3/8	1 1/16	—	—	332 lbs.	12.5	
<b>48" x 168"</b>										
ECN48168RTW	Wood	\$ 11403	47 1/4	167 1/4	1 1/16	—	—	385 lbs.	14.4	
<b>48" x 192"</b>										
ECN48192RTW	Wood	\$ 12918	47 1/4	191 1/4	1 1/16	—	—	438 lbs.	16.3	
<b>48" x 216"</b>										
ECN48216RTW	Wood	\$ 14428	47 1/4	216	1 1/16	—	—	524 lbs.	20.0	
<b>48" x 240"</b>										
ECN48240RTW	Wood	\$ 15942	47 1/4	240	1 1/16	—	—	571 lbs.	22.0	

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing

# ESCALADE RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-15 and CUT-G16, reference page 88 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth  
(see page 9 for available sizes)
4. Modified Width  
(see page 9 for available sizes)
5. Finish

## SAMPLE MODEL NUMBER:

ECN60144RTW CUT-G15A X X CL

- See page 88 for all options available in Escalade

ESCALADE RECTANGLE TOP (CONTINUED)	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	<b>60" x 144"</b> ECN60144RTW Wood	\$ 12005	58%	143½	1½	—	—	412 lbs.	18.0
	<b>60" x 168"</b> ECN60168RTW Wood	\$ 14824	58%	167¼	1½	—	—	480 lbs.	22.5
	<b>60" x 192"</b> ECN60192RTW Wood	\$ 16792	58%	191¼	1½	—	—	539 lbs.	29.0
	<b>60" x 216"</b> ECN60216RTW Wood	\$ 18758	58%	216	1½	—	—	647 lbs.	31.0
	<b>60" x 240"</b> ECN60240RTW Wood	\$ 20726	58%	240	1½	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 9 for conference top sizing

**PRODUCT SPECIFICATIONS**

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-15 and CUT-G16, reference page 88 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


**TO ORDER, SPECIFY:**

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 9 for available sizes)
4. Modified Width (see page 9 for available sizes)
5. Finish

**SAMPLE MODEL NUMBER:**

ECN3672BTW X X MH

- See page 88 for all options available in Escalade

ESCALADE BOAT TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	<b>36" x 72"</b>	<b>1 1/8" TOP THICKNESS</b>								
	ECN3672BTW	Wood	\$ 4672	36	72	1 1/8	—	—	136 lbs.	6.3
	<b>42" x 84"</b>									
	ECN4284BTW	Wood	\$ 5237	42	84	1 1/8	—	—	180 lbs.	8.3
	<b>48" x 96"</b>									
	ECN4896BTW	Wood	\$ 5799	48	96	1 1/8	—	—	233 lbs.	10.5
	<b>48" x 120"</b>									
	ECN48120BTW	Wood	\$ 7960	48	120	1 1/8	—	—	279 lbs.	10.6
	<b>48" x 144"</b>									
ECN48144BTW	Wood	\$ 9884	48	144	1 1/8	—	—	332 lbs.	12.5	
<b>48" x 168"</b>										
ECN48168BTW	Wood	\$ 12201	48	168	1 1/8	—	—	385 lbs.	14.3	
<b>48" x 192"</b>										
ECN48192BTW	Wood	\$ 13817	48	192	1 1/8	—	—	438 lbs.	16.2	
<b>48" x 216"</b>										
ECN48216BTW	Wood	\$ 15439	48	216	1 1/8	—	—	524 lbs.	20.0	
<b>48" x 240"</b>										
ECN48240BTW	Wood	\$ 17061	48	240	1 1/8	—	—	571 lbs.	22.0	

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing

# ESCALADE BOAT TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 88 for options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 9 for available sizes)
4. Modified Width (see page 9 for available sizes)
5. Finish

## SAMPLE MODEL NUMBER:

ECN60144BTW CUT-G15A X X NM

- See page 88 for all options available in Escalade

ESCALADE BOAT TOP (CONTINUED)	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	<b>60" x 144" 1 1/8" TOP THICKNESS</b>								
	ECN60144BTW Wood	\$ 12847	58%	144	1 1/8	—	—	412 lbs. 18.0	
	<b>60" x 168"</b>								
	ECN60168BTW Wood	\$ 15861	58%	168	1 1/8	—	—	480 lbs. 22.5	
	<b>60" x 192"</b>								
ECN60192BTW Wood	\$ 17966	58%	192	1 1/8	—	—	539 lbs. 29.0		
<b>60" x 216"</b>									
ECN60216BTW Wood	\$ 20071	58%	216	1 1/8	—	—	647 lbs. 31.0		
<b>60" x 240"</b>									
ECN60240BTW Wood	\$ 22175	58%	240	1 1/8	—	—	706 lbs. 34.0		

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing

## UNIVERSAL CONFERENCE TOP SPECIFICATIONS

### CP TOPS

- 1 $\frac{3}{16}$ " or 1 $\frac{1}{4}$ " HPL (high pressure laminate)
- HPL flat rim profile

### CCW TOPS

- Veneer surfaces are 1 $\frac{3}{16}$ " and feature wood rim with 5 profile options
- Laminate/wood models are 1 $\frac{3}{16}$ " or 1 $\frac{1}{4}$ " HPL (high pressure laminate) that feature wood rim with 5 profile options

### SOLID SURFACE TOPS

- 1 $\frac{1}{2}$ " solid surface
- Knife rim profile
- Grommet cutouts not available

### POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

### TO ORDER CP TOPS, SPECIFY:

1. Model Number
2. Grommet
3. Laminate

### TO ORDER CCW TOPS, SPECIFY:


1. Model Number
2. Rim
3. Grommet
4. Laminate Top Color/Wood Top Finish
5. Rim Finish (laminate/wood models)

### TO ORDER SOLID SURFACE TOPS, SPECIFY:

1. Model Number
2. Solid Surface Color


# UNIVERSAL

## UNIVERSAL SHAPES AND SIZES




### ROUND

24" Diameter (solid surface only)  
30" Diameter  
36" Diameter  
42" Diameter  
48" Diameter  
54" Diameter  
60" Diameter



### SQUARE

30" x 30"  
36" x 36"  
42" x 42"  
48" x 48"  
54" x 54"  
60" x 60"




### SOFT SQUARE

(solid surface only)  
24" x 24"  
30" x 30"  
36" x 36"  
42" x 42"  
48" x 48"  
54" x 54"  
60" x 60"



### RECTANGLE

36" x 72", 42" x 84"  
48" x 96", 120", 144", 168", 192", 216" and 240"  
60" x 144", 168", 192", 216" and 240"



### BOAT

36" x 72", 42" x 84"  
48" x 96", 120", 144", 168", 192", 216" and 240"  
60" x 144", 168", 192", 216" and 240"



### RACETRACK

36" x 72", 42" x 84"  
48" x 96", 120", 144", 168", 192", 216" and 240"  
60" x 144", 168", 192", 216" and 240"



### QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile: Self (J) for CCW, Flat (E) for CP

Grommet not included

Laminate/Finish: Must specify Honey (HN), Amber (MC) or Cordovan (CW)



**CP TOP OPTIONS**

**LAMINATE COLORS**

**WOODGRAIN LAMINATE**

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

**SOLID LAMINATE**

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

**GALLERY LAMINATE**

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

**CP RIM PROFILE**



**Flat (E)**

**CCW TOP OPTIONS**

**WOOD FINISHES**

MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
NM	Natural Maple
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
UW	Urban Walnut

**LAMINATE COLORS**

**WOODGRAIN LAMINATE**

MC	Amber
AC2	Autumn 2
IM	Brighton
CL	Caramel
CC	Cordoba
CW	Cordovan
HN2	Honey 2
TM	Huntington
DW	Judicial
MW	Midtown
MH	Mocha
NM	Natural
SC	Sedona
TW	Tribeca
TF	Truffle
UW	Urban

**SOLID LAMINATE**

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

**PATTERN LAMINATE**

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

**WOOD RIM**

MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
NM	Natural Maple
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
UW	Urban Walnut

**CCW RIM PROFILES**



**Radius (A)**



**Reed (M)**



**Bullnose (D)**



**Softened (F)**



**Self (J)**  
(all wood models only)

**SOLID SURFACE TOP OPTIONS**

**SOLID SURFACE COLORS**

7101	Bisque (Grade A)
7201	Glacier White (Grade A)
7203	Designer White (Grade B)
7204	Silt (Grade B)
7301	Concrete (Grade C)
7302	Deep Night Sky (Grade C)

**SOLID SURFACE RIM PROFILE**



• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at [www.kimballinternational.com](http://www.kimballinternational.com)  
 • For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at [www.kimballinternational.com](http://www.kimballinternational.com)

**GROMMET AND CUTOUT OPTIONS**

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

**Round Grommet Option, Black**

\$103 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 10-11 for grommet locations




**NACG10EL  
(Sold Separately)**

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 562 for pricing and details


**Cutout Option for 1 Touch Double Pivoting Power Grommet**

\$41 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End



- Reference pages 12-13 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,  
NACG15AELPGB, NACG15AELHCB,  
NACG15AELPGW, and NACG15AELHCW  
(Sold Separately)**

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 566 for pricing and details


**Cutout Option for Power/Data Oasis**

\$41 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,  
NACG162ELB, and NACG162ELHB  
(Sold Separately)**

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 569 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

**PRODUCT SPECIFICATIONS**

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 98 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

**TO ORDER, SPECIFY:**

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)

**SAMPLE MODEL NUMBERS:**

CCW36RD2W D G10C NM  
 CCW60RD2LW F G10C 805 CL  
 CP-54E G10C 461

- See pages 97-98 for all options available in Universal



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

UNIVERSAL ROUND TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	30" ROUND	1 1/8" TOP THICKNESS		D	W	H	A	KW		
	CCW30RD2W	Wood-J Rim	\$ 980	30	—	1 1/8	—	—	33 lbs.	2.0
	CCW30RD2W	Wood-A,M,D,F Rim	1719	30	—	1 1/8	—	—	33 lbs.	2.0
	CCW30RD2LW	Laminate/Wood-A,M,D,F Rim	1719	30	—	1 1/8	—	—	33 lbs.	2.0
	CP-30E	Laminate-E Rim	563	30	—	1 1/8	—	—	33 lbs.	2.0
	<b>36" ROUND</b>									
	CCW36RD2W	Wood-J Rim	\$ 1152	36	—	1 1/8	—	—	56 lbs.	3.1
	CCW36RD2W	Wood-A,M,D,F Rim	2023	36	—	1 1/8	—	—	56 lbs.	3.1
	CCW36RD2LW	Laminate/Wood-A,M,D,F Rim	2023	36	—	1 1/8	—	—	56 lbs.	3.1
	CP-36E	Laminate-E Rim	662	36	—	1 1/8	—	—	56 lbs.	3.1
	<b>42" ROUND</b>									
	QCCW42RD2W	Wood-J Rim	\$ 1401	42	—	1 1/8	—	—	74 lbs.	4.0
	CCW42RD2W	Wood-J Rim	1401	42	—	1 1/8	—	—	74 lbs.	4.0
	CCW42RD2W	Wood-A,M,D,F Rim	2500	42	—	1 1/8	—	—	74 lbs.	4.0
	CCW42RD2LW	Laminate/Wood-A,M,D,F Rim	2500	42	—	1 1/8	—	—	74 lbs.	4.0
	QCP-42E	Laminate-E Rim	760	42	—	1 1/8	—	—	74 lbs.	4.0
	CP-42E	Laminate-E Rim	760	42	—	1 1/8	—	—	74 lbs.	4.0
	<b>48" ROUND</b>									
	CCW48RD2W	Wood-J Rim	\$ 1778	48	—	1 1/8	—	—	94 lbs.	5.1
	CCW48RD2W	Wood-A,M,D,F Rim	3092	48	—	1 1/8	—	—	94 lbs.	5.1
	CCW48RD2LW	Laminate/Wood-A,M,D,F Rim	3092	48	—	1 1/8	—	—	94 lbs.	5.1
	CP-48E	Laminate-E Rim	869	48	—	1 1/8	—	—	79 lbs.	4.2
	<b>54" ROUND</b>									
	CCW54RD2W	Wood-J Rim	\$ 2160	54	—	1 1/8	—	—	121 lbs.	6.9
	CCW54RD2W	Wood-A,M,D,F Rim	3472	54	—	1 1/8	—	—	121 lbs.	6.9
	CCW54RD2LW	Laminate/Wood-A,M,D,F Rim	3472	54	—	1 1/8	—	—	121 lbs.	6.9
	CP-54E	Laminate-E Rim	1250	54	—	1 1/8	—	—	121 lbs.	6.9
	<b>60" ROUND</b>									
	CCW60RD2W	Wood-J Rim	\$ 2536	58 1/2	—	1 1/8	—	—	150 lbs.	8.3
	CCW60RD2W	Wood-A,M,D,F Rim	3845	58 1/2	—	1 1/8	—	—	150 lbs.	8.3
	CCW60RD2LW	Laminate/Wood-A,M,D,F Rim	3845	58 1/2	—	1 1/8	—	—	150 lbs.	8.3
	CP-60E	Laminate-E Rim	1627	58 1/2	—	1 1/8	—	—	150 lbs.	8.3

# UNIVERSAL ROUND TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 98 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide



## TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)

## SAMPLE MODEL NUMBER:

CP-WS30E G10C 461

- See pages 97-98 for all options available in Universal

UNIVERSAL ROUND TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET			
			D	W	H	A	KW					
	<b>30" ROUND</b>	<b>1 3/8" TOP THICKNESS</b>	<b>DI</b>	<b>H</b>								
	CCW30WSRNW	Wood-J Rim	\$ 900	30	—	1 3/8	—	—	33 lbs.	2.0		
	CP-WS30E	Laminate-E Rim	480	30	—	1 3/8	—	—	33 lbs.	2.0		
	<b>36" ROUND</b>											
	CCW36WSRNW	Wood-J Rim	\$ 1058	36	—	1 3/8	—	—	42 lbs.	2.4		
	CP-WS36E	Laminate-E Rim	567	36	—	1 3/8	—	—	42 lbs.	2.4		
	<b>42" ROUND</b>											
	CCW42WSRNW	Wood-J Rim	\$ 1307	42	—	1 3/8	—	—	58 lbs.	3.2		
	CP-WS42E	Laminate-E Rim	665	42	—	1 3/8	—	—	58 lbs.	3.2		
	<b>48" ROUND</b>											
	CCW48WSRNW	Wood-J Rim	\$ 1688	48	—	1 3/8	—	—	76 lbs.	4.2		
	CP-WS48E	Laminate-E Rim	778	48	—	1 3/8	—	—	76 lbs.	4.2		
<b>UNIVERSAL SOLID SURFACE ROUND TOP</b>	<b>24" ROUND</b>	<b>1 1/2" TOP THICKNESS</b>	<b>GRADE A</b>	<b>GRADE B</b>	<b>GRADE C</b>							
	10N24RDS	Solid Surface	\$ 2375	\$ 2523	\$ 2727	24	—	1 1/2	—	—	26 lbs.	1.3
	<b>30" ROUND</b>											
	10N30RDS	Solid Surface	\$ 3034	\$ 3265	\$ 3584	30	—	1 1/2	—	—	41 lbs.	1.9
	<b>36" ROUND</b>											
	10N36RDS	Solid Surface	\$ 3781	\$ 4114	\$ 4573	36	—	1 1/2	—	—	59 lbs.	2.7
	<b>42" ROUND</b>											
	10N42RDS	Solid Surface	\$ 4615	\$ 5068	\$ 5693	42	—	1 1/2	—	—	80 lbs.	3.5
	<b>48" ROUND</b>											
	10N48RDS	Solid Surface	\$ 5572	\$ 6164	\$ 6980	48	—	1 1/2	—	—	105 lbs.	4.5
	<b>54" ROUND</b>											
	10N54RDS	Solid Surface	\$ 6571	\$ 7320	\$ 8353	54	—	1 1/2	—	—	133 lbs.	5.7
	<b>60" ROUND</b>											
10N60RDS	Solid Surface	\$ 7662	\$ 8587	\$ 9862	58%	—	1 1/2	—	—	165 lbs.	6.9	

- Grommet cutout not available on solid surface tops
- Not intended for use with adjustable height bases

# UNIVERSAL SQUARE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 98 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

## TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)

## SAMPLE MODEL NUMBERS:

CCW5454SQW A X CW  
 CCW5454SQLW M X 461 CL  
 CP-SQ54E G10C 461

- See pages 97-98 for all options available in Universal

UNIVERSAL SQUARE TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	<b>30" SQUARE</b> <b>1 1/8" TOP THICKNESS</b>									
	CCW3030SQW	Wood-J Rim	\$ 980	30	30	1 1/8	—	—	33 lbs.	2.0
	CCW3030SQW	Wood-A,M,D,F Rim	1719	30	30	1 1/8	—	—	33 lbs.	2.0
	CCW3030SQLW	Laminate/Wood-A,M,D,F Rim	1719	30	30	1 1/8	—	—	33 lbs.	2.0
	CP-SQ30E	Laminate-E Rim	563	30	30	1 1/8	—	—	33 lbs.	2.0
	<b>36" SQUARE</b>									
	CCW3636SQW	Wood-J Rim	\$ 1152	36	36	1 1/8	—	—	45 lbs.	2.4
	CCW3636SQW	Wood-A,M,D,F Rim	2023	36	36	1 1/8	—	—	45 lbs.	2.4
	CCW3636SQLW	Laminate/Wood-A,M,D,F Rim	2023	36	36	1 1/8	—	—	45 lbs.	2.4
	CP-SQ36E	Laminate-E Rim	662	36	36	1 1/8	—	—	45 lbs.	2.4
	<b>42" SQUARE</b>									
	CCW4242SQW	Wood-J Rim	\$ 1401	42	42	1 1/8	—	—	61 lbs.	3.2
CCW4242SQW	Wood-A,M,D,F Rim	2500	42	42	1 1/8	—	—	61 lbs.	3.2	
CCW4242SQLW	Laminate/Wood-A,M,D,F Rim	2500	42	42	1 1/8	—	—	61 lbs.	3.2	
CP-SQ42E	Laminate-E Rim	760	42	42	1 1/8	—	—	61 lbs.	3.2	
<b>48" SQUARE</b>										
CCW4848SQW	Wood-J Rim	\$ 1778	48	48	1 1/8	—	—	79 lbs.	4.2	
CCW4848SQW	Wood-A,M,D,F Rim	3092	48	48	1 1/8	—	—	79 lbs.	4.2	
CCW4848SQLW	Laminate/Wood-A,M,D,F Rim	3092	48	48	1 1/8	—	—	79 lbs.	4.2	
CP-SQ48E	Laminate-E Rim	869	48	48	1 1/8	—	—	79 lbs.	4.2	
<b>54" SQUARE</b>										
CCW5454SQW	Wood-J Rim	\$ 2160	54	54	1 1/8	—	—	121 lbs.	6.9	
CCW5454SQW	Wood-A,M,D,F Rim	3472	54	54	1 1/8	—	—	121 lbs.	6.9	
CCW5454SQLW	Laminate/Wood-A,M,D,F Rim	3472	54	54	1 1/8	—	—	121 lbs.	6.9	
CP-SQ54E	Laminate-E Rim	1250	54	54	1 1/8	—	—	121 lbs.	6.9	
<b>60" SQUARE</b>										
CCW6060SQW	Wood-J Rim	\$ 2536	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3	
CCW6060SQW	Wood-A,M,D,F Rim	3845	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3	
CCW6060SQLW	Laminate/Wood-A,M,D,F Rim	3845	58 3/8	58 3/8	1 1/8	—	—	150 lbs.	8.3	
CP-SQ60E	Laminate-E Rim	1627	58 3/8	58 3/8	1 1/8	—	—	121 lbs.	6.9	

CONFERENCE TABLE TOPS

UNIVERSAL

# UNIVERSAL SQUARE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 98 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)


## SAMPLE MODEL NUMBER:

CP-WSSQ30E G10C 461

- See pages 97-98 for all options available in Universal

UNIVERSAL SQUARE TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	<b>30" SQUARE</b> 1 3/8" TOP THICKNESS								
	CCW3030WSSQW Wood-J Rim	\$ 900	30	30	1 3/8	—	—	33 lbs. 2.0	
	CP-WSSQ30E Laminate-E Rim	480	30	30	1 3/8	—	—	33 lbs. 2.0	
	<b>36" SQUARE</b>								
	CCW3636WSSQW Wood-J Rim	\$ 1058	36	36	1 3/8	—	—	42 lbs. 2.4	
	CP-WSSQ36E Laminate-E Rim	567	36	36	1 3/8	—	—	42 lbs. 2.4	
<b>42" SQUARE</b>									
CCW4242WSSQW Wood-J Rim	\$ 1307	42	42	1 3/8	—	—	58 lbs. 3.2		
CP-WSSQ42E Laminate-E Rim	665	42	42	1 3/8	—	—	58 lbs. 3.2		
<b>48" SQUARE</b>									
CCW4848WSSQW Wood-J Rim	\$ 1688	48	48	1 3/8	—	—	76 lbs. 4.2		
CP-WSSQ48E Laminate-E Rim	778	48	48	1 3/8	—	—	76 lbs. 4.2		

## UNIVERSAL SOLID SURFACE SOFT SQUARE TOP

UNIVERSAL SOLID SURFACE SOFT SQUARE TOP	24" SOFT SQUARE 1 1/2" TOP THICKNESS	GRADE A	GRADE B	GRADE C	DIMENSIONS					
					D	W	H	A	KW	
	10N2424SSQS Solid Surface	\$ 2375	\$ 2523	\$ 2727	24	24	1 1/2	—	—	38 lbs. 1.3
	<b>30" SOFT SQUARE</b>									
	10N3030SSQS Solid Surface	\$ 3034	\$ 3265	\$ 3584	30	30	1 1/2	—	—	57 lbs. 1.9
	<b>36" SOFT SQUARE</b>									
	10N3636SSQS Solid Surface	\$ 3781	\$ 4114	\$ 4573	36	36	1 1/2	—	—	79 lbs. 2.7
	<b>42" SOFT SQUARE</b>									
	10N4242SSQS Solid Surface	\$ 4615	\$ 5068	\$ 5693	42	42	1 1/2	—	—	105 lbs. 3.5
	<b>48" SOFT SQUARE</b>									
	10N4848SSQS Solid Surface	\$ 5572	\$ 6164	\$ 6980	48	48	1 1/2	—	—	135 lbs. 4.5
	<b>54" SOFT SQUARE</b>									
	10N5454SSQS Solid Surface	\$ 6571	\$ 7320	\$ 8353	54	54	1 1/2	—	—	169 lbs. 5.6
	<b>60" SOFT SQUARE</b>									
10N6060SSQS Solid Surface	\$ 7662	\$ 8587	\$ 9862	58 1/2	58 1/2	1 1/2	—	—	206 lbs. 6.9	

- Grommet cutout not available on Corian solid surface tops
- Not intended for use with adjustable height bases

# UNIVERSAL RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

## SAMPLE MODEL NUMBERS:

CCW48144RT2W J CUT-G15LR DW  
 CCW48144RT2LW M CUT-G15CE CW CW

- See pages 97-98 for all options available in Universal

UNIVERSAL RECTANGLE TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	<b>36" x 72"</b>	<b>1 1/8" TOP THICKNESS</b>								
	CCW3672RT2W	Wood-J Rim	\$ 2367	36	72	1 1/8	—	—	136 lbs.	6.3
	CCW3672RT2W	Wood-A,M,D,F Rim	3267	36	72	1 1/8	—	—	136 lbs.	6.3
	CCW3672RT2LW	Laminate/Wood-A,M,D,F Rim	3267	36	72	1 1/8	—	—	136 lbs.	6.3
	CP-S72E	Laminate-E Rim	919	36	72	1 1/8	—	—	136 lbs.	6.3
	<b>42" x 84"</b>									
	CCW4284RT2W	Wood-J Rim	\$ 2820	42	84	1 1/8	—	—	180 lbs.	8.3
	CCW4284RT2W	Wood-A,M,D,F Rim	3890	42	84	1 1/8	—	—	180 lbs.	8.3
	CCW4284RT2LW	Laminate/Wood-A,M,D,F Rim	3890	42	84	1 1/8	—	—	180 lbs.	8.3
	CP-S84E	Laminate-E Rim	1042	42	84	1 1/8	—	—	180 lbs.	8.3
	<b>48" x 96"</b>									
	CCW4896RT2W	Wood-J Rim	\$ 3271	48	96	1 1/8	—	—	233 lbs.	10.5
	CCW4896RT2W	Wood-A,M,D,F Rim	4519	48	96	1 1/8	—	—	233 lbs.	10.5
	CCW4896RT2LW	Laminate/Wood-A,M,D,F Rim	4519	48	96	1 1/8	—	—	233 lbs.	10.5
	CP-S96E	Laminate-E Rim	1165	48	96	1 1/8	—	—	233 lbs.	10.5
	<b>48" x 120"</b>									
	CCW48120RT2W	Wood-J Rim	\$ 4521	48	120	1 1/8	—	—	279 lbs.	10.6
	CCW48120RT2W	Wood-A,M,D,F Rim	6239	48	120	1 1/8	—	—	279 lbs.	10.6
	CCW48120RT2LW	Laminate/Wood-A,M,D,F Rim	6239	48	120	1 1/8	—	—	279 lbs.	10.6
	CP-S120E	Laminate-E Rim	1671	48	120	1 1/8	—	—	279 lbs.	10.6
	<b>48" x 144"</b>									
	CCW48144RT2W	Wood-J Rim	\$ 5639	48	144	1 1/8	—	—	332 lbs.	12.5
	CCW48144RT2W	Wood-A,M,D,F Rim	7777	48	144	1 1/8	—	—	332 lbs.	12.5
	CCW48144RT2LW	Laminate/Wood-A,M,D,F Rim	7777	48	144	1 1/8	—	—	332 lbs.	12.5
	CP-S144E	Laminate-E Rim	2007	48	144	1 1/8	—	—	332 lbs.	12.5

# UNIVERSAL RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

## TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

## SAMPLE MODEL NUMBERS:

CCW48168RT2W J CUT-G15LR DW  
 CCW48168RT2LW M CUT-G15CE CW CW

- See pages 97-98 for all options available in Universal

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>UNIVERSAL RECTANGLE TOP (CONTINUED)</b>								
<b>48" x 168" 1 1/8" TOP THICKNESS</b>								
CCW48168RT2W Wood-J Rim	\$ 6467	48	168	1 1/8	—	—	385 lbs.	14.4
CCW48168RT2W Wood-A,M,D,F Rim	8980	48	168	1 1/8	—	—	385 lbs.	14.4
CCW48168RT2LW Laminate/Wood-A,M,D,F Rim	8980	48	168	1 1/8	—	—	385 lbs.	14.4
CP-S168E Laminate-E Rim	2672	48	168	1 1/8	—	—	385 lbs.	14.4
<b>48" x 192"</b>								
CCW48192RT2W Wood-J Rim	\$ 7329	48	192	1 1/8	—	—	438 lbs.	16.3
CCW48192RT2W Wood-A,M,D,F Rim	10183	48	192	1 1/8	—	—	438 lbs.	16.3
CCW48192RT2LW Laminate/Wood-A,M,D,F Rim	10183	48	192	1 1/8	—	—	438 lbs.	16.3
CP-S192E Laminate-E Rim	3333	48	192	1 1/8	—	—	438 lbs.	16.3
<b>48" x 216"</b>								
CCW48216RT2W Wood-J Rim	\$ 8370	48	216	1 1/8	—	—	524 lbs.	20.0
CCW48216RT2W Wood-A,M,D,F Rim	11619	48	216	1 1/8	—	—	524 lbs.	20.0
CCW48216RT2LW Laminate/Wood-A,M,D,F Rim	11619	48	216	1 1/8	—	—	524 lbs.	20.0
CP-S216E Laminate-E Rim	3993	48	216	1 1/8	—	—	524 lbs.	20.0
<b>48" x 240"</b>								
CCW48240RT2W Wood-J Rim	\$ 9410	48	240	1 1/8	—	—	571 lbs.	22.0
CCW48240RT2W Wood-A,M,D,F Rim	12842	48	240	1 1/8	—	—	571 lbs.	22.0
CCW48240RT2LW Laminate/Wood-A,M,D,F Rim	12842	48	240	1 1/8	—	—	571 lbs.	22.0
CP-S240E Laminate-E Rim	4659	48	240	1 1/8	—	—	571 lbs.	22.0





# UNIVERSAL RECTANGLE TOPS

## PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

## TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)

## SAMPLE MODEL NUMBERS:

- CCW60216RT2W F CUT-G16A DW  
 CCW60216RT2LW F CUT-G16A 802 MH
- See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
<b>UNIVERSAL RECTANGLE TOP (CONTINUED)</b> 	<b>60" x 144" 1 1/8" TOP THICKNESS</b>									
	CCW60144RT2W	Wood-J Rim	\$ 7890	58%	144	1 1/8	—	—	412 lbs.	18.0
	CCW60144RT2W	Wood-A,M,D,F Rim	10380	58%	144	1 1/8	—	—	412 lbs.	18.0
	CCW60144RT2LW	Laminate/Wood-A,M,D,F Rim	10380	58%	144	1 1/8	—	—	412 lbs.	18.0
	CP-S60144E	Laminate-E Rim	2612	58%	144	1 1/8	—	—	412 lbs.	18.0
	<b>60" x 168"</b>									
	CCW60168RT2W	Wood-J Rim	\$ 9054	58%	168	1 1/8	—	—	480 lbs.	22.5
	CCW60168RT2W	Wood-A,M,D,F Rim	11978	58%	168	1 1/8	—	—	480 lbs.	22.5
	CCW60168RT2LW	Laminate/Wood-A,M,D,F Rim	11978	58%	168	1 1/8	—	—	480 lbs.	22.5
	CP-S60168E	Laminate-E Rim	3474	58%	168	1 1/8	—	—	480 lbs.	22.5
	<b>60" x 192"</b>									
	CCW60192RT2W	Wood-J Rim	\$ 10265	58%	192	1 1/8	—	—	539 lbs.	29.0
	CCW60192RT2W	Wood-A,M,D,F Rim	13566	58%	192	1 1/8	—	—	539 lbs.	29.0
	CCW60192RT2LW	Laminate/Wood-A,M,D,F Rim	13566	58%	192	1 1/8	—	—	539 lbs.	29.0
	CP-S60192E	Laminate-E Rim	4335	58%	192	1 1/8	—	—	539 lbs.	29.0
	<b>60" x 216"</b>									
	CCW60216RT2W	Wood-J Rim	\$ 11718	58%	216	1 1/8	—	—	647 lbs.	31.0
	CCW60216RT2W	Wood-A,M,D,F Rim	15160	58%	216	1 1/8	—	—	647 lbs.	31.0
	CCW60216RT2LW	Laminate/Wood-A,M,D,F Rim	15160	58%	216	1 1/8	—	—	647 lbs.	31.0
	CP-S60216E	Laminate-E Rim	5192	58%	216	1 1/8	—	—	647 lbs.	31.0
	<b>60" x 240"</b>									
	CCW60240RT2W	Wood-J Rim	\$ 13176	58%	240	1 1/8	—	—	706 lbs.	34.0
	CCW60240RT2W	Wood-A,M,D,F Rim	16749	58%	240	1 1/8	—	—	706 lbs.	34.0
	CCW60240RT2LW	Laminate/Wood-A,M,D,F Rim	16749	58%	240	1 1/8	—	—	706 lbs.	34.0
	CP-S60240E	Laminate-E Rim	6049	58%	240	1 1/8	—	—	706 lbs.	34.0

CONFERENCE TABLE TOPS

UNIVERSAL

# UNIVERSAL BOAT TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)

## SAMPLE MODEL NUMBERS:

CCW48144BTW J G10A HN  
 CCW48144BTLW A X HN HN

- See pages 97-98 for all options available in Universal

UNIVERSAL BOAT TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC		
			D	W	H	A	KW	WEIGHT	FEET	
	<b>36" x 72"</b>	<b>1 1/8" TOP THICKNESS</b>								
	CCW3672BTW	Wood-J Rim	\$ 2568	36	72	1 1/8	—	—	136 lbs.	6.3
	CCW3672BTW	Wood-A,M,D,F Rim	3547	36	72	1 1/8	—	—	136 lbs.	6.3
	CCW3672BTLW	Laminate/Wood-A,M,D,F Rim	3547	36	72	1 1/8	—	—	136 lbs.	6.3
	CP-B72E	Laminate-E Rim	976	36	72	1 1/8	—	—	130 lbs.	6.3
	<b>42" x 84"</b>									
	CCW4284BTW	Wood-J Rim	\$ 3017	42	84	1 1/8	—	—	180 lbs.	8.3
	CCW4284BTW	Wood-A,M,D,F Rim	4165	42	84	1 1/8	—	—	180 lbs.	8.3
	CCW4284BTLW	Laminate/Wood-A,M,D,F Rim	4165	42	84	1 1/8	—	—	180 lbs.	8.3
	CP-B84E	Laminate-E Rim	1106	42	84	1 1/8	—	—	180 lbs.	8.3
	<b>48" x 96"</b>									
	CCW4896BTW	Wood-J Rim	\$ 3464	48	96	1 1/8	—	—	233 lbs.	10.5
	CCW4896BTW	Wood-A,M,D,F Rim	4781	48	96	1 1/8	—	—	233 lbs.	10.5
	CCW4896BTLW	Laminate/Wood-A,M,D,F Rim	4781	48	96	1 1/8	—	—	233 lbs.	10.5
	CP-B96E	Laminate-E Rim	1238	48	96	1 1/8	—	—	233 lbs.	10.5
	<b>48" x 120"</b>									
	CCW48120BTW	Wood-J Rim	\$ 4925	48	120	1 1/8	—	—	279 lbs.	10.6
	CCW48120BTW	Wood-A,M,D,F Rim	6802	48	120	1 1/8	—	—	279 lbs.	10.6
	CCW48120BTLW	Laminate/Wood-A,M,D,F Rim	6802	48	120	1 1/8	—	—	279 lbs.	10.6
	CP-B120E	Laminate-E Rim	1784	48	120	1 1/8	—	—	279 lbs.	10.6
	<b>48" x 144"</b>									
	CCW48144BTW	Wood-J Rim	\$ 6027	48	144	1 1/8	—	—	332 lbs.	12.5
	CCW48144BTW	Wood-A,M,D,F Rim	8321	48	144	1 1/8	—	—	332 lbs.	12.5
	CCW48144BTLW	Laminate/Wood-A,M,D,F Rim	8321	48	144	1 1/8	—	—	332 lbs.	12.5
	CP-B144E	Laminate-E Rim	2165	48	144	1 1/8	—	—	332 lbs.	12.5

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

**PRODUCT SPECIFICATIONS**

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


**TO ORDER, SPECIFY:**

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)

**SAMPLE MODEL NUMBERS:**

- CCW48168BTW J G10A HN  
 CCW48168BTLW A X HN HN
- See pages 97-98 for all options available in Universal

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>UNIVERSAL BOAT TOP (CONTINUED)</b>								
<b>48" x 168" 1 1/8" TOP THICKNESS</b>								
CCW48168BTW Wood-J Rim	\$ 6846	48	168	1 1/8	—	—	385 lbs.	14.3
CCW48168BTW Wood-A,M,D,F Rim	9517	48	168	1 1/8	—	—	385 lbs.	14.3
CCW48168BTLW Laminate/Wood-A,M,D,F Rim	9517	48	168	1 1/8	—	—	385 lbs.	14.3
CP-B168E Laminate-E Rim	2828	48	168	1 1/8	—	—	385 lbs.	14.3
<b>48" x 192"</b>								
CCW48192BTW Wood-J Rim	\$ 7709	48	192	1 1/8	—	—	438 lbs.	16.2
CCW48192BTW Wood-A,M,D,F Rim	10707	48	192	1 1/8	—	—	438 lbs.	16.2
CCW48192BTLW Laminate/Wood-A,M,D,F Rim	10707	48	192	1 1/8	—	—	438 lbs.	16.2
CP-B192E Laminate-E Rim	3488	48	192	1 1/8	—	—	438 lbs.	16.2
<b>48" x 216"</b>								
CCW48216BTW Wood-J Rim	\$ 8736	48	216	1 1/8	—	—	524 lbs.	20.0
CCW48216BTW Wood-A,M,D,F Rim	12134	48	216	1 1/8	—	—	524 lbs.	20.0
CCW48216BTLW Laminate/Wood-A,M,D,F Rim	12134	48	216	1 1/8	—	—	524 lbs.	20.0
CP-B216E Laminate-E Rim	4151	48	216	1 1/8	—	—	524 lbs.	20.0
<b>48" x 240"</b>								
CCW48240BTW Wood-J Rim	\$ 9765	48	240	1 1/8	—	—	571 lbs.	22.0
CCW48240BTW Wood-A,M,D,F Rim	13347	48	240	1 1/8	—	—	571 lbs.	22.0
CCW48240BTLW Laminate/Wood-A,M,D,F Rim	13347	48	240	1 1/8	—	—	571 lbs.	22.0
CP-B240E Laminate-E Rim	4810	48	240	1 1/8	—	—	571 lbs.	22.0



- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

# UNIVERSAL BOAT TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)

## SAMPLE MODEL NUMBERS:

CCW60216BTW D X CL  
CCW60216BTLW D X 425 MH

- See pages 97-98 for all options available in Universal

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>UNIVERSAL BOAT TOP (CONTINUED)</b>								
								
<b>60" x 144" 1 1/8" TOP THICKNESS</b>								
CCW60144BTW Wood-J Rim	\$ 8434	58%	144	1 1/8	—	—	412 lbs.	18.0
CCW60144BTW Wood-A,M,D,F Rim	11093	58%	144	1 1/8	—	—	412 lbs.	18.0
CCW60144BTLW Laminate/Wood-A,M,D,F Rim	11093	58%	144	1 1/8	—	—	412 lbs.	18.0
CP-B60144E Laminate-E Rim	2816	58%	144	1 1/8	—	—	412 lbs.	18.0
<b>60" x 168"</b>								
CCW60168BTW Wood-J Rim	\$ 9585	58%	168	1 1/8	—	—	480 lbs.	22.5
CCW60168BTW Wood-A,M,D,F Rim	12680	58%	168	1 1/8	—	—	480 lbs.	22.5
CCW60168BTLW Laminate/Wood-A,M,D,F Rim	12680	58%	168	1 1/8	—	—	480 lbs.	22.5
CP-B60168E Laminate-E Rim	3675	58%	168	1 1/8	—	—	480 lbs.	22.5
<b>60" x 192"</b>								
CCW60192BTW Wood-J Rim	\$ 10793	58%	192	1 1/8	—	—	539 lbs.	29.0
CCW60192BTW Wood-A,M,D,F Rim	14255	58%	192	1 1/8	—	—	539 lbs.	29.0
CCW60192BTLW Laminate/Wood-A,M,D,F Rim	14255	58%	192	1 1/8	—	—	539 lbs.	29.0
CP-B60192E Laminate-E Rim	4534	58%	192	1 1/8	—	—	539 lbs.	29.0
<b>60" x 216"</b>								
CCW60216BTW Wood-J Rim	\$ 12230	58%	216	1 1/8	—	—	647 lbs.	31.0
CCW60216BTW Wood-A,M,D,F Rim	15829	58%	216	1 1/8	—	—	647 lbs.	31.0
CCW60216BTLW Laminate/Wood-A,M,D,F Rim	15829	58%	216	1 1/8	—	—	647 lbs.	31.0
CP-B60216E Laminate-E Rim	5394	58%	216	1 1/8	—	—	647 lbs.	31.0
<b>60" x 240"</b>								
CCW60240BTW Wood-J Rim	\$ 13671	58%	240	1 1/8	—	—	706 lbs.	34.0
CCW60240BTW Wood-A,M,D,F Rim	17407	58%	240	1 1/8	—	—	706 lbs.	34.0
CCW60240BTLW Laminate/Wood-A,M,D,F Rim	17407	58%	240	1 1/8	—	—	706 lbs.	34.0
CP-B60240E Laminate-E Rim	6252	58%	240	1 1/8	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

# UNIVERSAL RACETRACK TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- Reference pages 26-45 for table base guide

## TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)


## SAMPLE MODEL NUMBERS:

CCW3672RC2W F G10LR DW  
CCW3672RC2LW A G10C CW CW

- See pages 97-98 for all options available in Universal



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

UNIVERSAL RACETRACK TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	36" x 72"	1 1/8" TOP THICKNESS		D	W	H	A	KW		
	CCW3672RC2W	Wood-J Rim	\$ 2595	36	72	1 1/8	—	—	136 lbs.	6.3
	CCW3672RC2W	Wood-A,M,D,F Rim	3585	36	72	1 1/8	—	—	136 lbs.	6.3
	CCW3672RC2LW	Laminate/Wood-A,M,D,F Rim	3585	36	72	1 1/8	—	—	136 lbs.	6.3
	CP-R72E	Laminate-E Rim	1026	36	72	1 1/8	—	—	136 lbs.	6.3
	<b>42" x 84"</b>									
	CCW4284RC2W	Wood-J Rim	\$ 3049	42	84	1 1/8	—	—	180 lbs.	8.3
	CCW4284RC2W	Wood-A,M,D,F Rim	4208	42	84	1 1/8	—	—	180 lbs.	8.3
	CCW4284RC2LW	Laminate/Wood-A,M,D,F Rim	4208	42	84	1 1/8	—	—	180 lbs.	8.3
	CP-R84E	Laminate-E Rim	1171	42	84	1 1/8	—	—	180 lbs.	8.3
	<b>48" x 96"</b>									
	QCCW4896RC2W	Wood-J Rim	\$ 3501	48	96	1 1/8	—	—	233 lbs.	10.5
	CCW4896RC2W	Wood-J Rim	3501	48	96	1 1/8	—	—	233 lbs.	10.5
	CCW4896RC2W	Wood-A,M,D,F Rim	4829	48	96	1 1/8	—	—	233 lbs.	10.5
	CCW4896RC2LW	Laminate/Wood-A,M,D,F Rim	4829	48	96	1 1/8	—	—	233 lbs.	10.5
	QCP-R96E	Laminate-E Rim	1316	48	96	1 1/8	—	—	233 lbs.	10.5
	CP-R96E	Laminate-E Rim	1316	48	96	1 1/8	—	—	213 lbs.	10.5
	<b>48" x 120"</b>									
	CCW48120RC2W	Wood-J Rim	\$ 4973	48	120	1 1/8	—	—	279 lbs.	10.6
	CCW48120RC2W	Wood-A,M,D,F Rim	6868	48	120	1 1/8	—	—	279 lbs.	10.6
	CCW48120RC2LW	Laminate/Wood-A,M,D,F Rim	6868	48	120	1 1/8	—	—	279 lbs.	10.6
	CP-R120E	Laminate-E Rim	1916	48	120	1 1/8	—	—	258 lbs.	10.6
	<b>48" x 144"</b>									
	CCW48144RC2W	Wood-J Rim	\$ 6087	48	144	1 1/8	—	—	311 lbs.	12.5
	CCW48144RC2W	Wood-A,M,D,F Rim	8404	48	144	1 1/8	—	—	311 lbs.	12.5
	CCW48144RC2LW	Laminate/Wood-A,M,D,F Rim	8404	48	144	1 1/8	—	—	311 lbs.	12.5
	CP-R144E	Laminate-E Rim	2314	48	144	1 1/8	—	—	311 lbs.	12.5

# UNIVERSAL RACETRACK TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

## TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)

## SAMPLE MODEL NUMBERS:

CCW48168RC2W F G10LR DW  
 CCW48168RC2LW A G10C CW CW

- See pages 97-98 for all options available in Universal

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>UNIVERSAL RACETRACK TOP (CONTINUED)</b>								
<b>48" x 168" 1 1/8" TOP THICKNESS</b>								
CCW48168RC2W Wood-J Rim	\$ 6917	48	168	1 1/8	—	—	365 lbs.	14.4
CCW48168RC2W Wood-A,M,D,F Rim	9612	48	168	1 1/8	—	—	365 lbs.	14.4
CCW48168RC2LW Laminate/Wood-A,M,D,F Rim	9612	48	168	1 1/8	—	—	365 lbs.	14.4
CP-R168E Laminate-E Rim	2975	48	168	1 1/8	—	—	365 lbs.	14.3
<b>48" x 192"</b>								
CCW48192RC2W Wood-J Rim	\$ 7785	48	192	1 1/8	—	—	418 lbs.	16.3
CCW48192RC2W Wood-A,M,D,F Rim	10814	48	192	1 1/8	—	—	418 lbs.	16.3
CCW48192RC2LW Laminate/Wood-A,M,D,F Rim	10814	48	192	1 1/8	—	—	418 lbs.	16.3
CP-R192E Laminate-E Rim	3638	48	192	1 1/8	—	—	438 lbs.	16.2
<b>48" x 216"</b>								
CCW48216RC2W Wood-J Rim	\$ 8825	48	216	1 1/8	—	—	524 lbs.	20.0
CCW48216RC2W Wood-A,M,D,F Rim	12257	48	216	1 1/8	—	—	524 lbs.	20.0
CCW48216RC2LW Laminate/Wood-A,M,D,F Rim	12257	48	216	1 1/8	—	—	524 lbs.	20.0
CP-R216E Laminate-E Rim	4298	48	216	1 1/8	—	—	524 lbs.	20.0
<b>48" x 240"</b>								
CCW48240RC2W Wood-J Rim	\$ 9863	48	240	1 1/8	—	—	571 lbs.	22.0
CCW48240RC2W Wood-A,M,D,F Rim	13480	48	240	1 1/8	—	—	571 lbs.	22.0
CCW48240RC2LW Laminate/Wood-A,M,D,F Rim	13480	48	240	1 1/8	—	—	571 lbs.	22.0
CP-R240E Laminate-E Rim	4959	48	240	1 1/8	—	—	571 lbs.	22.0



**PRODUCT SPECIFICATIONS**


- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 98 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

**TO ORDER, SPECIFY:**

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminated or laminate/wood only)
6. Rim Finish (laminated/wood only)

**SAMPLE MODEL NUMBERS:**

- CCW60240RC2W J CUT-G16A AC  
 CCW60240RC2LW A CUT-G16A 405 CW
- See pages 97-98 for all options available in Universal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
<b>UNIVERSAL RACETRACK TOP (CONTINUED)</b> 	<b>60" x 144" 1 1/8" TOP THICKNESS</b>									
	CCW60144RC2W	Wood-J Rim	\$ 8517	58%	144	1 1/8	—	—	412 lbs.	18.0
	CCW60144RC2W	Wood-A,M,D,F Rim	11203	58%	144	1 1/8	—	—	412 lbs.	18.0
	CCW60144RC2LW	Laminate/Wood-A,M,D,F Rim	11203	58%	144	1 1/8	—	—	412 lbs.	18.0
	CP-R60144E	Laminate-E Rim	3010	58%	144	1 1/8	—	—	412 lbs.	18.0
	<b>60" x 168"</b>									
	CCW60168RC2W	Wood-J Rim	\$ 9683	58%	168	1 1/8	—	—	480 lbs.	22.5
	CCW60168RC2W	Wood-A,M,D,F Rim	12808	58%	168	1 1/8	—	—	480 lbs.	22.5
	CCW60168RC2LW	Laminate/Wood-A,M,D,F Rim	12808	58%	168	1 1/8	—	—	480 lbs.	22.5
	CP-R60168E	Laminate-E Rim	3872	58%	168	1 1/8	—	—	480 lbs.	22.5
	<b>60" x 192"</b>									
	CCW60192RC2W	Wood-J Rim	\$ 10898	58%	192	1 1/8	—	—	539 lbs.	29.0
	CCW60192RC2W	Wood-A,M,D,F Rim	14400	58%	192	1 1/8	—	—	539 lbs.	29.0
	CCW60192RC2LW	Laminate/Wood-A,M,D,F Rim	14400	58%	192	1 1/8	—	—	539 lbs.	29.0
	CP-R60192E	Laminate-E Rim	4730	58%	192	1 1/8	—	—	539 lbs.	29.0
	<b>60" x 216"</b>									
	CCW60216RC2W	Wood-J Rim	\$ 12353	58%	216	1 1/8	—	—	647 lbs.	31.0
	CCW60216RC2W	Wood-A,M,D,F Rim	15991	58%	216	1 1/8	—	—	647 lbs.	31.0
	CCW60216RC2LW	Laminate/Wood-A,M,D,F Rim	15991	58%	216	1 1/8	—	—	647 lbs.	31.0
	CP-R60216E	Laminate-E Rim	5588	58%	216	1 1/8	—	—	647 lbs.	31.0
	<b>60" x 240"</b>									
	CCW60240RC2W	Wood-J Rim	\$ 13807	58%	240	1 1/8	—	—	706 lbs.	34.0
	CCW60240RC2W	Wood-A,M,D,F Rim	17581	58%	240	1 1/8	—	—	706 lbs.	34.0
	CCW60240RC2LW	Laminate/Wood-A,M,D,F Rim	17581	58%	240	1 1/8	—	—	706 lbs.	34.0
	CP-R60240E	Laminate-E Rim	6450	58%	240	1 1/8	—	—	706 lbs.	34.0

# WAVEWORKS

## WAVEWORKS CONFERENCE TOP SPECIFICATIONS

### TOPS

- Veneer surfaces are 1 $\frac{3}{16}$ " and feature a 3mm wood rim profile
- Laminate surfaces are 1 $\frac{3}{16}$ " or 1 $\frac{1}{8}$ " HPL (high pressure laminate)
- Veneer surfaces feature a wood rim with 6 rim profile options
- Laminate surfaces feature a 3mm vinyl rim
- Laminate/wood models are 1 $\frac{3}{16}$ " or 1 $\frac{1}{8}$ " HPL (high pressure laminate) that feature wood rim with 6 rim profiles
- Size modifications available at no upcharge; many WaveWorks conference tops can be cut down in 6" increments. See component section for specific models
- See page 9 for modified size options


### POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

### TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

## WAVEWORKS SHAPES AND SIZES



### ROUND

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter
- 54" Diameter
- 60" Diameter
- 72" Diameter
- 96" Diameter




### SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"




### RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



### BOAT

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



### RACETRACK

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



**WOOD FINISHES**

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CO	Canyon Straight Grain
CL	Caramel Maple
CC	Cordoba Cherry
CW	Cordovan Walnut
DF	Driftwood Straight Grain
HN	Honey Maple
TM	Huntington Maple
DW	Judicial Walnut
MW	Midtown Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
SC	Sedona Cherry
TW	Tribeca Walnut
TF	Truffle Cherry
NW	Tuscan Straight Grain
UW	Urban Walnut

**LAMINATE COLORS**

**WOODGRAIN LAMINATE**

793	Acorn*	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood*	PC	Porcini*
IM	Brighton	PT	Portico*
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai*	SC	Sedona
CC	Cordoba	SK	Skyline*
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow*
KN	Kona*		

\*Not available on laminate/wood models

**SOLID LAMINATE**

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

**PATTERN LAMINATE**

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

**GALLERY LAMINATE**

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecu

**RIM PROFILES**

**VINYL SOFTENED RIM**

793	Acorn	TM	Huntington
AD	Almond	DW	Judicial
MC	Amber	KN	Kona
AC2	Autumn 2	MW	Midtown
BZ	Brazilwood	MH	Mocha
IM	Brighton	YO	Monterey
CO	Canyon	NM	Natural
CL	Caramel	478	Platinum Grey
CI	Chai	PC	Porcini
462	Cinder	PT	Portico
492	Cinder Linear	PB	Portobello
440	Cloud	792	Sable
CC	Cordoba	SC	Sedona
CW	Cordovan	425	Shadow
457	Dapple	SK	Skyline
405	Designer White	460	Storm
491	Designer White Linear	TW	Tribeca
DF	Driftwood	TF	Truffle
450	Fog	NW	Tuscan
488	Frosty White	UW	Urban
461	Graphite	419	Wallaby
HN2	Honey 2	WL	Willow

**VINYL REED RIM**

MC	Amber
AC2	Autumn 2
CL	Caramel
CW	Cordovan
HN2	Honey 2
DW	Judicial
MH	Mocha
NM	Natural
TF	Truffle

**WOOD RIM**

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CO	Canyon
CL	Caramel
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN	Honey
TM	Huntington
DW	Judicial
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
SC	Sedona
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban

**GALLERY VINYL SOFTENED RIM**

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecu



**Softened Wood (F)**



**Reed Wood (R)**



**Cove Wood (P)\***



**Zip Wood (Z)**



**Concave Wood (C)\***



**Step Wood (T)\***



**Softened Vinyl (V)**



**Reed Vinyl (N)**

\*Not recommended with Canyon, Driftwood, Monterey, and Tuscan

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at [www.kimballinternational.com](http://www.kimballinternational.com)

• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at [www.kimballinternational.com](http://www.kimballinternational.com)

**GROMMET AND CUTOUT OPTIONS**

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

**Round Grommet Option, Black**

\$103 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 10-11 for grommet locations




**NACG10EL  
(Sold Separately)**

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 562 for pricing and details


**Cutout Option for 1 Touch Double Pivoting Power Grommet**

\$41 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End



- Reference pages 12-13 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,  
NACG15AELPGB, NACG15AELHCB,  
NACG15AELPGW, and NACG15AELHCW  
(Sold Separately)**

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 566 for pricing and details


**Cutout Option for Power/Data Oasis**

\$41 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 14-15 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,  
NACG162ELB, and NACG162ELHB  
(Sold Separately)**

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 569 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

**PRODUCT SPECIFICATIONS**

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 114 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

**TO ORDER, SPECIFY:**

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

**SAMPLE MODEL NUMBERS:**

WWN30RDW R X MH  
 WWN30RDL V MH G10C MH  
 WWN30RDLW R X MH MH

- See pages 113-114 for all options available in Waveworks

WAVEWORKS ROUND TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
				D	W	H	A	KW	WEIGHT	FEET
	<b>30" ROUND</b>									
	<b>1 1/8" TOP THICKNESS</b>			<b>DI</b>	<b>H</b>					
	WWN30RDW	Wood	\$ 1781	30 3/16	—	1 1/8	—	—	33 lbs.	2.0
	WWN30RDLW	Laminate/Wood	1781	30 3/16	—	1 1/8	—	—	33 lbs.	2.0
	WWN30RDL	Laminate	1048	30 3/16	—	1 1/8	—	—	33 lbs.	2.0
	<b>36" ROUND</b>									
	WWN36RDW	Wood	\$ 2094	36 3/16	—	1 1/8	—	—	40 lbs.	2.4
	WWN36RDLW	Laminate/Wood	2094	36 3/16	—	1 1/8	—	—	40 lbs.	2.4
	WWN36RDL	Laminate	1234	36 3/16	—	1 1/8	—	—	40 lbs.	2.4
	<b>42" ROUND</b>									
WWN42RDW	Wood	\$ 2542	42 3/16	—	1 1/8	—	—	54 lbs.	3.2	
WWN42RDLW	Laminate/Wood	2542	42 3/16	—	1 1/8	—	—	54 lbs.	3.2	
WWN42RDL	Laminate	1688	42 3/16	—	1 1/8	—	—	54 lbs.	3.2	
<b>48" ROUND</b>										
WWN48RDW	Wood	\$ 3101	48 3/16	—	1 1/8	—	—	79 lbs.	4.2	
WWN48RDLW	Laminate/Wood	3101	48 3/16	—	1 1/8	—	—	79 lbs.	4.2	
WWN48RDL	Laminate	2251	48 3/16	—	1 1/8	—	—	79 lbs.	4.2	
<b>54" ROUND</b>										
WWN54RDW	Wood	\$ 3452	54 3/16	—	1 1/8	—	—	121 lbs.	6.9	
WWN54RDLW	Laminate/Wood	3452	54 3/16	—	1 1/8	—	—	121 lbs.	6.9	
WWN54RDL	Laminate	2602	54 3/16	—	1 1/8	—	—	121 lbs.	6.9	
<b>60" ROUND</b>										
WWN60RDW	Wood	\$ 3801	58 3/8	—	1 1/8	—	—	150 lbs.	8.3	
WWN60RDLW	Laminate/Wood	3801	58 3/8	—	1 1/8	—	—	150 lbs.	8.3	
WWN60RDL	Laminate	2955	58 3/8	—	1 1/8	—	—	150 lbs.	8.3	
<b>72" ROUND</b>										
WWN72RDW	Wood	\$ 4533	71 1/16	—	1 1/8	—	—	lbs.		
WWN72RDLW	Laminate/Wood	4533	71 1/16	—	1 1/8	—	—	lbs.		
WWN72RDL	Laminate	3686	71 1/16	—	1 1/8	—	—	lbs.		
<b>96" ROUND</b>										
WWN96RDW	Wood	\$ 5924	95 7/8	—	1 1/8	—	—	lbs.		
WWN96RDLW	Laminate/Wood	5924	95 7/8	—	1 1/8	—	—	lbs.		
WWN96RDL	Laminate	5095	95 7/8	—	1 1/8	—	—	lbs.		

- Zip profile does not run out on round tops
- 72" and 96" tops will be in 2 pieces

# WAVEWORKS ROUND TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 114 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

## SAMPLE MODEL NUMBERS:

WW48RDW R X MH  
 WW48RDL V MH G10C MH  
 WW48RDLW R X MH MH

- See pages 113-114 for all options available in Waveworks

WAVEWORKS ROUND TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	<b>30" ROUND</b>	<b>1 3/8" TOP THICKNESS</b>	<b>DI</b>	<b>H</b>						
	WW30RDW	Wood	\$ 1680	30 1/16	—	1 3/8	—	—	33 lbs.	2.0
	WW30RDLW	Laminate/Wood	1680	30 1/16	—	1 3/8	—	—	33 lbs.	2.0
	WW30RDL	Laminate	898	30 1/16	—	1 3/8	—	—	33 lbs.	2.0
	<b>36" ROUND</b>									
	WW36RDW	Wood	\$ 1917	36 1/16	—	1 3/8	—	—	42 lbs.	3.0
	WW36RDLW	Laminate/Wood	1917	36 1/16	—	1 3/8	—	—	42 lbs.	3.0
	WW36RDL	Laminate	1056	36 1/16	—	1 3/8	—	—	42 lbs.	3.0
	<b>42" ROUND</b>									
WW42RDW	Wood	\$ 2369	42 1/16	—	1 3/8	—	—	58 lbs.	3.8	
WW42RDLW	Laminate/Wood	2369	42 1/16	—	1 3/8	—	—	58 lbs.	3.8	
WW42RDL	Laminate	1510	42 1/16	—	1 3/8	—	—	58 lbs.	3.8	
<b>48" ROUND</b>										
WW48RDW	Wood	\$ 2925	48 1/16	—	1 3/8	—	—	76 lbs.	4.5	
WW48RDLW	Laminate/Wood	2925	48 1/16	—	1 3/8	—	—	76 lbs.	4.5	
WW48RDL	Laminate	2075	48 1/16	—	1 3/8	—	—	76 lbs.	4.5	

- Zip profile does not run out on round tops

**PRODUCT SPECIFICATIONS**

- Zip rim has "run-out" on square tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 114 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide


**TO ORDER, SPECIFY:**

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

**SAMPLE MODEL NUMBERS:**

WWN3030SQW F X MH  
 WWN3030SQL V 480 X MH  
 WWN3030SQLW F G10C 805 MH

• See pages 113-114 for all options available in Waveworks

WAVEWORKS SQUARE TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	30" SQUARE	1 1/8" TOP THICKNESS		D	W	H	A	KW		
	WWN3030SQW	Wood	\$ 1781	30 1/16	30 1/16	1 1/16	—	—	33 lbs.	2.0
	WWN3030SQLW	Laminate/Wood	1781	30 1/16	30 1/16	1 1/16	—	—	33 lbs.	2.0
	WWN3030SQL	Laminate	1048	30 1/16	30 1/16	1 1/16	—	—	33 lbs.	2.0
	<b>36" SQUARE</b>									
	WWN3636SQW	Wood	\$ 2094	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	3.0
	WWN3636SQLW	Laminate/Wood	2094	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	3.0
	WWN3636SQL	Laminate	1234	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	3.0
	<b>42" SQUARE</b>									
	WWN4242SQW	Wood	\$ 2542	42 1/16	42 1/16	1 1/16	—	—	59 lbs.	3.8
	WWN4242SQLW	Laminate/Wood	2542	42 1/16	42 1/16	1 1/16	—	—	59 lbs.	3.8
	WWN4242SQL	Laminate	1688	42 1/16	42 1/16	1 1/16	—	—	59 lbs.	3.8
	<b>48" SQUARE</b>									
	WWN4848SQW	Wood	\$ 3101	48 1/16	48 1/16	1 1/16	—	—	76 lbs.	4.5
	WWN4848SQLW	Laminate/Wood	3101	48 1/16	48 1/16	1 1/16	—	—	76 lbs.	4.5
	WWN4848SQL	Laminate	2251	48 1/16	48 1/16	1 1/16	—	—	76 lbs.	4.5
	<b>54" SQUARE</b>									
	WWN5454SQW	Wood	\$ 3452	54 1/16	54 1/16	1 1/16	—	—	121 lbs.	6.9
	WWN5454SQLW	Laminate/Wood	3452	54 1/16	54 1/16	1 1/16	—	—	121 lbs.	6.9
	WWN5454SQL	Laminate	2602	54 1/16	54 1/16	1 1/16	—	—	121 lbs.	6.9
	<b>60" SQUARE</b>									
	WWN6060SQW	Wood	\$ 3801	58 1/16	58 1/16	1 1/16	—	—	150 lbs.	8.3
	WWN6060SQLW	Laminate/Wood	3801	58 1/16	58 1/16	1 1/16	—	—	150 lbs.	8.3
	WWN6060SQL	Laminate	2955	58 1/16	58 1/16	1 1/16	—	—	150 lbs.	8.3

CONFERENCE TABLE TOPS

WAVEWORKS

# WAVEWORKS SQUARE TOPS

## PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on square tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 114 for grommet options and upcharge
- Reference pages 10-13 for grommet and cutout locations
- Reference pages 26-45 for table base guide

## TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Laminate Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

## SAMPLE MODEL NUMBERS:

WW4848SQW F X MH  
 WW4848SQL V 480 X MH  
 WW4848SQLW F G10C 805 MH

- See pages 113-114 for all options available in Waveworks

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>WAVEWORKS SQUARE TOP</b>								
<b>30" SQUARE</b>		<b>1 1/2" TOP THICKNESS</b>						
WW3030SQW	Wood	\$ 1631	30 1/16	30 1/16	1 3/16	—	—	33 lbs. 2.0
WW3030SQLW	Laminate/Wood	1631	30 1/16	30 1/16	1 3/16	—	—	33 lbs. 2.0
WW3030SQL	Laminate	898	30 1/16	30 1/16	1 3/16	—	—	33 lbs. 2.0
<b>36" SQUARE</b>								
WW3636SQW	Wood	\$ 1917	36 1/16	36 1/16	1 3/16	—	—	45 lbs. 3.0
WW3636SQLW	Laminate/Wood	1917	36 1/16	36 1/16	1 3/16	—	—	45 lbs. 3.0
WW3636SQL	Laminate	1056	36 1/16	36 1/16	1 3/16	—	—	45 lbs. 3.0
<b>42" SQUARE</b>								
WW4242SQW	Wood	\$ 2369	42 1/16	42 1/16	1 3/16	—	—	59 lbs. 3.8
WW4242SQLW	Laminate/Wood	2369	42 1/16	42 1/16	1 3/16	—	—	59 lbs. 3.8
WW4242SQL	Laminate	1510	42 1/16	42 1/16	1 3/16	—	—	59 lbs. 3.8
<b>48" SQUARE</b>								
WW4848SQW	Wood	\$ 2925	48 1/16	48 1/16	1 3/16	—	—	76 lbs. 4.5
WW4848SQLW	Laminate/Wood	2925	48 1/16	48 1/16	1 3/16	—	—	76 lbs. 4.5
WW4848SQL	Laminate	2075	48 1/16	48 1/16	1 3/16	—	—	76 lbs. 4.5



CONFERENCE TABLE TOPS

WAVEWORKS

# WAVEWORKS RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on rectangle tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 114 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168" and 192" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

## SAMPLE MODEL NUMBERS:

WWN3672RT2W P CUT-G16C X NM  
 WWN3672RT2LW P X X 480 NM  
 WWN3672RT2L V 462 X G10LR HN2

- See pages 113-114 for all options available in Waveworks

WAVEWORKS RECTANGLE TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	<b>36" X 72"</b>	<b>1 1/8" TOP THICKNESS</b>								
	WWN3672RT2W	Wood	\$ 3268	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672RT2LW	Laminate/Wood	3268	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672RT2L	Laminate	2418	36	72	1 1/8	—	—	136 lbs.	6.3
	<b>42" X 84"</b>									
	WWN4284RT2W	Wood	\$ 3855	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284RT2LW	Laminate/Wood	3855	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284RT2L	Laminate	3008	42	84	1 1/8	—	—	180 lbs.	8.3
	<b>48" X 96"</b>									
	WWN4896RT2W	Wood	\$ 4440	48	96	1 1/8	—	—	233 lbs.	10.5
	WWN4896RT2LW	Laminate/Wood	4440	48	96	1 1/8	—	—	233 lbs.	10.5
	WWN4896RT2L	Laminate	3606	48	96	1 1/8	—	—	233 lbs.	10.5
	<b>48" X 120"</b>									
	WWN48120RT2W	Wood	\$ 6067	48	120	1 1/8	—	—	279 lbs.	10.6
	WWN48120RT2LW	Laminate/Wood	6067	48	120	1 1/8	—	—	279 lbs.	10.6
	WWN48120RT2L	Laminate	5243	48	120	1 1/8	—	—	279 lbs.	10.6
	<b>48" X 144"</b>									
	WWN48144RT2W	Wood	\$ 7513	48	144	1 1/8	—	—	332 lbs.	12.5
	WWN48144RT2LW	Laminate/Wood	7513	48	144	1 1/8	—	—	332 lbs.	12.5
	WWN48144RT2L	Laminate	6707	48	144	1 1/8	—	—	332 lbs.	12.5
	<b>48" X 168"</b>									
	WWN48168RT2W	Wood	\$ 8652	48	168	1 1/8	—	—	385 lbs.	14.3
	WWN48168RT2LW	Laminate/Wood	8652	48	168	1 1/8	—	—	385 lbs.	14.3
	WWN48168RT2L	Laminate	7851	48	168	1 1/8	—	—	385 lbs.	14.3
	<b>48" X 192"</b>									
	WWN48192RT2W	Wood	\$ 9781	48	192	1 1/8	—	—	438 lbs.	16.2
	WWN48192RT2LW	Laminate/Wood	9781	48	192	1 1/8	—	—	438 lbs.	16.2
	WWN48192RT2L	Laminate	8997	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

# WAVEWORKS RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on rectangle tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 114 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

## SAMPLE MODEL NUMBERS:

WVN48216RT2W P CUT-G16C X X NM  
 WVN48216RT2LW P X X X 480 NM  
 WVN48216RT2L V 462 X X G10LR HN2

- See pages 113-114 for all options available in Waveworks

WAVEWORKS RECTANGLE TOP (CONTINUED)	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		1 1/2" TOP THICKNESS		D	W	H	A	KW		
	<b>48" X 216"</b>									
	WVN48216RT2W	Wood	\$ 10912	48	216	1 1/2	—	—	524 lbs.	20.0
	WVN48216RT2LW	Laminate/Wood	10912	48	216	1 1/2	—	—	524 lbs.	20.0
	WVN48216RT2L	Laminate	10142	48	216	1 1/2	—	—	524 lbs.	20.0
	<b>48" X 240"</b>									
	WVN48240RT2W	Wood	\$ 12046	48	240	1 1/2	—	—	571 lbs.	22.0
	WVN48240RT2LW	Laminate/Wood	12046	48	240	1 1/2	—	—	571 lbs.	22.0
	WVN48240RT2L	Laminate	11293	48	240	1 1/2	—	—	571 lbs.	22.0
	<b>60" X 144"</b>									
	WVN60144RT2W	Wood	\$ 9770	58%	144	1 1/2	—	—	412 lbs.	18.0
	WVN60144RT2LW	Laminate/Wood	9770	58%	144	1 1/2	—	—	412 lbs.	18.0
	WVN60144RT2L	Laminate	8718	58%	144	1 1/2	—	—	412 lbs.	18.0
	<b>60" X 168"</b>									
	WVN60168RT2W	Wood	\$ 11247	58%	168	1 1/2	—	—	480 lbs.	22.5
	WVN60168RT2LW	Laminate/Wood	11247	58%	168	1 1/2	—	—	480 lbs.	22.5
	WVN60168RT2L	Laminate	10209	58%	168	1 1/2	—	—	480 lbs.	22.5
	<b>60" X 192"</b>									
	WVN60192RT2W	Wood	\$ 12715	58%	192	1 1/2	—	—	539 lbs.	29.0
	WVN60192RT2LW	Laminate/Wood	12715	58%	192	1 1/2	—	—	539 lbs.	29.0
	WVN60192RT2L	Laminate	11694	58%	192	1 1/2	—	—	539 lbs.	29.0
	<b>60" X 216"</b>									
	WVN60216RT2W	Wood	\$ 14190	58%	216	1 1/2	—	—	647 lbs.	31.0
	WVN60216RT2LW	Laminate/Wood	14190	58%	216	1 1/2	—	—	647 lbs.	31.0
	WVN60216RT2L	Laminate	13189	58%	216	1 1/2	—	—	647 lbs.	31.0
	<b>60" X 240"</b>									
	WVN60240RT2W	Wood	\$ 15660	58%	240	1 1/2	—	—	706 lbs.	34.0
	WVN60240RT2LW	Laminate/Wood	15660	58%	240	1 1/2	—	—	706 lbs.	34.0
	WVN60240RT2L	Laminate	14682	58%	240	1 1/2	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops



**PRODUCT SPECIFICATIONS**

- Zip rim has "run-out" on boat tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 114 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168" and 192" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


**TO ORDER, SPECIFY:**

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

**SAMPLE MODEL NUMBERS:**

WWN3672BTW P CUT-G16C X NM  
 WWN3672BTLW P X X 480 NM  
 WWN3672BTL V 480 X X CW

- See pages 113-114 for all options available in Waveworks

WAVEWORKS BOAT TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
				D	W	H	A	KW	WEIGHT	FEET
	<b>36" X 72"</b>		<b>1 1/8" TOP THICKNESS</b>							
	WWN3672BTW	Wood	\$ 3527	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672BTLW	Laminate/Wood	3527	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672BTL	Laminate	2692	36	72	1 1/8	—	—	136 lbs.	6.3
	<b>42" X 84"</b>									
	WWN4284BTW	Wood	\$ 4109	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284BTLW	Laminate/Wood	4109	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284BTL	Laminate	3277	42	84	1 1/8	—	—	180 lbs.	8.3
	<b>48" X 96"</b>									
	WWN4896BTW	Wood	\$ 4688	48	96	1 1/8	—	—	233 lbs.	10.5
	WWN4896BTLW	Laminate/Wood	4688	48	96	1 1/8	—	—	233 lbs.	10.5
	WWN4896BTL	Laminate	3865	48	96	1 1/8	—	—	233 lbs.	10.5
	<b>48" X 120"</b>									
	WWN48120BTW	Wood	\$ 6591	48	120	1 1/8	—	—	279 lbs.	10.6
	WWN48120BTLW	Laminate/Wood	6591	48	120	1 1/8	—	—	279 lbs.	10.6
	WWN48120BTL	Laminate	5781	48	120	1 1/8	—	—	279 lbs.	10.6
	<b>48" X 144"</b>									
	WWN48144BTW	Wood	\$ 8023	48	144	1 1/8	—	—	332 lbs.	12.5
	WWN48144BTLW	Laminate/Wood	8023	48	144	1 1/8	—	—	332 lbs.	12.5
	WWN48144BTL	Laminate	7231	48	144	1 1/8	—	—	332 lbs.	12.5
	<b>48" X 168"</b>									
	WWN48168BTW	Wood	\$ 9147	48	168	1 1/8	—	—	385 lbs.	14.3
	WWN48168BTLW	Laminate/Wood	9147	48	168	1 1/8	—	—	385 lbs.	14.3
	WWN48168BTL	Laminate	8366	48	168	1 1/8	—	—	385 lbs.	14.3
	<b>48" X 192"</b>									
	WWN48192BTW	Wood	\$ 10272	48	192	1 1/8	—	—	438 lbs.	16.2
	WWN48192BTLW	Laminate/Wood	10272	48	192	1 1/8	—	—	438 lbs.	16.2
	WWN48192BTL	Laminate	9498	48	192	1 1/8	—	—	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

# WAVEWORKS BOAT TOPS

## PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on boat tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 114 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

## SAMPLE MODEL NUMBERS:

WVN48216BTW P CUT-G16C X X NM  
 WVN48216BTLW P X X X 480 NM  
 WVN48216BTL V 480 X X X CW

- See pages 113-114 for all options available in Waveworks

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>WAVEWORKS BOAT TOP (CONTINUED)</b>								
								
<b>48" X 216" 1 1/8" TOP THICKNESS</b>								
WVN48216BTW Wood	\$ 11389	48	216	1 1/8	—	—	524 lbs.	20.0
WVN48216BTLW Laminate/Wood	11389	48	216	1 1/8	—	—	524 lbs.	20.0
WVN48216BTL Laminate	10613	48	216	1 1/8	—	—	524 lbs.	20.0
<b>48" X 240"</b>								
WVN48240BTW Wood	\$ 12513	48	240	1 1/8	—	—	571 lbs.	22.0
WVN48240BTLW Laminate/Wood	12513	48	240	1 1/8	—	—	571 lbs.	22.0
WVN48240BTL Laminate	11761	48	240	1 1/8	—	—	571 lbs.	22.0
<b>60" X 144"</b>								
WVN60144BTW Wood	\$ 10432	58%	144	1 1/8	—	—	412 lbs.	18.0
WVN60144BTLW Laminate/Wood	10432	58%	144	1 1/8	—	—	412 lbs.	18.0
WVN60144BTL Laminate	9395	58%	144	1 1/8	—	—	412 lbs.	18.0
<b>60" X 168"</b>								
WVN60168BTW Wood	\$ 11893	58%	168	1 1/8	—	—	480 lbs.	22.5
WVN60168BTLW Laminate/Wood	11893	58%	168	1 1/8	—	—	480 lbs.	22.5
WVN60168BTL Laminate	10874	58%	168	1 1/8	—	—	480 lbs.	22.5
<b>60" X 192"</b>								
WVN60192BTW Wood	\$ 13354	58%	192	1 1/8	—	—	539 lbs.	29.0
WVN60192BTLW Laminate/Wood	13354	58%	192	1 1/8	—	—	539 lbs.	29.0
WVN60192BTL Laminate	12348	58%	192	1 1/8	—	—	539 lbs.	29.0
<b>60" X 216"</b>								
WVN60216BTW Wood	\$ 14810	58%	216	1 1/8	—	—	647 lbs.	31.0
WVN60216BTLW Laminate/Wood	14810	58%	216	1 1/8	—	—	647 lbs.	31.0
WVN60216BTL Laminate	13798	58%	216	1 1/8	—	—	647 lbs.	31.0
<b>60" X 240"</b>								
WVN60240BTW Wood	\$ 16266	58%	240	1 1/8	—	—	706 lbs.	34.0
WVN60240BTLW Laminate/Wood	16266	58%	240	1 1/8	—	—	706 lbs.	34.0
WVN60240BTL Laminate	15289	58%	240	1 1/8	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

# WAVEWORKS RACETRACK TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 114 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168" and 192" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide


## TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

## SAMPLE MODEL NUMBERS:

WWN3672RC2W P CUT-G16C X NM  
 WWN3672RC2LW P X X 480 NM  
 WWN3672RC2L N CW X G10C CW

- See pages 113-114 for all options available in Waveworks

WAVEWORKS RACETRACK TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	<b>36" X 72"</b>									
	<b>1 1/8" TOP THICKNESS</b>									
	WWN3672RC2W	Wood	\$ 3564	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672RC2LW	Laminate/Wood	3564	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672RC2L	Laminate	2716	36	72	1 1/8	—	—	136 lbs.	6.3
	<b>42" X 84"</b>									
	WWN4284RC2W	Wood	\$ 4153	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284RC2LW	Laminate/Wood	4153	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284RC2L	Laminate	3311	42	84	1 1/8	—	—	180 lbs.	8.3
	<b>48" X 96"</b>									
	WWN4896RC2W	Wood	\$ 4740	48	96	1 1/8	—	—	233 lbs.	10.5
	WWN4896RC2LW	Laminate/Wood	4740	48	96	1 1/8	—	—	233 lbs.	10.5
	WWN4896RC2L	Laminate	3903	48	96	1 1/8	—	—	233 lbs.	10.5
	<b>48" X 120"</b>									
	WWN48120RC2W	Wood	\$ 6656	48	120	1 1/8	—	—	279 lbs.	10.6
	WWN48120RC2LW	Laminate/Wood	6656	48	120	1 1/8	—	—	279 lbs.	10.6
	WWN48120RC2L	Laminate	5840	48	120	1 1/8	—	—	279 lbs.	10.6
	<b>48" X 144"</b>									
	WWN48144RC2W	Wood	\$ 8104	48	144	1 1/8	—	—	332 lbs.	12.5
	WWN48144RC2LW	Laminate/Wood	8104	48	144	1 1/8	—	—	332 lbs.	12.5
	WWN48144RC2L	Laminate	7301	48	144	1 1/8	—	—	332 lbs.	12.5
	<b>48" X 168"</b>									
	WWN48168RC2W	Wood	\$ 9242	48	168	1 1/8	—	—	385 lbs.	14.3
	WWN48168RC2LW	Laminate/Wood	9242	48	168	1 1/8	—	—	385 lbs.	14.3
	WWN48168RC2L	Laminate	8450	48	168	1 1/8	—	—	385 lbs.	14.3
	<b>48" X 192"</b>									
	WWN48192RC2W	Wood	\$ 10376	48	192	1 1/8	—	—	438 lbs.	16.2
	WWN48192RC2LW	Laminate/Wood	10376	48	192	1 1/8	—	—	438 lbs.	16.2
	WWN48192RC2L	Laminate	9594	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

# WAVEWORKS RACETRACK TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 114 for grommet options and upcharge
- Reference pages 10-15 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 26-45 for table base guide

## TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

## SAMPLE MODEL NUMBERS:

WWN48216RC2W	P	CUT-G16C	X	X	NM
WWN48216RC2LW	P	X	X	X	480 NM
WWN48216RC2L	N	CW	X	X	G10C CW

- See pages 113-114 for all options available in Waveworks

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>WAVEWORKS RACETRACK TOP (CONTINUED)</b>								
<b>48" X 216" 1 1/8" TOP THICKNESS</b>								
WWN48216RC2W Wood	\$ 11507	48	216	1 1/8	-	-	524 lbs.	20.0
WWN48216RC2LW Laminate/Wood	11507	48	216	1 1/8	-	-	524 lbs.	20.0
WWN48216RC2L Laminate	10720	48	216	1 1/8	-	-	524 lbs.	20.0
<b>48" X 240"</b>								
WWN48240RC2W Wood	\$ 12638	48	240	1 1/8	-	-	571 lbs.	22.0
WWN48240RC2LW Laminate/Wood	12638	48	240	1 1/8	-	-	571 lbs.	22.0
WWN48240RC2L Laminate	11879	48	240	1 1/8	-	-	571 lbs.	22.0
<b>60" X 144"</b>								
WWN60144RC2W Wood	\$ 10536	58%	144	1 1/8	-	-	412 lbs.	18.0
WWN60144RC2LW Laminate/Wood	10536	58%	144	1 1/8	-	-	412 lbs.	18.0
WWN60144RC2L Laminate	9491	58%	144	1 1/8	-	-	412 lbs.	18.0
<b>60" X 168"</b>								
WWN60168RC2W Wood	\$ 12015	58%	168	1 1/8	-	-	480 lbs.	22.5
WWN60168RC2LW Laminate/Wood	12015	58%	168	1 1/8	-	-	480 lbs.	22.5
WWN60168RC2L Laminate	10984	58%	168	1 1/8	-	-	480 lbs.	22.5
<b>60" X 192"</b>								
WWN60192RC2W Wood	\$ 13489	58%	192	1 1/8	-	-	539 lbs.	29.0
WWN60192RC2LW Laminate/Wood	13489	58%	192	1 1/8	-	-	539 lbs.	29.0
WWN60192RC2L Laminate	12471	58%	192	1 1/8	-	-	539 lbs.	29.0
<b>60" X 216"</b>								
WWN60216RC2W Wood	\$ 14956	58%	216	1 1/8	-	-	647 lbs.	31.0
WWN60216RC2LW Laminate/Wood	14956	58%	216	1 1/8	-	-	647 lbs.	31.0
WWN60216RC2L Laminate	13938	58%	216	1 1/8	-	-	647 lbs.	31.0
<b>60" X 240"</b>								
WWN60240RC2W Wood	\$ 16426	58%	240	1 1/8	-	-	706 lbs.	34.0
WWN60240RC2LW Laminate/Wood	16426	58%	240	1 1/8	-	-	706 lbs.	34.0
WWN60240RC2L Laminate	15444	58%	240	1 1/8	-	-	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 9 for conference top sizing
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops