

---

# TARVER

Product Specifications	142
Product Options	143
Product Pages	153

## TARVER PRODUCT SPECIFICATIONS

### TOPS

- Laminate surfaces are 1 $\frac{1}{8}$ " HPL (high pressure laminate) and feature a matching 3mm softened vinyl rim
- Veneer surfaces are 1 $\frac{1}{8}$ " and feature a matching 3mm softened wood rim
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- When specifying Clear Rustic Oak, a clear coat finish, the natural wood characteristics of white oak veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- Grain direction runs left-to-right unless otherwise noted

### TRESTLE BASE

- All bases consist of solid wood and metal components with visible fillet welds
- Metal is available in paint colors shown on page 143
- Wire management is standard through conference bases
- The dimension of the wire management cutout on the leg for Tarver is a 2.5" square (63mm x 63mm)

### BUFFET CREDENZAS

- Available in laminate or veneer
- Buffet credenzas have a single finish option with a matching 3mm softened vinyl rim
- $\frac{3}{4}$ " thick (19mm) worksurface
- Hinges and pulls available in (MB) Matte Black only
- Leveling glides are in black
- Doors feature a "shaker" style construction

### MOBILE MARKER BOARD

- Magnetic marker board writing surface

### CASTERS

- Black aluminum 4" diameter wheel with a black polyurethane tread
- Each caster has a single braking wheel

## POWER/DATA ELECTRICAL SPECIFICATIONS

### ROUND GROMMET (G10)

- NACG10EL features 2 120 volt receptacles and 2 Cat5E data ports and 6' AC cord rated at 15 amps; data ports are not pre-wired
- Field installable
- For conference tables only
- Black nylon
- 8 adapter plates are provided

### DOUBLE PIVOTING M2X-B POWER GROMMET (G15A, G15B)

- Accommodates table thicknesses of  $\frac{3}{4}$ "-1 $\frac{3}{4}$ "
- 1 touch door remains open during use
- 2 6 ft. power cords with 3-prong molded plug for each side
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- Corded units (standard and hardwire) have 2 72" long power cords (1 for each side) rated at 15 amps 120 volts
- Grommet comes with undersurface wire managers attached underneath conference top
- Field installable into a CUT-G15 (must be ordered)
- UL Listed
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo

### GLENBEIGH PIVOTING POWER GROMMET (G17A, G17B, G17C)

- Accommodates table thickness of  $\frac{3}{4}$ "-1 $\frac{3}{4}$ "
- 10 ft. power cord with 3-prong molded plug
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- 15 amp, 120v (hardwire models)
- 10 ft. metal conduit (hardwire models)
- UL Listed
- G17A available with 2 power outlets
- G17B available with 1 power outlet and 1 USB-A + C combo port
- G17C available with 1 power outlet

### POWER GROMMET (G23)

- Field installable when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes 2 power outlets and 2 power USB ports
- Silver or black
- Hardwire available
- 9 foot, 15 amp cord
- UL Listed

**PULL OPTIONS**



**Foursquare**

MB Matte Black

**HARDWARE PAINT**

MN Matte Black

**WOOD TOP FINISHES**

AD	Almond Straight Grain	MH	Mocha Cherry
ADRO	Almond Rustic Oak	MHRO	Mocha Rustic Oak
MC	Amber Cherry	YO	Monterey Straight Grain
AC	Autumn Cherry	NM	Natural Maple
IM	Brighton Maple	PB	Portobello Straight Grain
CO	Canyon Straight Grain	PBRO	Portobello Rustic Oak
CL	Caramel Maple	PTRO	Portico Rustic Oak
ERO	Clear Rustic Oak	792	Sable Straight Grain
EW	Clear Walnut*	792RO	Sable Rustic Oak
CC	Cordoba Cherry	SC	Sedona Cherry
CW	Cordovan Walnut	SKRO	Skyline Rustic Oak
DF	Driftwood Straight Grain	TW	Tribeca Walnut
HN	Honey Maple	TF	Truffle Cherry
TM	Huntington Maple	TFRO	Truffle Rustic Oak
DW	Judicial Walnut	NW	Tuscan Straight Grain
MW	Midtown Walnut	UW	Urban Walnut

**LAMINATE COLORS**

**WOODGRAIN LAMINATE**

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

**SOLID LAMINATE**

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

**GALLERY LAMINATE**

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

**METAL AND WOOD BASE PAINT COLORS**

462	Cinder
EM	Clearcoat on Metal**
440	Cloud
423	Concrete
405	Designer White
450	Fog
488	Frosty White
461	Graphite
463	Iron
501	Platinum Metallic
503	Satin Nickel
460	Storm

- The following paint colors will receive black screws: cinder, clearcoat on metal, concrete, graphite, iron, and satin nickel
- The following paint colors will receive silver screws: cloud, designer white, fog, frosty white, platinum, and storm

\*\* Clearcoat is only available as a paint option on metal, not a wood paint option

**WOOD BASE FINISHES**

793	Acorn*	MHRO	Mocha Rustic Oak
AD	Almond	YO	Monterey
ADRO	Almond Rustic Oak	NM	Natural
MC	Amber	PC	Porcini
AC	Autumn	PTRO	Portico
BZ	Brazilwood	PTRO	Portico Rustic Oak
IM	Brighton	PB	Portobello
CO	Canyon	PBRO	Portobello Rustic Oak
CL	Caramel	792	Sable
CI	Chai	792RO	Sable Rustic Oak
ERO	Clear Rustic Oak	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	SKRO	Skyline Rustic Oak
DF	Driftwood	TW	Tribeca
HN	Honey	TF	Truffle
TM	Huntington	TFRO	Truffle Rustic Oak
DW	Judicial	NW	Tuscan
KN	Kona	UW	Urban
MW	Midtown	WL	Willow
MH	Mocha		

\*Acorn is the complementary finish for the Clear Walnut Top Finish

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at [www.kimballinternational.com](http://www.kimballinternational.com)  
 • For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at [www.kimballinternational.com](http://www.kimballinternational.com)



## GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

### Round Grommet Option, Black

\$103 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End




- Reference pages 145-146 for grommet locations



**NACG10EL  
(Sold Separately)**

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 562 for pricing and details




**NACG10AELPGB, NACG10AELPGW,  
NACG10AELPGG, NACG10BELPGB,  
NACG10BELPGW, and NACG10AELPGG  
(Sold Separately)**

- NACG10A and NACG10B power/USB grommet is available as a substitute for G10 grommet, if desired
- Reference Electrical Addendum for pricing and details


### Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End



- Reference pages 147-148 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,  
NACG15AELPGB, NACG15AELHCB,  
NACG15AELPGW, and NACG15AELHCW  
(Sold Separately)**

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 566 for pricing and details

### Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location

- CUT-G17C Center
- CUT-G17E End
- CUT-G17LR Left & Right



- Reference pages 149-150 for cutout locations of CUT-G17




**NACG17AELPGB, NACG17AELPGS, and  
NACG17AELPGW (Sold Separately)**

- Reference page 570 for pricing and details



**NACG17BELPGB, NACG17BELPGS, and  
NACG17BELPGW (Sold Separately)**

- Reference page 570 for pricing and details



**NACG17CELPGB, NACG17CELPGS, and  
NACG17CELPGW (Sold Separately)**


- Reference page 570 pricing and details

NOTE: Interlink IQ units are available in the Accessories section


### Cutout Option for G23 Power Grommet

\$41 list upcharge per cutout location

- CUT-G23C Center
- CUT-G23E End
- CUT-G23LR Left, Right



- Reference pages 151-152 for cutout locations of CUT-G23




**NACG23ELB (Sold Separately)  
NACG23ELS (Sold Separately)**


- Must order model NACG23ELB or NACG23ELS to fit into CUT-G23 option
- Reference page 576 pricing and details

# TARVER - GROMMET LOCATIONS ON TOPS

- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG\*, and NACG10BELPG\* electrical grommets are available as a substitute for G10 grommet, if desired



• G10 Round Grommet




**TABLE LENGTH (IN)**

GROMMET LOCATION/OPTIONS	96"				120"				144"								
	A	B	C	D	A	B	C	D	A	B	C	D					
<b>G10C CENTER</b>	96"	—	47 <sup>1</sup> / <sub>16</sub> "	—	—	120"	—	48 <sup>1</sup> / <sub>4</sub> "	71 <sup>1</sup> / <sub>16</sub> "	—	—	144"	—	57 <sup>1</sup> / <sub>8</sub> "	86 <sup>1</sup> / <sub>16</sub> "	—	
<b>G10E END</b>	96"	25 <sup>3</sup> / <sub>16</sub> "	—	—	—	120"	24 <sup>1</sup> / <sub>16</sub> "	—	—	—	—	—	144"	27 <sup>1</sup> / <sub>16</sub> "	—	—	
<b>G10LR LEFT, RIGHT</b>	96"	25 <sup>3</sup> / <sub>16</sub> "	—	—	70 <sup>3</sup> / <sub>4</sub> "	120"	24 <sup>1</sup> / <sub>16</sub> "	—	—	94 <sup>7</sup> / <sub>8</sub> "	—	—	144"	27 <sup>1</sup> / <sub>16</sub> "	—	—	116 <sup>1</sup> / <sub>16</sub> "
<b>G10A ALL</b>	96"	25 <sup>3</sup> / <sub>16</sub> "	47 <sup>1</sup> / <sub>16</sub> "	—	70 <sup>3</sup> / <sub>4</sub> "	120"	24 <sup>1</sup> / <sub>16</sub> "	48 <sup>1</sup> / <sub>4</sub> "	71 <sup>1</sup> / <sub>16</sub> "	94 <sup>7</sup> / <sub>8</sub> "	—	—	144"	27 <sup>1</sup> / <sub>16</sub> "	57 <sup>1</sup> / <sub>8</sub> "	86 <sup>1</sup> / <sub>16</sub> "	116 <sup>1</sup> / <sub>16</sub> "
<b>G10CE CENTER, END</b>	96"	25 <sup>3</sup> / <sub>16</sub> "	47 <sup>1</sup> / <sub>16</sub> "	—	—	120"	24 <sup>1</sup> / <sub>16</sub> "	48 <sup>1</sup> / <sub>4</sub> "	—	—	—	—	144"	27 <sup>1</sup> / <sub>16</sub> "	57 <sup>1</sup> / <sub>8</sub> "	86 <sup>1</sup> / <sub>16</sub> "	—
	168"				192"				216"								
<b>G10C CENTER</b>	168"	—	66 <sup>3</sup> / <sub>4</sub> "	100 <sup>1</sup> / <sub>16</sub> "	—	192"	—	76 <sup>3</sup> / <sub>16</sub> "	115 <sup>5</sup> / <sub>16</sub> "	—	—	216"	—	85 <sup>7</sup> / <sub>8</sub> "	129 <sup>1</sup> / <sub>16</sub> "	—	
<b>G10E END</b>	168"	32 <sup>1</sup> / <sub>2</sub> "	—	—	—	192"	37 <sup>7</sup> / <sub>16</sub> "	—	—	—	—	—	216"	42 <sup>1</sup> / <sub>16</sub> "	—	—	
<b>G10LR LEFT, RIGHT</b>	168"	32 <sup>1</sup> / <sub>2</sub> "	—	—	135 <sup>3</sup> / <sub>16</sub> "	192"	37 <sup>7</sup> / <sub>16</sub> "	—	—	154 <sup>3</sup> / <sub>8</sub> "	—	—	216"	42 <sup>1</sup> / <sub>16</sub> "	—	—	173 <sup>1</sup> / <sub>2</sub> "
<b>G10A ALL</b>	168"	32 <sup>1</sup> / <sub>2</sub> "	66 <sup>3</sup> / <sub>4</sub> "	100 <sup>1</sup> / <sub>16</sub> "	135 <sup>3</sup> / <sub>16</sub> "	192"	37 <sup>7</sup> / <sub>16</sub> "	76 <sup>3</sup> / <sub>16</sub> "	115 <sup>5</sup> / <sub>16</sub> "	154 <sup>3</sup> / <sub>8</sub> "	—	—	216"	42 <sup>1</sup> / <sub>16</sub> "	85 <sup>7</sup> / <sub>8</sub> "	129 <sup>1</sup> / <sub>16</sub> "	173 <sup>1</sup> / <sub>2</sub> "
<b>G10CE CENTER, END</b>	168"	32 <sup>1</sup> / <sub>2</sub> "	66 <sup>3</sup> / <sub>4</sub> "	100 <sup>1</sup> / <sub>16</sub> "	—	192"	37 <sup>7</sup> / <sub>16</sub> "	76 <sup>3</sup> / <sub>16</sub> "	115 <sup>5</sup> / <sub>16</sub> "	—	—	—	216"	42 <sup>1</sup> / <sub>16</sub> "	85 <sup>7</sup> / <sub>8</sub> "	129 <sup>1</sup> / <sub>16</sub> "	—


TARVER

# GROMMET LOCATIONS ON TOPS - TARVER

- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG\*, and NACG10BELPG\* electrical grommets are available as a substitute for G10 grommet, if desired



- G10 Round Grommet




**TABLE LENGTH (IN)**

GROMMET LOCATION/OPTIONS	240"				
		A	B	C	D
<b>G10C CENTER</b>	240"	—	95 <sup>7</sup> / <sub>16</sub> "	144 <sup>1</sup> / <sub>16</sub> "	—
<b>G10E END</b>	240"	46 <sup>7</sup> / <sub>16</sub> "	—	—	—
<b>G10LR LEFT, RIGHT</b>	240"	46 <sup>7</sup> / <sub>16</sub> "	—	—	192 <sup>1</sup> / <sub>16</sub> "
<b>G10A ALL</b>	240"	46 <sup>7</sup> / <sub>16</sub> "	95 <sup>7</sup> / <sub>16</sub> "	144 <sup>1</sup> / <sub>16</sub> "	192 <sup>1</sup> / <sub>16</sub> "
<b>G10CE CENTER, END</b>	240"	46 <sup>7</sup> / <sub>16</sub> "	95 <sup>7</sup> / <sub>16</sub> "	144 <sup>1</sup> / <sub>16</sub> "	—



TARVER

# TARVER - GROMMET LOCATIONS ON TOPS

- For 144", 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)



• CUT-G15 option




**TABLE LENGTH (IN)**

GROMMET LOCATION/OPTIONS	96"				120"				144"						
	A	B	C	D	A	B	C	D	A	B	C	D			
<b>G15C CENTER</b>	96"	—	47 <sup>1</sup> / <sub>16</sub> "	—	—	120"	—	59 <sup>15</sup> / <sub>16</sub> "	—	—	144"	—	56 <sup>6</sup> / <sub>16</sub> "	87 <sup>1</sup> / <sub>4</sub> "	—
<b>G15E END</b>	96"	21 <sup>3</sup> / <sub>8</sub> "	—	—	—	120"	27 <sup>3</sup> / <sub>8</sub> "	—	—	—	144"	25 <sup>3</sup> / <sub>8</sub> "	—	—	—
<b>G15LR LEFT, RIGHT</b>	96"	21 <sup>3</sup> / <sub>8</sub> "	—	—	74 <sup>3</sup> / <sub>16</sub> "	120"	27 <sup>3</sup> / <sub>8</sub> "	—	—	92 <sup>1</sup> / <sub>4</sub> "	144"	25 <sup>3</sup> / <sub>8</sub> "	—	—	117 <sup>3</sup> / <sub>8</sub> "
<b>G15A ALL</b>	96"	21 <sup>3</sup> / <sub>8</sub> "	47 <sup>1</sup> / <sub>16</sub> "	—	74 <sup>3</sup> / <sub>16</sub> "	120"	27 <sup>3</sup> / <sub>8</sub> "	59 <sup>15</sup> / <sub>16</sub> "	—	92 <sup>1</sup> / <sub>4</sub> "	144"	25 <sup>3</sup> / <sub>8</sub> "	56 <sup>6</sup> / <sub>16</sub> "	87 <sup>1</sup> / <sub>4</sub> "	117 <sup>3</sup> / <sub>8</sub> "
<b>G15CE CENTER, END</b>	96"	21 <sup>3</sup> / <sub>8</sub> "	47 <sup>1</sup> / <sub>16</sub> "	—	—	120"	27 <sup>3</sup> / <sub>8</sub> "	59 <sup>15</sup> / <sub>16</sub> "	—	—	144"	25 <sup>3</sup> / <sub>8</sub> "	56 <sup>6</sup> / <sub>16</sub> "	87 <sup>1</sup> / <sub>4</sub> "	—
	168"				192"				216"						
<b>G15C CENTER</b>	168"	—	66 <sup>3</sup> / <sub>8</sub> "	101 <sup>1</sup> / <sub>8</sub> "	—	192"	—	75 <sup>3</sup> / <sub>4</sub> "	115 <sup>15</sup> / <sub>16</sub> "	—	216"	—	85 <sup>5</sup> / <sub>16</sub> "	130 <sup>3</sup> / <sub>16</sub> "	—
<b>G15E END</b>	168"	30 <sup>1</sup> / <sub>16</sub> "	—	—	—	192"	35 <sup>1</sup> / <sub>2</sub> "	—	—	—	216"	40 <sup>1</sup> / <sub>8</sub> "	—	—	—
<b>G15LR LEFT, RIGHT</b>	168"	30 <sup>1</sup> / <sub>16</sub> "	—	—	137"	192"	35 <sup>1</sup> / <sub>2</sub> "	—	—	156 <sup>3</sup> / <sub>16</sub> "	216"	40 <sup>1</sup> / <sub>8</sub> "	—	—	175 <sup>5</sup> / <sub>16</sub> "
<b>G15A ALL</b>	168"	30 <sup>1</sup> / <sub>16</sub> "	66 <sup>3</sup> / <sub>8</sub> "	101 <sup>1</sup> / <sub>8</sub> "	137"	192"	35 <sup>1</sup> / <sub>2</sub> "	75 <sup>3</sup> / <sub>4</sub> "	115 <sup>15</sup> / <sub>16</sub> "	156 <sup>3</sup> / <sub>16</sub> "	216"	40 <sup>1</sup> / <sub>8</sub> "	85 <sup>5</sup> / <sub>16</sub> "	130 <sup>3</sup> / <sub>16</sub> "	175 <sup>5</sup> / <sub>16</sub> "
<b>G15CE CENTER, END</b>	168"	30 <sup>1</sup> / <sub>16</sub> "	66 <sup>3</sup> / <sub>8</sub> "	101 <sup>1</sup> / <sub>8</sub> "	—	192"	35 <sup>1</sup> / <sub>2</sub> "	75 <sup>3</sup> / <sub>4</sub> "	115 <sup>15</sup> / <sub>16</sub> "	—	216"	40 <sup>1</sup> / <sub>8</sub> "	85 <sup>5</sup> / <sub>16</sub> "	130 <sup>3</sup> / <sub>16</sub> "	—

TARVER

# GROMMET LOCATIONS ON TOPS - TARVER

- For 144", 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)



- CUT-G15 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	240"				
		A	B	C	D
G15C CENTER	240"	—	94 <sup>7</sup> / <sub>8</sub> "	144 <sup>11</sup> / <sub>16</sub> "	—
G15E END	240"	45 <sup>1</sup> / <sub>16</sub> "	—	—	—
G15LR LEFT, RIGHT	240"	45 <sup>1</sup> / <sub>16</sub> "	—	—	194 <sup>1</sup> / <sub>16</sub> "
G15A ALL	240"	45 <sup>1</sup> / <sub>16</sub> "	94 <sup>7</sup> / <sub>8</sub> "	144 <sup>11</sup> / <sub>16</sub> "	194 <sup>1</sup> / <sub>16</sub> "
G15CE CENTER, END	240"	45 <sup>1</sup> / <sub>16</sub> "	94 <sup>7</sup> / <sub>8</sub> "	144 <sup>11</sup> / <sub>16</sub> "	—

TARVER



# TARVER - GROMMET LOCATIONS ON TOPS

- For G17, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)




TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	96"				120"				144"						
	A	B	C	D	A	B	C	D	A	B	C	D			
<b>G17L OR G17R LEFT OR RIGHT</b>	96"	23 <sup>3</sup> / <sub>8</sub> "	—	—	120"	23 <sup>3</sup> / <sub>8</sub> "	—	—	144"	23 <sup>3</sup> / <sub>8</sub> "	—	—			
<b>G17LR LEFT &amp; RIGHT</b>	96"	23 <sup>3</sup> / <sub>8</sub> "	—	72 <sup>1</sup> / <sub>16</sub> "	120"	23 <sup>3</sup> / <sub>8</sub> "	—	96"	144"	23 <sup>3</sup> / <sub>8</sub> "	—	119 <sup>15</sup> / <sub>16</sub> "			
<b>G17C CENTER</b>	96"	—	44"	51 <sup>1</sup> / <sub>8</sub> "	120"	—	56"	63 <sup>3</sup> / <sub>8</sub> "	144"	—	67 <sup>15</sup> / <sub>16</sub> "	75 <sup>13</sup> / <sub>16</sub> "			
<b>G17LC OR G17RC LEFT &amp; CENTER OR RIGHT &amp; CENTER</b>	96"	23 <sup>3</sup> / <sub>8</sub> "	44"	51 <sup>1</sup> / <sub>8</sub> "	120"	23 <sup>3</sup> / <sub>8</sub> "	56"	63 <sup>3</sup> / <sub>8</sub> "	144"	23 <sup>3</sup> / <sub>8</sub> "	67 <sup>15</sup> / <sub>16</sub> "	75 <sup>13</sup> / <sub>16</sub> "			
<b>G17A LEFT, RIGHT &amp; CENTER</b>	96"	23 <sup>3</sup> / <sub>8</sub> "	44"	51 <sup>1</sup> / <sub>8</sub> "	72 <sup>1</sup> / <sub>16</sub> "	120"	23 <sup>3</sup> / <sub>8</sub> "	56"	63 <sup>3</sup> / <sub>8</sub> "	96"	144"	23 <sup>3</sup> / <sub>8</sub> "	67 <sup>15</sup> / <sub>16</sub> "	75 <sup>13</sup> / <sub>16</sub> "	119 <sup>15</sup> / <sub>16</sub> "
	168"				192"				216"						
<b>G17L OR G17R LEFT OR RIGHT</b>	168"	23 <sup>3</sup> / <sub>8</sub> "	—	—	192"	23 <sup>3</sup> / <sub>8</sub> "	—	—	216"	23 <sup>3</sup> / <sub>8</sub> "	—	—			
<b>G17LR LEFT &amp; RIGHT</b>	168"	23 <sup>3</sup> / <sub>8</sub> "	—	143 <sup>7</sup> / <sub>8</sub> "	192"	23 <sup>3</sup> / <sub>8</sub> "	—	167 <sup>13</sup> / <sub>16</sub> "	216"	23 <sup>3</sup> / <sub>8</sub> "	—	191 <sup>3</sup> / <sub>4</sub> "			
<b>G17C CENTER</b>	168"	—	79 <sup>15</sup> / <sub>16</sub> "	87 <sup>13</sup> / <sub>16</sub> "	192"	—	91 <sup>1</sup> / <sub>8</sub> "	99 <sup>3</sup> / <sub>4</sub> "	216"	—	103 <sup>7</sup> / <sub>8</sub> "	111 <sup>3</sup> / <sub>4</sub> "			
<b>G17LC OR G17RC LEFT &amp; CENTER OR RIGHT &amp; CENTER</b>	168"	23 <sup>3</sup> / <sub>8</sub> "	79 <sup>15</sup> / <sub>16</sub> "	87 <sup>13</sup> / <sub>16</sub> "	192"	23 <sup>3</sup> / <sub>8</sub> "	91 <sup>1</sup> / <sub>8</sub> "	99 <sup>3</sup> / <sub>4</sub> "	216"	23 <sup>3</sup> / <sub>8</sub> "	103 <sup>7</sup> / <sub>8</sub> "	111 <sup>3</sup> / <sub>4</sub> "			
<b>G17A LEFT, RIGHT &amp; CENTER</b>	168"	23 <sup>3</sup> / <sub>8</sub> "	79 <sup>15</sup> / <sub>16</sub> "	87 <sup>13</sup> / <sub>16</sub> "	143 <sup>7</sup> / <sub>8</sub> "	192"	23 <sup>3</sup> / <sub>8</sub> "	91 <sup>1</sup> / <sub>8</sub> "	99 <sup>3</sup> / <sub>4</sub> "	167 <sup>13</sup> / <sub>16</sub> "	216"	23 <sup>3</sup> / <sub>8</sub> "	103 <sup>7</sup> / <sub>8</sub> "	111 <sup>3</sup> / <sub>4</sub> "	191 <sup>3</sup> / <sub>4</sub> "

# GROMMET LOCATIONS ON TOPS - TARVER

- For G17, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	240"				
		A	B	C	D
<b>G17L OR G17R LEFT OR RIGHT</b>	240"	23 <sup>7</sup> / <sub>8</sub> "	—	—	—
<b>G17LR LEFT &amp; RIGHT</b>	240"	23 <sup>7</sup> / <sub>8</sub> "	—	—	215 <sup>1</sup> / <sub>16</sub> "
<b>G17C CENTER</b>	240"	—	115 <sup>3</sup> / <sub>16</sub> "	123 <sup>1</sup> / <sub>16</sub> "	—
<b>G17LC OR G17RC LEFT &amp; CENTER OR RIGHT &amp; CENTER</b>	240"	23 <sup>7</sup> / <sub>8</sub> "	115 <sup>3</sup> / <sub>16</sub> "	123 <sup>1</sup> / <sub>16</sub> "	—
<b>G17A LEFT, RIGHT &amp; CENTER</b>	240"	23 <sup>7</sup> / <sub>8</sub> "	115 <sup>3</sup> / <sub>16</sub> "	123 <sup>1</sup> / <sub>16</sub> "	215 <sup>1</sup> / <sub>16</sub> "



TARVER

# TARVER - GROMMET LOCATIONS ON TOPS

- For 144", 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)



• CUT-G23 option




**TABLE LENGTH (IN)**

GROMMET LOCATION/OPTIONS	96"				120"				144"						
	A	B	C	D	A	B	C	D	A	B	C	D			
<b>G23C CENTER</b>	96"	—	47 <sup>1</sup> / <sub>16</sub> "	—	—	120"	—	59 <sup>15</sup> / <sub>16</sub> "	—	—	144"	—	57"	86 <sup>13</sup> / <sub>16</sub> "	—
<b>G23E END</b>	96"	22 <sup>1</sup> / <sub>16</sub> "	—	—	—	120"	28 <sup>3</sup> / <sub>8</sub> "	—	—	—	144"	27 <sup>3</sup> / <sub>16</sub> "	—	—	—
<b>G23LR LEFT, RIGHT</b>	96"	22 <sup>1</sup> / <sub>16</sub> "	—	—	73 <sup>3</sup> / <sub>4</sub> "	120"	28 <sup>3</sup> / <sub>8</sub> "	—	—	91 <sup>3</sup> / <sub>16</sub> "	144"	27 <sup>3</sup> / <sub>16</sub> "	—	—	116 <sup>3</sup> / <sub>8</sub> "
<b>G23A ALL</b>	96"	22 <sup>1</sup> / <sub>16</sub> "	47 <sup>1</sup> / <sub>16</sub> "	—	73 <sup>3</sup> / <sub>4</sub> "	120"	28 <sup>3</sup> / <sub>8</sub> "	59 <sup>15</sup> / <sub>16</sub> "	—	91 <sup>3</sup> / <sub>16</sub> "	144"	27 <sup>3</sup> / <sub>16</sub> "	57"	86 <sup>13</sup> / <sub>16</sub> "	116 <sup>3</sup> / <sub>8</sub> "
<b>G23CE CENTER, END</b>	96"	22 <sup>1</sup> / <sub>16</sub> "	47 <sup>1</sup> / <sub>16</sub> "	—	—	120"	28 <sup>3</sup> / <sub>8</sub> "	59 <sup>15</sup> / <sub>16</sub> "	—	—	144"	27 <sup>3</sup> / <sub>16</sub> "	57"	86 <sup>13</sup> / <sub>16</sub> "	—
	168"				192"				216"						
<b>G23C CENTER</b>	168"	—	66 <sup>6</sup> / <sub>16</sub> "	101 <sup>1</sup> / <sub>8</sub> "	—	192"	—	76 <sup>1</sup> / <sub>8</sub> "	115 <sup>1</sup> / <sub>2</sub> "	—	216"	—	85 <sup>1</sup> / <sub>16</sub> "	129 <sup>7</sup> / <sub>8</sub> "	—
<b>G23E END</b>	168"	31 <sup>1</sup> / <sub>16</sub> "	—	—	—	192"	36 <sup>3</sup> / <sub>4</sub> "	—	—	—	216"	41 <sup>1</sup> / <sub>16</sub> "	—	—	—
<b>G23LR LEFT, RIGHT</b>	168"	31 <sup>1</sup> / <sub>16</sub> "	—	—	135 <sup>3</sup> / <sub>4</sub> "	192"	36 <sup>3</sup> / <sub>4</sub> "	—	—	154 <sup>7</sup> / <sub>8</sub> "	216"	41 <sup>1</sup> / <sub>16</sub> "	—	—	174 <sup>1</sup> / <sub>16</sub> "
<b>G23A ALL</b>	168"	31 <sup>1</sup> / <sub>16</sub> "	66 <sup>6</sup> / <sub>16</sub> "	101 <sup>1</sup> / <sub>8</sub> "	135 <sup>3</sup> / <sub>4</sub> "	192"	36 <sup>3</sup> / <sub>4</sub> "	76 <sup>1</sup> / <sub>8</sub> "	115 <sup>1</sup> / <sub>2</sub> "	154 <sup>7</sup> / <sub>8</sub> "	216"	41 <sup>1</sup> / <sub>16</sub> "	85 <sup>1</sup> / <sub>16</sub> "	129 <sup>7</sup> / <sub>8</sub> "	174 <sup>1</sup> / <sub>16</sub> "
<b>G23CE CENTER, END</b>	168"	31 <sup>1</sup> / <sub>16</sub> "	66 <sup>6</sup> / <sub>16</sub> "	101 <sup>1</sup> / <sub>8</sub> "	—	192"	36 <sup>3</sup> / <sub>4</sub> "	76 <sup>1</sup> / <sub>8</sub> "	115 <sup>1</sup> / <sub>2</sub> "	—	216"	41 <sup>1</sup> / <sub>16</sub> "	85 <sup>1</sup> / <sub>16</sub> "	129 <sup>7</sup> / <sub>8</sub> "	—

TARVER

# GROMMET LOCATIONS ON TOPS - TARVER

- For 144", 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)



• CUT-G23 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	240"				
		A	B	C	D
<b>G23C CENTER</b>	240"	—	95 <sup>5</sup> / <sub>16</sub> "	144 <sup>1</sup> / <sub>4</sub> "	—
<b>G23E END</b>	240"	46 <sup>5</sup> / <sub>16</sub> "	—	—	—
<b>G23LR LEFT, RIGHT</b>	240"	46 <sup>5</sup> / <sub>16</sub> "	—	—	193 <sup>3</sup> / <sub>16</sub> "
<b>G23A ALL</b>	240"	46 <sup>5</sup> / <sub>16</sub> "	95 <sup>5</sup> / <sub>16</sub> "	144 <sup>1</sup> / <sub>4</sub> "	193 <sup>3</sup> / <sub>16</sub> "
<b>G23CE CENTER, END</b>	240"	46 <sup>5</sup> / <sub>16</sub> "	95 <sup>5</sup> / <sub>16</sub> "	144 <sup>1</sup> / <sub>4</sub> "	—

TARVER

**PRODUCT SPECIFICATIONS**

- Shipped KD
- Legs made of metal and solid wood
- Reference pages 145-152 for grommet and cutout locations
- Grommet cutout is only available in Center location.

**TO ORDER, SPECIFY:**

1. Model Number
2. Grommet
3. Top Finish/Laminate
4. Base Finish
5. Paint

**SAMPLE MODEL NUMBER:**

90N4229TRDTW CUT-G17C EW 462 462  
 • See page 143 for all options available in Tarver

**ROUND TOP  
TRESTLE BASE  
WORKSURFACE HEIGHT**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>42" ROUND 1 1/8" TOP THICKNESS</b>		<b>DI</b>						
90N4229TRDTW Wood	\$ 5389	42 1/16	—	29 1/16	—	—	86 lbs.	20.1
90N4229TRDTL Laminate	5101	42 1/16	—	29 1/16	—	—	86 lbs.	20.7
<b>48" ROUND</b>								
90N4829TRDTW Wood	\$ 5825	48 1/16	—	29 1/16	—	—	103 lbs.	21.1
90N4829TRDTL Laminate	5229	48 1/16	—	29 1/16	—	—	103 lbs.	21.4
<b>54" ROUND</b>								
90N5429TRDTW Wood	\$ 6259	54	—	29 1/16	—	—	153 lbs.	37.9
90N5429TRDTL Laminate	5825	54	—	29 1/16	—	—	153 lbs.	37.9
<b>60" ROUND</b>								
90N6029TRDTW Wood	\$ 6693	58 1/16	—	29 1/16	—	—	213 lbs.	39.3
90N6029TRDTL Laminate	6259	58 1/16	—	29 1/16	—	—	213 lbs.	39.3

• G10 grommet option not available

**ROUND TOP  
TRESTLE BASE  
COUNTER HEIGHT**



<b>42" ROUND 1 1/8" TOP THICKNESS</b>		<b>DI</b>						
90N4235TRDTW Wood	\$ 6198	42 1/16	—	35 1/16	—	—	92 lbs.	25.2
90N4235TRDTL Laminate	5865	42 1/16	—	35 1/16	—	—	92 lbs.	25.8
<b>48" ROUND</b>								
90N4835TRDTW Wood	\$ 6697	48 1/16	—	35 1/16	—	—	109 lbs.	26.2
90N4835TRDTL Laminate	6015	48 1/16	—	35 1/16	—	—	109 lbs.	26.5

• G10 grommet option not available

**ROUND TOP  
TRESTLE BASE  
BAR HEIGHT**



<b>42" ROUND 1 1/8" TOP THICKNESS</b>		<b>DI</b>						
90N4241TRDTW Wood	\$ 6818	42 1/16	—	41 3/8	—	—	159 lbs.	29.7
90N4241TRDTL Laminate	6451	42 1/16	—	41 3/8	—	—	159 lbs.	30.3
<b>48" ROUND</b>								
90N4841TRDTW Wood	\$ 7366	48 1/16	—	41 3/8	—	—	219 lbs.	30.7
90N4841TRDTL Laminate	6617	48 1/16	—	41 3/8	—	—	219 lbs.	31.0

• G10 grommet option not available

# TARVER

## PRODUCT SPECIFICATIONS

- Shipped KD
- Legs made of metal and solid wood
- Reference pages 145-152 for grommet and cutout locations
- Grommet cutout is only available in Center location.

## TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Top Finish/Laminate
4. Base Finish
5. Paint

## SAMPLE MODEL NUMBER:

- 90N606029TSQTL X G1012 423 423
- See page 143 for all options available in Tarver


### SQUARE TOP TRESTLE BASE WORKSURFACE HEIGHT



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
<b>42" SQUARE 1 1/8" TOP THICKNESS</b>								
90N424229TSQTW Wood	\$ 5389	42 1/16	42 1/16	29 1/16	—	—	112 lbs.	20.7
90N424229TSQTL Laminate	5101	42 1/16	42 1/16	29 1/16	—	—	112 lbs.	20.7
<b>48" SQUARE</b>								
90N484829TSQTW Wood	\$ 5825	48 1/16	48 1/16	29 1/16	—	—	129 lbs.	21.4
90N484829TSQTL Laminate	5229	48 1/16	48 1/16	29 1/16	—	—	129 lbs.	21.4
<b>54" SQUARE</b>								
90N545429TSQTW Wood	\$ 6259	54	54	29 1/16	—	—	174 lbs.	37.9
90N545429TSQTL Laminate	5825	54	54	29 1/16	—	—	174 lbs.	37.9
<b>60" SQUARE</b>								
90N606029TSQTW Wood	\$ 6693	58 7/16	58 7/16	29 1/16	—	—	203 lbs.	39.3
90N606029TSQTL Laminate	6259	58 7/16	58 7/16	29 1/16	—	—	203 lbs.	39.3

• G10 grommet option not available


### SQUARE TOP TRESTLE BASE COUNTER HEIGHT



<b>42" SQUARE 1 1/8" TOP THICKNESS</b>								
90N424235TSQTW Wood	\$ 6198	42 1/16	42 1/16	35 1/16	—	—	118 lbs.	25.8
90N424235TSQTL Laminate	5865	42 1/16	42 1/16	35 1/16	—	—	118 lbs.	25.8
<b>48" SQUARE</b>								
90N484835TSQTW Wood	\$ 6697	48 1/16	48 1/16	35 1/16	—	—	135 lbs.	26.5
90N484835TSQTL Laminate	6015	48 1/16	48 1/16	35 1/16	—	—	135 lbs.	26.5

• G10 grommet option not available

### SQUARE TOP TRESTLE BASE BAR HEIGHT



<b>42" SQUARE 1 1/8" TOP THICKNESS</b>								
90N424241TSQTW Wood	\$ 6818	42 1/16	42 1/16	41 3/8	—	—	180 lbs.	30.3
90N424241TSQTL Laminate	6451	42 1/16	42 1/16	41 3/8	—	—	180 lbs.	30.3
<b>48" SQUARE</b>								
90N484841TSQTW Wood	\$ 7366	48 1/16	48 1/16	41 3/8	—	—	209 lbs.	31.0
90N484841TSQTL Laminate	6617	48 1/16	48 1/16	41 3/8	—	—	209 lbs.	31.0

• G10 grommet option not available

**PRODUCT SPECIFICATIONS**

- Shipped KD
- Legs made of metal and solid wood
- Reference pages 145-152 for grommet and cutout locations


**TO ORDER, SPECIFY:**

1. Model Number
2. Grommet
3. Top Finish/Laminate
4. Base Finish
5. Paint

**SAMPLE MODEL NUMBER:**

90N4814429TRTTL CUT-G17A DW DW EM  
 • See page 143 for all options available in Tarver

**RECTANGLE TOP  
 TRESTLE BASE  
 WORKSURFACE HEIGHT**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>48" x 96" 1 1/8" TOP THICKNESS</b>								
90N489629TRTTW Wood	\$ 10091	48 1/16	95 7/8	29 1/16	—	—	302 lbs.	17.4
90N489629TRTTL Laminate	9257	48 1/16	95 7/8	29 1/16	—	—	302 lbs.	17.4
<b>48" x 120"</b>								
90N4812029TRTTW Wood	\$ 14063	48 1/16	119 13/16	29 1/16	—	—	382 lbs.	23.7
90N4812029TRTTL Laminate	13439	48 1/16	119 13/16	29 1/16	—	—	382 lbs.	23.7
<b>48" x 144"</b>								
90N4814429TRTTW Wood	\$ 15860	48 1/16	143 3/4	29 1/16	—	—	440 lbs.	25.9
90N4814429TRTTL Laminate	15112	48 1/16	143 3/4	29 1/16	—	—	440 lbs.	26.0
<b>48" x 168"</b>								
90N4816829TRTTW Wood	\$ 19239	48 1/16	167 11/16	29 1/16	—	—	527 lbs.	31.9
90N4816829TRTTL Laminate	18537	48 1/16	167 11/16	29 1/16	—	—	527 lbs.	31.9
<b>48" x 192"</b>								
90N4819229TRTTW Wood	\$ 20682	48 1/16	191 7/8	29 1/16	—	—	582 lbs.	34.1
90N4819229TRTTL Laminate	20004	48 1/16	191 7/8	29 1/16	—	—	582 lbs.	34.1
<b>48" x 216"</b>								
90N4821629TRTTW Wood	\$ 22137	48 1/16	215 1/16	29 1/16	—	—	670 lbs.	22.5
90N4821629TRTTL Laminate	21485	48 1/16	215 1/16	29 1/16	—	—	670 lbs.	22.5
<b>48" x 240"</b>								
90N4824029TRTTW Wood	\$ 23585	48 1/16	239 1/2	29 1/16	—	—	719 lbs.	23.1
90N4824029TRTTL Laminate	22967	48 1/16	239 1/2	29 1/16	—	—	719 lbs.	23.1

- 96" wide tops use 2 bases
- 120" and 144" wide tops use 3 bases
- 168", 192", 216", and 240" wide tops use 4 bases
- 120", 144", 168", and 192" wide tops are 2 piece tops
- 216" and 240" wide tops are 3 piece tops
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

# TARVER

## PRODUCT SPECIFICATIONS

- Shipped KD
- Legs made of metal and solid wood
- Reference pages 145-152 for grommet and cutout locations

## TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Top Finish/Laminate
4. Base Finish
5. Paint

## SAMPLE MODEL NUMBER:

90N6019229TRTTW CUT-17LR ERO 461 461

- See page 143 for all options available in Tarver

### RECTANGLE TOP TRESTLE BASE WORKSURFACE HEIGHT (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>60" x 144" 1 1/2" TOP THICKNESS</b>								
90N6014429TRTTW Wood	\$ 20277	58 1/16	143 3/4	29 7/16	—	—	535 lbs.	26.7
90N6014429TRTTL Laminate	19194	58 1/16	143 3/4	29 7/16	—	—	535 lbs.	35.7
<b>60" x 168"</b>								
90N6016829TRTTW Wood	\$ 24659	58 1/16	167 11/16	29 7/16	—	—	605 lbs.	34.5
90N6016829TRTTL Laminate	23591	58 1/16	167 11/16	29 7/16	—	—	605 lbs.	45.7
<b>60" x 192"</b>								
90N6019229TRTTW Wood	\$ 26443	58 1/16	191 1/8	29 7/16	—	—	702 lbs.	38.0
90N6019229TRTTL Laminate	25391	58 1/16	191 1/8	29 7/16	—	—	702 lbs.	52.5
<b>60" x 216"</b>								
90N6021629TRTTW Wood	\$ 28233	58 1/16	215 1/16	29 7/16	—	—	813 lbs.	34.0
90N6021629TRTTL Laminate	27203	58 1/16	215 1/16	29 7/16	—	—	813 lbs.	54.7
<b>60" x 240"</b>								
90N6024029TRTTW Wood	\$ 30023	58 1/16	239 1/2	29 7/16	—	—	874 lbs.	35.2
90N6024029TRTTL Laminate	29014	58 1/16	239 1/2	29 7/16	—	—	874 lbs.	57.9

- 144" wide tops use 3 bases
- 168", 192", 216", and 240" wide tops use 4 bases
- 144" wide tops are 2 piece tops
- 168", 192", 216", and 240" wide tops are 3 piece tops
- Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops



**PRODUCT SPECIFICATIONS**


- Shipped KD
- Legs made of metal and solid wood
- Reference pages 145-152 for grommet and cutout locations

**TO ORDER, SPECIFY:**


1. Model Number
2. Grommet
3. Top Finish/Laminate
4. Base Finish
5. Paint

**SAMPLE MODEL NUMBER:**

90N489641TRTTW X PTRO PTRO 463  
 • See page 143 for all options available in Tarver

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
<b>RECTANGLE TOP TRESTLE BASE COUNTER HEIGHT</b>  	<b>48" x 96"</b>		<b>1 1/8" TOP THICKNESS</b>							
	90N489635TRTTW	Wood	\$ 10595	48 1/16	95 7/8	35 1/16	—	—	317 lbs.	19.2
	90N489635TRTTL	Laminate	9719	48 1/16	95 7/8	35 1/16	—	—	317 lbs.	19.2
	<b>48" x 120"</b>									
	90N4812035TRTTW	Wood	\$ 14766	48 1/16	119 1/16	35 1/16	—	—	397 lbs.	26.4
	90N4812035TRTTL	Laminate	14113	48 1/16	119 1/16	35 1/16	—	—	397 lbs.	26.6

• 96" wide tops use 2 bases  
 • 120" wide tops use 3 bases  
 • 96" wide tops are 1 piece tops  
 • 120" wide tops are 2 piece tops  
 • Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

<b>RECTANGLE TOP TRESTLE BASE BAR HEIGHT</b>  	<b>48" x 96"</b>		<b>1 1/8" TOP THICKNESS</b>							
	90N489641TRTTW	Wood	\$ 16654	48 1/16	95 7/8	41 3/8	—	—	319 lbs.	20.8
	90N489641TRTTL	Laminate	15868	48 1/16	95 7/8	41 3/8	—	—	319 lbs.	23.0
	<b>48" x 120"</b>									
	90N4812041TRTTW	Wood	\$ 20201	48 1/16	119 1/16	41 3/8	—	—	409 lbs.	28.8
	90N4812041TRTTL	Laminate	19465	48 1/16	119 1/16	41 3/8	—	—	409 lbs.	29.0

• 96" wide tops use 2 bases  
 • 120" wide tops use 3 bases  
 • 96" wide tops are 1 piece tops  
 • 120" wide tops are 2 piece tops  
 • Almond, Canyon, Driftwood, Monterey, Portobello, Sable, and Tuscan veneer grain pattern will not match on multi-piece conference tops

# TARVER

## PRODUCT SPECIFICATIONS

- Legs made of metal and solid wood
- End and Magazine Tables ship assembled

## TO ORDER, SPECIFY:

1. Model Number
2. Top Finish/Laminate
3. Base Finish
4. Paint

## SAMPLE MODEL NUMBER:

90N2421ENL 478 461 462  
 90N2448MGW PBRO 405 462

- See page 143 for all options available in Tarver

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>END TABLE TRESTLE BASE</b>	90N2421ENW Wood	\$ 2600	24	24	22 $\frac{3}{4}$	—	—	60 lbs.	12.8
	90N2421ENL Laminate	2462	24	24	22 $\frac{3}{4}$	—	—	60 lbs.	12.8



- No grommet cutouts available
- 1 $\frac{1}{2}$ " thick tops

## MAGAZINE TABLE TRESTLE BASE



90N2448MGW Wood	\$ 3325	24	48 $\frac{1}{16}$	16 $\frac{3}{4}$	—	—	83 lbs.	18.8
90N2448MGL Laminate	3186	24	48 $\frac{1}{16}$	16 $\frac{3}{4}$	—	—	83 lbs.	18.8

- No grommet cutouts available
- 1 $\frac{1}{2}$ " thick tops

**PRODUCT SPECIFICATIONS**

- Shipped KD
- Legs made of solid wood

**TO ORDER, SPECIFY:**

1. Model Number
2. Paint
3. Finish
4. Base Finish

**SAMPLE MODEL NUMBER:**

90N3072MBMW 461 AD ADRO  
 • See page 143 for all options available in Tarver

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>MOBILE MARKER BOARD</b>	90N3072MBMW	\$ 4708	28	29 <sup>1</sup> / <sub>6</sub>	72	—	—	97 lbs.	23.0



- Dry erase writing surface is approximately 26" wide x 36½" high
- Marker board is approx 35" above fixed floor
- Tray provides lip to keep markers in place
- 4 braking casters
- To specify select paint for top metal divider, finish for horizontal surface, and finish for solid wood base

# TARVER

## PRODUCT SPECIFICATIONS

- Shipped assembled

## TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate
3. Hardware Paint
4. Paint

## SAMPLE MODEL NUMBER:

90N2436MUCL SK MB 423

- See page 143 for all options available in Tarver

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
90N2436MUCW Wood	\$ 5070	23 <sup>3</sup> / <sub>16</sub>	41 <sup>3</sup> / <sub>16</sub>	35 <sup>7</sup> / <sub>16</sub>	—	—	160 lbs.	26.8
90N2436MUCL Laminate	3983	23 <sup>3</sup> / <sub>16</sub>	41 <sup>3</sup> / <sub>16</sub>	35 <sup>7</sup> / <sub>16</sub>	—	—	160 lbs.	26.8

### MOBILE UTILITY CART



- Top width is 36"
- 4 braking casters
- One adjustable shelf behind hinged doors
- Doors are non-locking
- These TFL colors are not available on this model: Brazilwood, Canyon, Chai, Cordoba, Dapple, Driftwood, Fog, Huntington, Kona, Midtown, Porcini, Sedona, Storm, Tribeca, Tuscan, Urban, Willow

**PRODUCT SPECIFICATIONS**

- Shipped assembled


**TO ORDER, SPECIFY:**

1. Model Number
2. Finish/Laminate
3. Hardware Paint

**SAMPLE MODEL NUMBER:**

90N246035CCSL G1006 MB

- See page 143 for all options available in Tarver

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	<b>48" 1 1/8" TOP THICKNESS</b>									
	90N244835CCSW	Wood	\$ 9715	24	48 1/16	35	—	—	184 lbs.	33.0
	90N244835CCSL	Laminate	7856	24	48 1/16	35	—	—	184 lbs.	33.0
	<ul style="list-style-type: none"> <li>• Metal base height is 6 1/16"</li> <li>• Grommet option not available</li> <li>• Features an adjustable shelf behind each set of doors</li> <li>• Features a fully finished back</li> <li>• Doors are non-locking</li> <li>• Inside dimension of storage section is 21 1/16"D x 19 7/8"W x 23 3/16"H</li> <li>• These TFL colors are not available on this model: Brazilwood, Canyon, Chai, Cordoba, Dapple, Driftwood, Fog, Huntington, Kona, Midtown, Porcini, Sedona, Storm, Tribeca, Tuscan, Urban, Willow</li> </ul>									
	<b>60" 1 1/8" TOP THICKNESS</b>									
	90N246035CCSW	Wood	\$ 9932	24	60	35	—	—	250 lbs.	40.3
	90N246035CCSL	Laminate	8074	24	60	35	—	—	250 lbs.	40.3
	<ul style="list-style-type: none"> <li>• Metal base height is 6 1/16"</li> <li>• Grommet option not available</li> <li>• Features an adjustable shelf behind each set of doors</li> <li>• Features a fully finished back</li> <li>• Doors are non-locking</li> <li>• Inside dimension of storage section is 21 1/16"D x 25 7/8"W x 23 3/16"H</li> <li>• These TFL colors are not available on this model: Brazilwood, Canyon, Chai, Cordoba, Dapple, Driftwood, Fog, Huntington, Kona, Midtown, Porcini, Sedona, Storm, Tribeca, Tuscan, Urban, Willow</li> </ul>									
	<b>72" 1 1/8" TOP THICKNESS</b>									
	90N247235CCSW	Wood	\$ 10150	24	71 1/16	35	—	—	286 lbs.	47.7
90N247235CCSL	Laminate	8293	24	71 1/16	35	—	—	286 lbs.	47.7	
<ul style="list-style-type: none"> <li>• Metal base height is 6 1/16"</li> <li>• Grommet option not available</li> <li>• Features an adjustable shelf behind each set of doors</li> <li>• Features a fully finished back</li> <li>• Doors are non-locking</li> <li>• Inside dimension of storage section is 21 1/16"D x 31 7/8"W x 23 3/16"H</li> <li>• These TFL colors are not available on this model: Brazilwood, Canyon, Chai, Cordoba, Dapple, Driftwood, Fog, Huntington, Kona, Midtown, Porcini, Sedona, Storm, Tribeca, Tuscan, Urban, Willow</li> </ul>										

